

INDEX

COOLERS	1
DRY IRONS	6
STEAM IRONS	9
ROOM HEATERS	11
WATER HEATERS	16

COOLERS



POWRFUL AIR THROW

Powerful air throw for best reach of cool air at long distance



Specially designed cooling media with hexagonal design delivering maximum cooling with minimum water consumption



Easy and convenient control of cooler functions from a distance





3 sided honeycomb pad for maximum cooling



High air delivery for faster cooling



Large water tank capacity for longer cooling with continuous water supply system

3 SIDE COOLER MASTER



Ice compartments to store ice cubes for improved cooling experience



MOBILITY

Castor wheels with four way movement for convenient & easy mobility



Fan based cooling for efficient circulation of air

CHAMBER



Low water level indicator for un-interrupted cooling



CONTROL

Five speed fan / blower control to adjust air flow according to the requirement



3 SPEED

CONTROL

Three speed fan / blower control to adjust air flow according to the requirement

DIGITAL LOW WATER LEVEL INDICATOR



MAXCOOL TECHNOLOGY

Wood wool cooling media for effective cooling



TYPHOON BLOWER TECHNOLOGY

Blower based technology for quick and efficient cooling



DIGITAL DISPLAY **CONTROL PANEL**

Digital display panel to show the exact settings of the cooler for ultimate comfort

IRONS



HIGH WATTAGE



clothes in less time

2 WAY LED INDICATOR

is switched on to indicate that it's ready for use

High wattage provides guick


heating of the iron element


& allows you to iron more




SWIVEL CORD

REVERSE IRONING









SWIVEL CORD



WEIGHT

Smooth and crisp ironing

Convenience in ironing

clothes without the cord

getting tangled in between

IRONS



SELF CLEANING

Self cleaning facility for longer product life



NON-STICK COATED SOLE PLATE

Easy glide for crisp & safe ironing



LIGHT WEIGHT

Easy & convenient ironing



25% EXTRA LONG CORD

Longer cord gives you a convenient ironing experience



Prevents water leakage for hassle-free ironing





Gives crisp ironing even on stubborn creases



ANTI-SCALE TECHNOLOGY

Prevents clogging of pores leading to higher efficiency & longer product life

ROOM HEATERS



MADE IN INDIA

Products designed as per Indian user requirements



HIGH WATTAGE

High wattage provides quick heating to the room



2 YEAR WARRANTY

Warranty provides assurance against your product's performance



ADJUSTABLE GRILL

Adjustable grill to adjust hot air direction



DUAL INDICATOR

Indicates power on & heating modes



STEPLESS HEAT SELECTION

Heat selection option to adjust the output as per requirement



WALL MOUNTING OPTION

Wall mounting option for convenience and safety

WATER HEATERS



Testimony to the product's quality



SAFETY SYSTEMS

Helps in averting any operational hazard, ensuring more safety



SENSOR

Alerts you when the surrounding oxygen level is lower than what is recommended for breathing



APPROVED

FLAME FAILURE PROTECTION

If the flame gets extinguished, the gas flow will stop automatically, thereby increasing safety



PROTECTION

For enhanced safety



ADJUSTABLE BURNER KNOB

Increases or decreases fuel burning rate which in turn controls the water temperature



SUITABLE FOR HIGH RISE BUILDINGS

Pressure withstanding capacity upto 8 bar (G+18 floors/270 feet)



COATED TANK

the longevity of the product

Zero corrosion, ensuring



PLASTIC OUTER BODY

Plastic body preventing rusting and corrosion of water heater from outside, resulting in a higher life of the product



ENERGY EFFICIENT

5 star BEE rating assures it is highly energy efficient



MAGNESIUM ANODE

The magnesium anode deposits magnesium in the cracks of decay, filling the gap and ensures zero erosion



PUF INSULATION

The water stays hot for a longer time, thanks to the polyurethane foam inserted between the outer and inner shells



Set the desired temprature of water via a knob



WARRANTY

High warranty for a complete peace of mind



STEPLESS WATTAGE SELECTION

Electronic thermostat helps select precise water temperature

WATER HEATERS



DIGITAL DISPLAY

The digital display on the water heater shows the temperature of the hot water & time set, if any



PRESETTING 24 HOURS IN ADVANCE

Intelligent timer to preset the heat up time: saving energy and time. The settings are not disturbed even in power outages



REMOTE CONTROLLED OPERATION Adjust the temperature and timer from a distance via remote control



ENAMEL COATED INCOLOY HEATING ELEMENT

the heating elements from different types of water and salty substances, giving added protection to your water heater

This prevents scaling in

COOLERS



DC 102 DLX DIGITAL

- Powerful air flow: 6,500 cubic metre / hr (peak) 3,900 cubic metre / hr (average)
- Cooling capacity: 600 sq. ft.
- Water tank capacity: 70L
- Remote controlled operation
- Turbo fan technology
- Air throw distance 90 ft.
- Dimensions L x B x H (in mm): 690 x 530 x 1,110











DELIVERY



DC 2015 DIGITAL

- Powerful air flow: 4,000 cubic metre / hr (peak) 3,000 cubic metre / hr (average)
- Cooling capacity: 600 sq. ft.
- Water tank capacity: 43L
- Available with remote control, digital control panel with timer
- Suitable for dry and arid climates
- Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 570 x 400 x 1,090



WATER TANK



TECHNOLOGY



TECHNOLOGY





SUPER AIR DELIVERY



HEXACOOL WATER TANK

TECHNOLOGY CONTROL PANEL

DIGITAL DISPLAY

ICE Chamber



DC 2050 DLX

- Powerful air flow: 5,600 cubic metre / hr (peak) 3,400 cubic metre / hr (average)
- Cooling capacity: 600 sq. ft.
- Water tank capacity: 70L
- Honeycomb cooling media
- Air throw distance 80 ft.
- Dimensions L x B x H (in mm): 640 x 500 x 1.085





WATER TANK



TECHNOLOGY



TECHNOLOGY



CHAMBER



DELIVERY



DC 55 DLX

- Powerful air flow: 4,900 cubic metre / hr (peak) 3,200 cubic metre / hr (average)
- Cooling capacity: 600 sq. ft.
- Water tank capacity: 54L
- Honeycomb cooling media
- Air throw distance 70 ft.
- Dimensions L x B x H (in mm): 630 x 400 x 1.100



WATER TANK



TECHNOLOGY



TURBO FAN TECHNOLOGY



CHAMBER



DELIVERY



DC 2016

- Powerful air flow: 5,800 cubic metre / hr (peak) 3,500 cubic metre / hr (average)
- Cooling capacity: 750 sq. ft.
- Powerful mega size cooler with international styling
- Water tank capacity: 67L
- Air throw distance 90 ft.
- Dimensions L x B x H (in mm): 640 x 550 x 1,110



67 LITRES

WATER TANK



TECHNOLOGY



TECHNOLOGY





CHAMBER DEI IVERY



43 LITRES

WATER TANK

DC 2015 ICON

- Powerful air flow: 4,000 cubic metre / hr (peak) 3,000 cubic metre / hr (average)
- Cooling capacity: 600 sq. ft.
- Special wood wool evaporative pads
- Water tank capacity: 43L
- Air throw distance 50 ft.
- Dimensions L x B x H (in mm):
- 570 x 400 x 1,090





SUPER AIR







CHAMBER





DELIVERY

COOL.iNXT

- Powerful air flow: 2,800 cubic metre / hr (peak) 1,100 cubic metre / hr (average)
- Large cooling capacity: 150 sq. ft.
- Powerful mega size cooler with international styling
- Wi-Fi and Internet enabled
- Digital low water level indicator
- Digital control and display pane
- Ice chamber
- 5 level speed control
- Water tank capacity 22 Litres
- Hexacool Technology
- Air throw distance 30 ft.
- Dimensions L x B x H (in mm): 409 x 364 x 1.005













AND HUMIDITY

MODE



MAXCOOL

TECHNOLOGY

TC 103 DLX

- Powerful air flow: 2,800 cubic metre / hr (peak) 1.100 cubic metre / hr (average
- Cooling capacity: 150 sq. ft.
- Water tank capacity: 22L
- Convenient water inlet from rear side
- Multiple speed control
- Super air delivery
- Air throw distance 30 ft.
- Typhoon blower
- Dimensions L x B x H (in mm): 409 x 364 x 1.005





CONTROL



WATER TANK









TECHNOLOGY CONTROL PANEL

CHAMBER

INTERNET ENABLED CONTROLLED



FRIO

- Powerful air flow: 2,600 cubic metre / hr (peak) 1,000 cubic metre / hr (average
- Cooling capacity: 150 sq. ft.
- Honeycomb cooling media
- Easy-to-read water level indicator
- Dust protection screen
- Water tank capacity 23 Litres
- Air throw distance 30 ft.
- Dimensions L x B x H (in mm): 445 x 340 x 780







BLOWER

TECHNOLOGY



DELIVERY





PX 97 TORQUE

- Powerful air flow:
- 2,000 cubic metre / hr (peak) 1,500 cubic metre / hr (average)
- Cooling capacity: 150 sq. ft.
- Water tank capacity: 36L
- Honeycomb cooling media
- Low noise all season Air Cooler with fan
- Powerful three side surround cooling
- Air throw distance 30 ft.
- Dimensions L x B x H (in mm):
- 455 x 435 x 820



WATER TANK

HEXACOOL TECHNOLOGY



CHAMBER

SUPER AIR



WATER TANK











SUPER AIR TECHNOLOGY MOBILITY DELIVERY



PCF 25 DLX

- Powerful air flow: 1,700 cubic metre / hr (peak) 1.100 cubic metre / hr (average)
- Cooling capacity: 150 sq. ft.
- Water tank capacity: 24L
- Honeycomb cooling media
- Easy-to-read water level indicator
- Super air delivery
- Air throw distance 18 ft.
- Dimensions L x B x H (in mm): 365 x 330 x 705



WATER TANK



TECHNOLOGY





TURBO FAN TECHNOLOGY









WATER TANK



HEXACOOL TECHNOLOGY

TC 2007

- Powerful air flow: 2,800 cubic metre / hr (peak) 1.500 cubic metre / hr (average)
- Cooling capacity: 150 sq. ft.
- Water tank capacity: 37L
- Honeycomb cooling media
- Easy-to-read water level indicator
- Air throw distance 30 ft.
- Dimensions L x B x H (in mm): 465 x 308 x 840







CHAMBER



SUPER AIR DELIVERY



TC 2008

- Powerful air flow: 1,900 cubic metre / hr (peak) 1,400 cubic metre / hr (average)
- Cooling capacity: 150 sq. ft.
- Water tank capacity: 26L
- Honeycomb cooling media
- Easy-to-read water level indicator
- Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 390 x 390 x 1,000



PC 2012

- Powerful air flow: 2,040 cubic metre / hr (peak) 1,200 cubic metre / hr (average)
- Cooling capacity: 150 sq. ft.
- Water tank capacity: 20L
- Honeycomb cooling media
- Easy-to-read water level indicator
- Air throw distance 25 ft.
- Dimensions L x B x H (in mm): 450 x 400 x 900



WATER TANK





BLOWER



MOBILITY





DELIVERY

20 LITRES











WATER TANK

TECHNOLOGY

CHAMBER

SUPER AIR DELIVERY



PC 2000 DLX

- Powerful air flow: 1,500 cubic metre / hr (peak) 800 cubic metre / hr (average)
- Cooling capacity: 200 sq. ft.
- Water tank capacity: 15L
- Honeycomb cooling media
- Easy-to-read water level indicator
- Humidity control valve
- Air throw distance 25 ft.
- Dimensions L x B x H (in mm): 455 x 420 x 655



15 LITRES WATER TANK



TECHNOLOGY



TYPHOON BLOWER TECHNOLOGY



CHAMBER



DELIVERY

MD 2020

- Powerful air flow: 3,600 cubic metre / hr (peak) 1,800 cubic metre / hr (average)
- Cooling capacity: 400 sq. ft.
- Water tank capacity: 54L
- Air throw distance 80 ft.
- Dimensions L x B x H (in mm): 655 x 545 x 565



WATER TANK



MAXCOOL TECHNOLOGY

Barraman and S



BLOWER



3 SPEED CONTROL



DELIVERY



SB 2003



- Powerful air flow: 1,750 cubic metre / hr (peak) 1,200 cubic metre / hr (average)
- Cooling capacity: 200 sq. ft.
- Water tank capacity: 32L
- Auto water level controller
- Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 560 x 500 x 410



32 LITRES WATER TANK



TECHNOLOGY BLOWER TECHNOLOGY



CONTROL



3 SPEED

SUPER AIR DELIVERY

DRY IRONS



MAJESTY ONE

- Unique glide edge technology for reverse ironing
- American heritage non-stick coated golden sole plate
- Mesmerising design
- Cool-touch body
- Light weight
- Silicon pad with each product







2 WAY LED INDICATOR







MAJESTY ESTEELA

- American heritage non-stick coated golden sole plate
- Cool-touch body
- Ergonomically designed comfortable hand grip





WEIGHT





360° SWIVEL CORD

LONG CORD



360° SWIVEL CORD

LONG CORD

IRONING



MAJESTY DX 11

- American heritage non-stick coated sole plate
- Cool-touch handle
- Dual colour



MAJESTY DHX 9

- American heritage non-stick coated golden sole plate
- Cool-touch handle with comfortable grip
- Single handed operation: Temperature control on the handle



WATTAGE





SWIVEL CORD



WATTAGE



WEIGHT



MAJESTY DX 8

- American heritage non-stick coated golden sole plate
- Dual colour super clean surface finish with pleasant aesthetics
- Ergonomically designed handgrip
- Cool-touch body



DX 7 NEO

- American heritage non-stick coated golden sole plate
- Super clean surface finish with pleasant aesthetics
- Cool-touch body







360° SWIVEL CORD







LIGHT WEIGHT

360° SWIVEL CORD



DX 4 NEO

- American heritage non-stick coated sole plate
- Cool-touch handle



MAJESTY DX 2

- American heritage non-stick coated sole plate
- Cool-touch handle
- Also available in black color







WEIGHT

360° SWIVEL CORD





LIGHT WEIGHT



180° SWIVEL CORD



NEW POPULAR

- American heritage non-stick coated sole plate
- Cool-touch handle
- Reliable snap action thermostat
 Also available in 1,000 W



POPULAR PLUS

- American heritage non-stick coated sole plate
- Cool-touch handle







380° SWIVEL CORD







360° SWIVEL CORD

MAJESTY MX 25



- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Adjustable thermostatic control
- Neon indicator for
- thermostat operation
- Water tank capacity 330 ml











MAJESTY MX 20



- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Light weight, cool-touch body with comfortable grip
- Water tank capacity 140 ml
- Made in India









NON-STICK COATED





CLEANING







COATED SOLE PLATE SWIVEL CORD



TECHNOLOGY

STEAM


BURST

SWIVEL CORD

ANTI DRIP

SOLE PLATE

MAJESTY MX 16



- to a variety of clothes · Light weight, cool-touch body with comfortable rubber grip
- · Made in India
- · Water tank capacity 280 ml



WATT



CLEANING





SWIVEL CORD



COATED



MAJESTY MX 8

- Vertical ironing to iron hanging clothes / curtains
- · Variable steam output to cater to a variety of clothes
- · Light weight, cool-touch body with comfortable rubber grip
- · Made in India
- · Water tank capacity 250 ml



CLEANING





SWIVEL CORD



COATED SOLE PLATE



MAJESTY MX 4

- Vertical ironing to iron hanging
- clothes / curtains
- Variable steam output to cater I to a variety of clothes
- Light weight, cool-touch body with comfortable grip
- Water tank capacity 180 ml







SELF CLEANING 360° SWIVEL CORD





NON-STICK COATED SOLE PLATE



MAJESTY OFR RH 13F PLUS

- 13 fins with three heat settings:
- 1,000W / 1,500W / 2,500W
- Power ON neon indicator
- With 400W PTC ceramic fan heater, for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- · Castor wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
- > Thermostat > Manual thermal cutout
- > Auto thermal cutout
- > Safety tilt switch for proper installation









CASTOR WHEELS



MADE IN



MAJESTY OFR RH 11F PLUS

- 11 fins with three heat settings:
- 1,000W / 1,500W / 2,500W
- With 400W PTC ceramic fan heater,
- for faster heating
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- · Castor wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
- > Thermostat > Manual thermal cutout
- > Auto thermal cutout
- > Safety tilt switch for proper installation







APPROVED



CASTOR




MADE IN INDIA



2 YEAR WARRANTY

APPROVED

MAJESTY OFR RH 9F PLUS



- Power ON neon indicator
- With 400W PTC ceramic fan heater, for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- · Castor wheels for easy mobility
- · Quadra safety assurance
 - > Thermostat
- > Safety tilt switch for proper installation
- > Manually reset thermal cutout
- > Auto-reset thermal cutout



WATTAGE





APPROVED



WHEELS



MADE IN

MAJESTY OFR RH9PLUS



- 800W / 1,200W / 2,000W
- Power ON neon indicator
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- Castor wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
- > Thermostat > Manual thermal cutout
- > Auto thermal cutout
- > Safety tilt switch for proper installation





WARRANTY



APPROVED



WHEELS



MADE IN INDIA

11

MAJESTY RX 19

- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Adjustable grill
- Two way installation: Vertical / Horizontal
- Wall mounting option
- Cool-touch housing
- Triple safety assurance
- > Thermostat
- > Auto thermal cutout
- > Thermal fuse











ADJUSTABLE

MAJESTY RX 17

- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Adjustable grill
- Two way installation: Vertical / Horizontal
- Wall mounting option
- Cool-touch housing
- Triple safety assurance
- > Thermostat
- > Auto thermal cutout
- > Thermal fuse





WARRANTY



OPTION



HEAT SELECTION



DUAL

INDICATOR



GRILL

WATTAGE

2 YFAR WARRANTY

WALL MOUNTING STEPLESS OPTION

HEAT SELECTION

INDICATOR

GRILL

MAJESTY RX 11

- Two heat settings: 1.000W / 2.000W
- Adjustable thermostat for desired temperature
- Dual purpose: Acts as a heater in winter and personal fan in summer
- Cool-touch housing
- Triple safety assurance
- > Thermostat
- > Auto thermal cutout
- > Thermal fuse









APPROVED



MADE IN

MAJESTY RX 10

- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Two-way installation
- > Vertical
- Horizontal
- Triple safety assurance
- > Thermostat
- > Auto thermal cutout
- > Thermal fuse







WARRANTY



APPROVED





WATTAGE



WARRANTY





MAJESTY RX 8



- Two heat settings: 1,000W / 2,000W
- Cool-touch handle for easy mobility
- Adjustable height
- Adjustable thermostat to set desired temperature
- Dual safety assurance
 - > Thermostat
 - > Automatic thermal safety cutout



MAJESTY RX 7

- Three heat settings: 600W / 1,200W / 2,000W
- Cool-touch handle for easy mobility
- Adjustable height
- Automatic thermal safety cutout







WARRANTY



APPROVED



MADE IN INDIA



WATTAGE



WARRANTY



APPROVED



MADE IN

MAJESTY RFX 2



- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Cool-touch body
- Quadra safety assurance
- > Thermostat
- > Safety tilt switch for proper installation
- Manually reset thermal cutout
- > Auto-reset thermal cutout



BLOW HOT

- Two heat settings: 1.000W / 2.000W
- Automatic thermal cutout
- for safety
- Easy mobility Compact design



HIGH WATTAGE



2 YEAR WARRANTY



ISI Approved







2 YEAR WARRANTY



ISI Approved



MADE IN INDIA



NEW MAJESTY RHX 3 HALOGEN

- Two heat settings: 400W / 800W / 1,200W
- Noiseless operation
- Dual safety device
- > Safety tip over switch against tilting
- > Thermal fuse



RHX 2 HALOGEN

- Two heat settings: 500W / 1,000W
- Noiseless operation
- Dual safety device
- > Safety tip over switch against tilting
- > Thermal fuse











WARRANTY



APPROVED





WATTAGE

APPROVED

MADE IN

CHX DUO PLUS CARBON

- Two heat settings: 500W / 1,000W
- · Adjustable thermostat for desired temperature
- Lesser illumination during operation
- Superior technology





HIGH WATTAGE



2 YEAR WARRANTY



APPROVED



MADE IN INDIA

DELUX

- Two heat settings: 1.000W / 2.000W
- Adjustable thermostat for desired temperature
- Tilting legs
- SS reflector



HIGH WATTAGE



2 YEAR WARRANTY



APPROVED



INDIA

FLASHY



- Nickel chrome plated mesh grid
- Heat settings: 1,000W
- Compact and stylish designSS reflector





2 YEAR WARRANTY



ISI Approved



MADE IN INDIA

MINOR

- Nickel chrome plated mesh grid
- Tilting legsSS reflector
- Bright nickel chrome plated reflector













WATER HEATERS



CALENTA DIGI

- Capacity 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- Injection moulded ABS body
- Glassline coated inner tank
- Enamel coated incoloy heating element
- Robust and ideal IPX4 waterproof grade technology











CALENTA MECHANICAL

- Capacity 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- Injection moulded ABS body
- Enamel coated incolov heating element
- Robust and ideal IPX4 waterproof grade technology



WARRANTY



RATED



COATED TANK



ANODE



ADJUSTABLE THERMOSTAT



5 STAR RATED

DIGITAL DISPLAY

24 HOURS IN ADVANCE

CONTROLLED

CALENTA

- Capacity 6L, 10L, 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- ABS plastic body
- Temperature indicating dial
- Suitable for high-rise buildings



WARRANTY



5 STAR RATED



GLASS LINE COATED TANK



MAGNESIUM ANODE



THERMOSTAT



SHAKTI PC DELUXE

- Capacity 10L, 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- Pre-coated steel body
- Temperature indicating dial
- Suitable for high-rise buildings
- Fire retardant cable



WARRANTY



4 STAR RATED



GLASS LINE COATED TANK



MAGNESHIM ANODE



THERMOSTAT



SHAKTI GPV

- Capacity 10L, 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- Shock-proof and rust-proof ABS body
- Temperature indicating dial
- Suitable for high-rise buildings
- Fire retardant cable



WARRANTY



RATED



COATED TANK



ADJUSTABLE

THERMOSTAT



CALDIA

- Capacity 6L, 10L, 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- ABS plastic body
- Alluring design
- Special anti-corrosion protection device
- Fire retardant cable











WARRANTY

RATED COATED TANK

ANODE

MAGNESIUM MULTIPLE SAFETY SYSTEMS





NEW SHAKTI

- Capacity 10L, 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- Powder coated metal body
- Temperature indicating dial
- Suitable for high-rise buildings
- Fire retardant cable



MAJESTY HORIZONTAL

- Capacity 10L, 15L & 25L
- Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- ABS SR grade
- Convertible floor to wall & vice-versa
- Suitable for high-rise buildings
- 5 star rated ABS body horizontal model (as per existing BEE norms)

















5 STAR RATED



GLASS LINE COATED TANK



INSULATION



ENERGY **EFFICIENT**



4 STAR RATED



MAGNESIUM ANODE





FLORA

- Capacity 1L & 3L
- Wattage Available in 3 kW and 4.5 kW rating
- Long life, efficient heating element
- ABS plastic body
- Elegant body shell
- Fire retardant cable
- Neon indicator for 'power on' and
- | 'heating' function
- Suitable for pressure upto 6.5 bar





BUILDINGS





MULTIPLE SAFETY APPROVED SYSTEMS



MAJESTY INSTANT

- Capacity 1L & 3L
- Wattage Available in 3 kW and 4.5 kW rating
- ABS plastic body
- Long life, efficient heating element
- Neon indicator for 'power on' and 'heating' function
- Suitable for pressure upto 6.5 bar









HIGH RISE APPROVED BUILDINGS

MULTIPLE SAFETY SYSTEMS

DUETTO

- pasto HIII
- Pre-coated steel body
- Advanced combustion technology for best thermal efficiency
- Burner setting to adjust water temprature
- Thick heat exchanger made of copper
- Auto ignition
- Over heat protection cut-off
- Inlet water flow sensor
- Dry heat protection
- Suitable for Water Pressure from 0.1 bar to 7.5 bar
- Advanced combustion technology for best thermal efficiency of ≥84%
- Capacity 6L





FLAME FAILURE PROTECTION DEPLETION







ADJUSTABLE CHILD SAFETY BURNER KNOB PROTECTION

18

NOTES:		
-		

NOTES:		
-		





601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022.

CIN: L31500MH1938PLC009887

Regd. Office: 45 / 47, Veer Nariman Road, Mumbai - 400 001. Tel.: 022-2204 3841

Free Home Service*:

1800 102 5963 / 022 4128 0000 | shop.bajajelectricals.com | **f** | **y** | **©**

*T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions