



 **Bajaj Electricals Ltd.**
Inspiring Trust

LUMINAIRES BUSINESS UNIT, 601, Rustomjee Aspiree,
Bhanu Shankar Yagnik Marg, Off Eastern Express Highway,
Sion (E), Mumbai 400 022. Tel: 022 2406 4400

E-mail : luminaires@bajajelectricals.com
www.bajajelectricals.com

 /BajajElectricals |  /BajajElectrical

AUTHORISED DEALER

price cum
Product Reckoner

W.E.F. September, 2014

Contents

Commercial Lighting

1-41

- 2 .nxt LED
- 12 Workspace Lighting
- 30 Retail Lighting
- 38 Lighting Control System



Industrial Lighting

42-61

- 44 LED Industrial Lighting
- 46 Industrial Lighting
- 54 Hazardous Area Lighting
- 58 Cleanroom Lighting



Roadway Lighting

62-73

- 64 LED Edge Street Lighting
- 65 Roadway Lighting



Area Lighting

74-83

- 76 LED Area Lighting
- 77 Area Lighting



Urban Architecture Lighting

84-109

- 86 LED Landscape Lighting
- 90 Landscape Lighting
- 102 Raggio
- 106 Disano



Induction Lighting

110-115

- 112 Induction Lighting



Solar Lighting System

116-119

- 118 Solar Standalone Streetlight
- 119 Solaron



IBMS

120-45

- 116 IBMS



128-131 Accessories

132-133 HID Lamps

134-135 Spares Price List



COMMERCIAL LIGHTING



next LED

next generation light

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------

next DRONE



'DRONE' High power downlight

111396	BCDLR 32 WH	White	8	8000
111400	BCDLR 32 NW	Neutral white	8	8000
111399	BCDLR 32 WW	Warm white	8	8000
111395	BCDLR 20 WH	White	8	7000
111398	BCDLR 20 NW	Neutral white	8	7000
111397	BCDLR 20 WW	Warm white	8	7000
111885	BCDLR 15 WH	White	8	6000
111887	BCDLR 15 NW	Neutral white	8	6000
111886	BCDLR 15 WW	Warm white	8	6000

Low glare recessed fixed downlight in die cast aluminium frame. Anodised aluminium reflector for high efficiency.



'DRONE Mini 9W' recessed mounted LED downlight

111525	BCDLR 9W WH	White	8	2990
111524	BCDLR 9W NW	Neutral white	8	2990
111490	BCDLR 9W WW	Warm white	8	2990

Low glare recessed fixed downlight in die cast aluminium frame. Anodised pearl white aluminium reflector for high efficiency.



'DRONE Surface' (housing only)

169550	BCDLS 20/32W Housing	Suitable for 20/32W Drone	8	2000
169558	BCDLS 9W Housing	Suitable for 9W Drone	8	1450

Additional accessory for surface mounting for Drone & Drone Mini

ORDERING PRODUCT CODE

LUMINAIRE TYPE

COLOUR TEMPERATURE

STANDARD PACKING

UNIT PRICE ₹

next DOVEE



'DOVEE' Recess mounting LED downlight

111619	BZSLO 12W WH	White	12	2900
111621	BZSLO 12W NW	Neutral white	12	2900
111620	BZSLO 12W WW	Warm white	12	2900
111610	BZSLO 15W WH	White	12	3100
111612	BZSLO 15W NW	Neutral white	12	3100
111611	BZSLO 15W WW	Warm white	12	3100
111628	BZSLO 18W WH	White	12	3700
111630	BZSLO 18W NW	Neutral white	12	3700
111629	BZSLO 18W WW	Warm white	12	3700



'DOVEE D' Recess mounting LED downlight

111622	BZSLOD 12W WH	White	12	3000
111624	BZSLOD 12W NW	Neutral white	12	3000
111623	BZSLOD 12W WW	Warm white	12	3000
111613	BZSLOD 15W WH	White	12	3200
111615	BZSLOD 15W NW	Neutral white	12	3200
111614	BZSLOD 15W WW	Warm white	12	3200
111631	BZSLOD 18W WH	White	12	3800
111633	BZSLOD 18W NW	Neutral white	12	3800
111632	BZSLOD 18W WW	Warm white	12	3800



'DOVEE SQ' Recess mounting LED downlight

111625	BZSLO 12W SQ WH	White	12	2900
111627	BZSLO 12W SQ NW	Neutral white	12	2900
111626	BZSLO 12W SQ WW	Warm white	12	2900
111616	BZSLO 15W SQ WH	White	12	3100
111618	BZSLO 15W SQ NW	Neutral white	12	3100
111617	BZSLO 15W SQ WW	Warm white	12	3100
111634	BZSLO 18W SQ WH	White	12	3700
111636	BZSLO 18W SQ NW	Neutral white	12	3700
111635	BZSLO 18W SQ WW	Warm white	12	3700
111700	BZSLO 24W SQ WH	White	12	5900

Downlights for uniform illumination and minimum glare. Integral driver ensures ease of installation.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------



DOVEE SF Surface mounting LED downlight

111765	BZSLOS 12W WH	White	12	3590
111767	BZSLOS 12W NW	Neutral white	12	3590
111766	BZSLOS12W WW	Warm white	12	3590
111732	BZSLOS 15W WH	White	12	3690
111734	BZSLOS 15W NW	Neutral white	12	3690
111733	BZSLOS 15W WW	Warm white	12	3690
111768	BZSLOS 18W WH	White	12	4290
111770	BZSLOS 18W NW	Neutral white	12	4290
111769	BZSLOS 18W WW	Warm white	12	4290



'DOVEE-LH' Recess mounting LED downlight

111886	BZSLOL 6W WH	White	12	2200
111889	BZSLOL 6W NW	Neutral white	12	2200
111890	BZSLOL 10W WH	White	12	3100
111891	BZSLOL 10W NW	Neutral white	12	3100
111892	BZSLOL 20W WH	White	12	4100
111893	BZSLOL 20W NW	Neutral white	12	4100



'SLEEK RD' Sleek round recess mounting LED downlight

111556	BGSLO SLEEK 3W RD	White	30	1200
111569	BGSLO SLEEK 6W RD	White	18	1800
111555	BGSLO SLEEK 12W RD	White	12	3000
111571	BGSLO SLEEK 18W RD	White	6	4500

Neutral white and warm white available on request.



'SLEEK-SQ' Sleek square recess mounting LED downlight

111557	BGSLO SLEEK 4 WH SQ	White	30	1300
111572	BGSLO SLEEK 8 WH SQ	White	20	2000
111573	BGSLO SLEEK 15 WH SQ	White	12	3300

Neutral white and warm white available on request.



'TARA' round surface mounting LED luminaire

111644	BGCML 06 01 WH	White	12	2700
111645	BGCML 12 01 WH	White	8	4600
111646	BGCML 18 095 WH	White	1	7000

Integral, round shape surface mounting high power LEDs luminaire, dome shape opal diffuser.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------



'GREEN CENTER' Recess mounting direct/indirect LED 2x2 luminaire

111549	BXTBLR36 WH	White	1	7900
111550	BXTBLR36 NW	Neutral white	1	7900

White powder coated CRCA housing with LEDs. Curvilinear reflector for uniform flow of light around the central lighting core.



'HALOS' Recess mounting LED 2x2 luminaire with acrylic drop light dissipator

111897	BTTI 36W LED WH	White	1	11000
111898	BTTI 36W LED NW	Neutral white	1	11000

Recess mounted indirect decorative LED luminaire with highly efficient translucent acrylic.



'DAVOS'

Recess mounting LED 2x2 luminaire with white acrylic drop light dissipator

111546	BDBTLR36 WH	White	1	11900
111547	BDBTLR36 NW	Neutral white	1	11900
111604	BDBTLR W4 WH	White	1	12700

White powder coated CRCA housing with LEDs. Plane front frame with white acrylic drop light dissipator fixed to the housing. Convex acrylic diffuser enables lighting as per LG3 guidelines.



'DOVEX PRO'

Recess mounting LED 2x2 luminaire with white acrylic flat light dissipator

111894	BCTBLR W3 AT WH	White	1	11100
111895	BDBTLR W3 AT NW	Neutral white	1	11100

White powder coated CRCA housing with LEDs placed in a central pocket to give a high delivered lumen package.



'DOMINTO' Sleek suspended / recess mounting LED 2x2 luminaire

111487	BCTBLR PN 36 WH	White	1	13000
111488	BCTBLR PN 36 NW	Neutral white	1	13000

White powder coated aluminium extruded housing with LEDs. Super slim design for suspended mounting

Note: Suspension assembly to be ordered separately.


ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------

.nxt skylite



'SKYLITE' Recess mounting LED 2x2 luminaire

111639	BCTBLR 36 ZT WH	White	1	11000
111423	BCTBLR 36 ZT NW	Neutral white	1	11000
111638	BCTBLR 43 ZT WH	White	1	11700
111268	BCTBLR 43 ZT NW	Neutral white	1	11700



'SKYLITE' Surface mounting LED 2x2 luminaire


111652	BCTBLS 36 ZT WH	White	1	11000
111653	BCTBLS 36 ZT NW	Neutral white	1	11000
111901	BCTBLS 43 ZT WH	White	1	11700
111902	BCTBLS 43 ZT NW	Neutral white	1	11700

White powder coated CRCA housing with highpower LEDs. Aluminium front frame with flat white high transmission acrylic cover



'SKYLITE' Mini R Recess mounting LED 1x1 luminaire

111655	BCTBLR 18 ZT WH	White	4	6500
111656	BCTBLR 18 ZT NW	Neutral white	4	6500



'SKYLITE' Mini SF surface mounting LED 1x1 luminaire

111649	BCTBLS 18 ZT WH	White	4	6500
111650	BCTBLS 18 ZT NW	Neutral white	4	6500


.nxt skylux



'SKYLUX' Recess mounting LED 2x2 luminaire

111552	BZRSQL 36W GIII WH	White	1	10900
111777	BZRSQL 36W GIII NW	Neutral white	1	10900
111903	BZRSQL 36W XL WH	White	1	11600
111904	BZRSQL 36W XL NW	Neutral white	1	11600

White powder coated CRCA housing with LEDs. Seamless front frame with flat white high transmission acrylic cover



'SKYLUX' Surface mounting 2x2 LED luminaire

111180	BZSSQL 36W WH	White	1	10900
111181	BZSSQL 36W NW	Neutral white	1	10900
111905	BZSSQL 36W XL WH	White	1	11600
111906	BZSSQL 36W XL NW	Neutral white	1	11600

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------



'SKYLUX' Surface mounting LED 4x1 luminaire

111870	BZRSLL 36W WH	White	1	11500
111907	BZRSLL 36W NW	Neutral white	1	11500
111908	BZRSLL 36W XL WH	White	1	12900
111909	BZRSLL 36W XL NW	Neutral white	1	12900

.nxtconnect



Connect Series in LED suspended luminaires

111683	BPTX 20W LED WH	LED	1	10500
111684	BPTX 20W LED NW	LED	1	10500
111685	BPTX 20W LED WW	LED	1	10500
111677	BPTX 40W LED WH	LED	1	17900
111678	BPTX 40W LED NW	LED	1	17900
111679	BPTX 40W LED WW	LED	1	17900
539382	BPTX 28W WH LED N	LED	1	17901
539383	BPTX 2-28W WH LED N	LED	1	35000
539384	BPTX 28W WH LED N CS	LED	1	17903
539385	BPTX 2-28W WH LED N CE	LED	1	35000

Suspension of 1.5 mtr. is included



Connect Series in LED recess luminaires

111686	BRTX 20W LED WH	LED	1	8700
111687	BRTX 20W LED NW	LED	1	8700
111688	BRTX 20W LED WW	LED	1	8700
111680	BRTX 40W LED WH	LED	1	13750
111681	BRTX 40W LED NW	LED	1	13750
111682	BRTX 40W LED WW	LED	1	13750
111689	BRTZ 20W LED WH	LED	1	8000
111690	BRTZ 20W LED NW	LED	1	8000
111691	BRTZ 20W LED WW	LED	1	8000
111674	BRTZ 40W LED WH	LED	1	12700
111675	BRTZ 40W LED NW	LED	1	12700
111676	BRTZ 40W LED WW	LED	1	12700

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------



SKYLUX' recess mounting 1x1 LED luminaire

111910	BZSSQL 18W WH	White	1	6500
111911	BZSSQL 18W NW	Neutral white	1	6500



SKYLUX' surface mounting 1x1 LED luminaire

111912	BZSSQL 18W WH	White	1	6500
111913	BZSSQL 18W NW	Neutral white	1	6500



LED tasklight

111779	BJHL 9W LED SL WH	White	1	4000
--------	-------------------	-------	---	------

Grey powder coated elegant design extruded aluminium housing with swivel type arrangement.



Baton integrated LED channel

111781	BCLSB 05 WH	White	16	1500
111783	BCLSB 05 NW	Neutral White	16	1500
111782	BCLSB 05 WW	Warm White	16	1500
111697	BCLSB 10 WH	White	16	2600
111698	BCLSB 10 NW	Neutral White	16	2600
111699	BCLSB 10 WW	Warm White	16	2600
111561	BCLSB 18 WH	White	16	4100
111562	BCLSB 18 NW	Neutral White	16	4100
111563	BCLSB 18 WW	Warm White	16	4100

Integral sleek extruded aluminium LED channel with white acrylic cover



LED tube light

111748	.nxt LED 18 Retro Bar Professional WH 5700K	White	10	2900
-	.nxt LED 18 Retro Bar Professional CW 6500K	Cool white	10	2900



Batten for LED tube light

169396	BJCEB LED Tube (Single)	1x18W LED	16	570
169397	BJCEB LED Tube (Twin)	2x18W LED	16	620

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------



Flexi LED strip - 5W/mtr, IP20, 5mtr roll (IP20 driver included)

220283	BCFL 300 25W IP20	Warm White	5	4600
220284	BCFL 300 25W IP20	White	5	4600
220285	BCFL 300 25W IP20	Neutral White	5	4600



Flexi LED strip - 5W/mtr, IP65, 5mtr roll (IP20 driver included)

220273	BCFL 300 25W IP65	Warm White	5	5450
220274	BCFL 300 25W IP65	White	5	5450
220275	BCFL 300 25W IP65	Neutral White	5	5450



Flexi LED strip - 15W/mtr, IP20, 5mtr roll (IP20 driver included)

220280	BCFL 300 75W IP20	Warm White	5	10000
220281	BCFL 300 75W IP20	White	5	10000
220282	BCFL 300 75W IP20	Neutral White	5	10000



Flexi LED strip - 15W/mtr, IP65, 5mtr roll (IP20 driver included)

220286	BCFL 300 75W IP65	Warm White	5	12000
220287	BCFL 300 75W IP65	White	5	12000
220288	BCFL 300 75W IP65	Neutral White	5	12000



Emergency light

111934	BHEM 10	1W LED	-	5900
--------	---------	--------	---	------

Long life energy saving LED emergency light. Fully adjustable glare free lighting heads. Universal mounting pattern.



Single/double sided LED signage

111935	BHEX 20 R AC	2W LED	-	9100
111936	BHEX 20 G AC	2W LED	-	9100
111937	BHEX 20 R WBB	2W LED	-	9100
111938	BHEX 20 G WBB	2W LED	-	9100

Single and double face (extra faceplate included) exit signage. Universal mounting white body. Available in two versions - AC only (AC) and with battery backup (WBB). Two Letter color options available (R- red; G- green).

ORDERING PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	--------------------	------------------	--------------



Single sided LED signage with built in battery back-up for 2 hrs.

220208	BESL 03 LED SSD WBB Green	Green	10	10400
220209	BESL 03 LED SSD WBB Red	Red	10	10400



Double sided LED signage with built in battery back-up for 2 hrs.

220210	BESL 03 LED DSD WBB Green	Green	10	12400
220211	BESL 03 LED DSD WBB Red	Red	10	12400

Note: Different artwork is possible for different applications as given below.

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	BRIEF DESCRIPTION
-----------------------	---------------------	-------------------



Single sided version

111365	BESL 03 LED SSD WBB Green MR	3W Single side display with man running right (with 2 hours battery backup)
--------	------------------------------	---



111366	BESL 03 LED SSD WBB Green ML	3W Single side display with man running left (with 2 hours battery backup)
--------	------------------------------	--




220208	BESL 03 LED SSD WBB Green	3W Single side display for exit (with 2 hour battery backup)
111461	BESL EXIT (with 3 Hr BB) DSD	3W Double side display for exit (with 3 hours battery backup)
220210	BESL 03 LED DSD WBB green	3W Double side display for exit (with 2 hours battery backup)



111462	BESL Ladies Toilet (with 3 Hr BB) DSD	3W Double side display for ladies toilet (with 3 hours battery backup)
--------	---------------------------------------	--



111463	BESL Gents Toilet (with 3 Hr BB) DSD	3W Double side display for gents toilet (with 3 hours battery backup)
--------	--------------------------------------	---



111464	BESL Staircase (with 3 Hr BB) DSD	3W Double side display for staircase (with 3 hour battery backup)
--------	-----------------------------------	---



111465	BESL Lift (with 3 Hr BB) DSD	3W Double Side Display for Lift (with 3 hour battery backup)
--------	------------------------------	--

ORDERING PRODUCT CODE	CATALOGUE REFERENCE	BRIEF DESCRIPTION
-----------------------	---------------------	-------------------



Double sided version

220211	BESL 03 LED DSD WBB Red	3W Double side display in red colour (with 2 hours battery backup)
220213	BESL 03 LED SSD WBB Red	3W Double side display in red colour (with 2 hours battery backup)



111499	Stair case signage down DSD WBB	3W Double side display for staircase downwards (with 2 hour battery backup)
111500	Stair case signage down SSD WBB	3W Single side display for staircase downwards (with 2 hour battery backup)



111501	stair case signage up DSD WBB	3W Double side display for staircase upwards (with 2 hour battery backup)
111502	Stair case signage up SSD WBB	3W Single side display for staircase upwards (with 2 hour battery backup)



111503	Lift signage DSD WBB	3W Double side display for lift (with 2 hour battery backup)
111504	Lift signage SSD WBB	3W Single side display for lift (with 2 hour battery backup)



111505	Gents toilet signage DSD WBB	3W Double side display for gents toilet (with 2 hours battery backup)
111506	Ladies toilet signage DSD WBB	3W Double side display for ladies toilet (with 2 hours battery backup)



111507	Ramp signage DSD WBB	3W Double side display for ramp (with 2 hours battery backup)
--------	----------------------	---



111508	Entry signage SSD WBB	3W Single Side Display for ENTRY with Right Arrow (with 2 hours battery backup)
--------	-----------------------	---



111509	EXIT with right arrow SSD	3W Single Side Display for EXIT with Right Arrow (with 2 hours battery backup)
111510	EXIT with right arrow DSD	3W Double Side Display for EXIT with Right Arrow (with 2 hours battery backup)



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounted T5 decorative luminaire with acrylic diffuser

538563	BPOARM 414	4x14W T5	2	12000
538802	BPOARM 424 LHD	4x24W T5	2	12900

Powder coated CRCA sheet steel housing with extruded aluminium frame, out bended acrylic & mirror in center.



Recess mounted indirect decorative luminaire with acrylic diffuser

538880	BTTI 414 LHD	4x14W T5	2	5600
538676	BTTI 314 LHD	3x14W T5	2	5300
538859	BCTI 236 CFL	2x36W 'L' Type CFL	2	5100

Powder coated CRCA sheet steel housing with high efficiency translucent acrylic in center.



Recess mounted direct indirect decorative luminaire

538675	BTDI 414 TD LHD	4x14W T5	2	5500
538835	BCDI 236 CFL LHD	2x36W 'L' Type CFL	2	4900

Powder coated CRCA sheet steel housing with 3D mirror assembly in center & acrylic on both sides.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounted direct indirect decorative luminaire

539216	BNXT 314 AC	3x14W T5	2	4600
539051	BNXT 414 AC	4x14W T5	2	4600
539052	BNXT 414 P5	4x14W T5	2	4800
539053	BNXT 414 PF	4x14W T5	2	4400



'XOACR' Recess mounting 4x14 T5 florescent lamp luminaire

539096	BTMRA 414 XOACR	4x14W T5	2	5990
111896	BTMRA 228 XOACR	2x28W T5	2	5990
111900	BTMRA 254 XOACR	2x54W T5	2	6400


Recess mounting luminaire suitable for T5 lamps with acrylic cover in power coated extruded aluminium frame.



Recess mounted darklite T5 luminaire

538683	BTMRA 414 V2	4x14W T5	2	5300
539114	BTMRA 424 V2	4x24W T5	2	6250
538684	BTMRA 314 V2	3x14W T5	2	5100
538833	BTMRA 228 V2	2x28W T5	4	5300

Powder coated CRCA sheet steel housing with low depth darklite mirror louver.



Recess mounted darklite T5 luminaire

539416	BTMRA 414 V2 WH	4x14W T5	2	5300
539417	BTMRA 424 V2 WH	4x24W T5	2	6250

White powder Coated CRCA sheet steel housing with low depth darklite mirror louver.



CONNECT- suspension/surface mounting luminaire

539101	BPTX 128 N	1x28W T5	1	9900
539103	BPTX 2.3 X 228 N	2x28W T5	1	18250
539104	BPTX 2.3X 254 N	2x54W T5	1	18700
539130	BPTX 154 N	1x54W T5	1	10600
539141	BPTX 114 N	1x14W T5	1	6700
111914	BPTX 124 N	1x14W T5	1	6700

High quality extruded aluminium housing designed for surface/suspended mounting with white extruded acrylic

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

nextconnect



CONNECT- suspension/surface mounting luminaire

111915	BPTX 128 CS/E	1x28W T5	1	9900
111916	BPTX 128 CM	1x28W T5	1	9900
111917	BPTX 2.3 X 228 CM	2x28W T5	1	18250
111918	BPTX 154 CS/E	1x54W T5	1	10600
111919	BPTX 154 CM	1x54W T5	1	10600
111920	BPTX 2.3 x 254 CM	2x54W T5	1	18700
111921	BPTX 114 CS/E	1x14W T5	1	6700
111922	BPTX 124 CS/E	1x24W T5	1	6900

High quality extruded aluminium housing designed for surface/suspended mounting with white extruded acrylic




CONNECT- recess mounting luminaire

111923	BRTX 114 CS/E	1x14W T5	1	5250
111924	BRTX 124 CS/E	1x24W T5	1	5350
111925	BRTX 2.3x228 CM	2x28W T5	1	11000
111926	BRTX 2.3x254 CM	2x54W T5	1	11500
111927	BRTX 128 CS/E	1x28W T5	1	7590
111928	BRTX 154 CS/E	1x54W T5	1	8590
111929	BRTX 128 CM	1x28W T5	1	7590
539234	BRTX 128 N	1x28W T5	1	7590
111930	BRTX 154 CM	1x54W T5	1	8590
539236	BRTX 154 N	1x54W T5	1	8590
539237	BRTX 2.3 x 228 N	2x28W T5	1	11000
539238	BRTX 2.3 x 254 N	2x54W T5	1	11500
111931	BRTX 114 N	1x24W T5	1	5350
539360	BRTX 124 N	1x24W T5	1	5350
539396	BRTZ 114 N	1x14W T5	1	3900
539397	BRTZ 124 N	1x24W T5	1	3900
539395	BRTZ 128 N	1x28W T5	1	5300
539398	BRTZ 154 N	1x54W T5	1	6350
-	BRTZ 228 N	2x28W T5	1	6200
-	BRTZ 254 N	2x54W T5	1	6800

N is for Standalone, CS/E is for start or end and CM is for middle in connect series

High quality extruded aluminium frame designed for recess mounting with white extruded acrylic

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Suspension mounted decorative T5 luminaires with extruded aluminium housing


539160	BDIT 228 UDL	2x28W T5	2	4400
--------	--------------	----------	---	------



Suspension mounting twin T5 fluorescent lamp uplighter

539218	BCTS 228 X1	2x28W T5	2	5200
539219	BCTS 254 X1	2x54W T5	2	5800


Decorative suspended luminaires with direct/indirect lighting acrylic diffuser.



Suspension mounting twin T5 fluorescent lamp uplighter

539220	BCTS 228 X2	2x28W T5	2	5600
539221	BCCS 254 X2	2x54W T5	2	6500

Decorative suspended luminaires with direct/indirect lighting acrylic diffuser.



Suspension mounting twin T5 fluorescent lamp uplighter

539222	BCTS 228 X3	2x28W T5	2	4800
539223	BCTS 254 X3	2x54W T5	2	5500

Decorative suspended luminaires with direct/indirect lighting acrylic diffuser.



Hospital bed head light

539288	BJHL 118/136 CFL/GLS	18W, 36W CFL & GLS	1	5625.00
--------	----------------------	--------------------	---	---------

Multipurpose bed head light made of powder coated CRCA sheet & acrylic. LED version available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

WORKSPACE LIGHTING



Recess mounting CFL low glare luminaires with paralite P5 louvres

530736	BMLA 01 218 CFL D W2EB	2x18W 'D' type CFL	4	2260
530077	BMLA 01 236 CFL WEB2	2x36W 'L' type CFL	2	4120
538926	BMLA 101 236 CFL WEB2	2x36W 'L' type CFL	2	3625
530737	BMLA 01 336 CFL W2EB	3x36W 'L' type CFL	2	4750
530930	BMLA 01 414 LHD	4x14W T5	2	5700

Powder coated CRCA sheet steel housing with square paralite P5 louver block in a perforated metallic frame.

Note: 40W/55W CFL luminaire available on request, with HF ballast only.



'PARA - COMFORT' Recess mounted direct/indirect luminaire with coloured wings

530322	BCPA 236 CFL TD WEB2	2x36W 'L' type CFL	2	5450
530738	BCPA 236 CFL TD Green WEB2	2x36W 'L' type CFL	2	5450
530739	BCPA 236 CFL TD Blue WEB2	2x36W 'L' type CFL	2	5450
530740	BCPA 236 CFL TD Orange WEB2	2x36W 'L' type CFL	2	5450

Powder coated CRCA housing with mirror optics louver, decorative sans and aluminium reflector for Indirect/Direct lighting. Decorative wings available in Clear, Green, Blue and Orange colour.



'PARA - COMFORT' Recess mounted direct/indirect luminaire with coloured wings

538478	BCNPA 236 CFL P5 WEB2	2x36W 'L' type CFL	2	5150
539150	BCNPA 236 CFL SR WEB2	2x36W 'L' type CFL	2	4250
539181	BCNPA 236 CFL WEB2 SR Green	2x36W 'L' type CFL	2	4250
539182	BCNPA 236 CFL WEB2 SR Blue	2x36W 'L' type CFL	2	4250
539183	BCNPA 236 CFL WEB2 SR Orange	2x36W 'L' type CFL	2	4250

Powder coated CRCA housing with mirror optics louver and decorative sans for Indirect/Direct lighting. Decorative wings available in Clear, Green, Blue and Orange colour.



"PARA - COMFORT" Recess mounted direct/indirect luminaire with coloured wings

539258	BCPA 236 CFL WEB2 OACR	2x36W 'L' type CFL	2	4100
--------	------------------------	--------------------	---	------

Powder coated CRCA sheet steel housing with mirror optics louver and prismatic decorative cover and twin perforated concave cover for Indirect/Direct lighting. Decorative wings available in Clear, Green, Blue and Orange colour.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'COMFORTLITE Series' direct/indirect luminaire

538920	BCLA 236 CFL WEB2	2x36W 'L' type CFL	2	3260
--------	-------------------	--------------------	---	------

Powder coated CRCA sheet steel housing with concave cover of honeycomb type perforations.

Note: 40W/55W CFL luminaire available on request with HF ballast only.



'COMFORTLITE Series' direct/indirect luminaire

530897	BCLA 01 236 CFL LHD	2x36W 'L' type CFL	2	4025
538924	BCLA 101 236 CFL WEB2	2x36W 'L' type CFL	2	3500
538690	BCLA 101 236 CFL LHD	2x36W 'L' type CFL	2	3975

Powder coated CRCA sheet steel housing concave cover fitted with P5 louver.


Note: 40W/55W CFL luminaire available on request with HF ballast only.



'SATURN' direct/indirect luminaire with circular shield

538639	BCSCA 318 CFL W3EB	3x18W 'D' type CFL	1	7550
--------	--------------------	--------------------	---	------

White powder coated dish shape CRCA sheet steel housing with round concave cover for Indirect lighting.



Recess mounted T5 mirror optics luminaires

160904	BTMRA 314 MS	3x14W T5	4	5310
161912	BTMRA 414 MS	4x14W T5	4	5430
538999	BTMRA 414 MS G	4x14W T5	4	4100
162464	BTMRA 424 MS	4x24W T5	4	5750

CRCA sheet steel corrosion resistant finish with semi specular aluminium reflector.

Note: All 14W/28W T5 mirror optics are also available with 24W/54W T5 HO lamps on request respectively.



Recess mounting T5 lamp cat II dark lighter mirror optics luminaires

160427	BTMRA 228 CAT II	2x28W T5	4	5160
162455	BTMRA 314 CAT II	3x14W T5	4	6000
160429	BTMRA 414 CAT II	4x14W T5	4	6050
531366	BTMRA 424 CAT II	4x24W T5	4	6200

Epoxy powder coated CRCA sheet steel housing having low glare cat II optics using 3D louver.

Note: All above mentioned T5 luminaires of 14W are available with 24W HO T5 Lamp, on request. Similarly, all above mentioned T5 Luminaires of 28 W with 54W HO T5 lamp, on request (Ex. BTMRA 254 CAT II/BTMRA 324/424 CAT II)

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'TWILITE' - direct/indirect luminaire with square perforated shield

531145	BLTER 2/414 MO LHD	4x14W T5	2	5500
--------	--------------------	----------	---	------

White powder coated CRCA steel sheet housing with 3D CAT II optics in centre and opal acrylic diffuser as side panel.



Surface mounting CFL luminaires

530480	BMMS 236 CFL WEB2	2x36W 'L' type CFL	4	3000
530757	BMMS 336 CFL W2EB	3x36W 'L' type CFL	4	4150

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Recess mounting FTL luminaires for Armstrong ceiling

530030	BJMMA 02 236 WEB2	2x36/40W FTL	2	4250
531111	BJMMA 02 418 WEB4	4x18W FTL	4	3875

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Recess mounting darklighter FTL luminaires for Luxalon and POP ceiling

531584	BJDL 236/240 WEB2	2x36/40W FTL	2	4160
530749	BJDL 418/420 WEB4	4x18/20W FTL	2	4775

White powder coated CRCA sheet steel housing with aluminium mirror reflector with low glare optics.



FTL luminaires for Armstrong ceiling - cat II darklighters

538438	BJDLA 02 236/240 WEB2	2x36/40W FTL	2	4550
530751	BJDLA 02 418/420 WEB4	4x18/20W FTL	2	4850

White powder coated CRCA sheet steel housing with aluminium cat II mirror reflector.



MINILITE Series - new generation CFL luminaires

RECESS TYPE

531083	BMR 211 CFL W2EB	2x11W 'S' type CFL	8	1350
531151	BMR 218 CFL WEBS	2x18W 'L' type CFL	8	1375

White powder coated CRCA sheet steel housing with pre-anodised aluminium parabolic mirror reflector and swing out mounting clamp.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounting CFL luminaires

530832	BJMR 211 W2EB	2x11W 'S' type CFL	4	1800
530150	BMMR 236 CFL WEB2	2x36W 'L' type CFL	4	2850
530765	BMMR 336 CFL W2EB	3x36W 'L' type CFL	4	4250

White powder coated CRCA sheet steel housing with pre-anodised aluminium parabolic reflector and serrated matt anodised aluminium extruded baffles.



Recess mounted T5 mirror optics luminaires

530603	BTMR 128	1x28W T5 Lamp	2	2480
530713	BTLM 228	2x28W T5 Lamp	4	3475
539244	BTLM 214	2x14W T5 Lamp	2	2350

White powder coated CRCA sheet steel housing with matt finish mirror reflector. BTLM 224 and BTLM 254 available on request.



Recess mounted T5 mirror optics luminaires

160426	BTMRA 228	2x28W T5 Lamp	4	4150
--------	-----------	---------------	---	------


CRCA sheet steel corrosion resistant finish with semi specular aluminium reflector. BTMRA 254 available on request.



Recess mounted T5 mirror optics luminaires

530714	BTDL 228	2x28W T5	4	3375
531160	BTDL 414 LHD	4x14W T5	4	4125

White powder coated CRCA sheet housing with specular reflector, having low glare darklighter optics. BTDL 254 and BTDL 424 available on request.



Recess mounting 3D lamelle technology luminaires

530746	BLMRA 236 TD WEB2	2x36W FTL	2	5350
530745	BLMRA 418 TD WEB4	4x18W FTL	2	6000

White powder coated CRCA sheet steel housing having low glare cat II optics using 3D louver.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------




Recess mounting FTL mirror optics luminaires

530007	BMMR 136/140 WEB1	1x36/40W FTL	4	2250
530008	BMMR 236/240 WEB2	2x36/40W FTL	4	3200
530649	BMMR 236/240 DL WEB2	2x36/40W FTL	4	3310

White powder coated CRCA sheet steel housing with aluminium mirror reflector.

Note: Suffix DL in cat ref. indicates low glare optics.



Recess mounting FTL luminaires for Luxalon and POP ceiling

531563	BJLM 136/140 WEB1	1x36/40W FTL	4	2460
531574	BJLM 236/240 WEB2	2x36/40W FTL	4	3800
530156	BLM 236/240 WEB2	2x36/40W FTL	4	3000


White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Recess mounting extruded aluminium housing CFL mirror optics luminaires

531129	BARM 136 CFL WEB1	1x36W 'L' type CFL	4	3200
530668	BARM 236 CFL WEB2	2x36W 'L' type CFL	4	4425


Superior finish extruded aluminium body with anodised aluminium reflector and aluminium cross louver assembly.



Surface mounting CFL low glare luminaires with paralite P5 louvres

538735	BSMLA 01 218 WEBS	2x18W 'L' type CFL	4	2725
530718	BSMLA 01 236 CFL WEB2	2x36W 'L' type CFL	2	4200
531017	BSMLA 01 336 CFL W2EB	3x36W 'L' type CFL	2	4750
531057	BSMLA 01 414 LHD	4x14W T5	2	4900

White powder coated CRCA sheet steel housing with square paralite P5 louver block, crescent light opening in a perforated metallic frame. Note: 55W CFL luminaire available on request.



Surface mounting CFL low glare luminaires with acrylic

539367	BSMLA 01 236 CFL WEB2 OACR	2x36W 'L' type CFL	2	4550
--------	----------------------------	--------------------	---	------

White powder coated CRCA sheet steel housing with square paralite P5 louver block, crescent light opening in a perforated metallic frame. Note: 55W CFL luminaire available on request.



Surface mounting extruded aluminium housing CFL mirror optics luminaires

531148	BASM 218 CFL WEBS	2x18W 'L' type CFL	4	3825
530188	BASM 236 CFL WEB2	2x36W 'L' type CFL	4	4425

Superior finish extruded aluminium body with anodised aluminium reflector and aluminium cross louver assembly.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface type

531141	BSM 211 CFL W2EB	2x11W 'S' type CFL	8	1400
531142	BSM 218 CFL WEBS	2x18W 'L' type CFL	8	1380

White powder coated CRCA sheet steel housing with aluminium anodised reflector and powder coated baffles.



Surface mounting CFL luminaires

530330	BJSM 211 W2EB	2x11W'S' type CFL	8	1775
530755	BJSM 218 D W2EB	2x18W 'L' type CFL	8	1775
531156	BJSM 218 CFL DL WEBS	2x18W 'L' type CFL	8	2100

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Surface/pendent mounting extruded aluminium housing T5/T8 lamp mirror optics luminaires

160709	BTSMU 228 MSS	2x28W T5 Lamp	4	5450
530763	BTSMU 236 MSS W2EB	2x36W FTL Lamp	4	5800

Surface/ Pendent mounting extruded aluminium housing with decorative end caps and mirror optic reflector with electronic ballast.



Surface/pendent mounting extruded aluminium housing T5 lamp mirror optics luminaires

160763	BTSM 128	1x28W T5 Lamp	4	5050
160496	BTSM 228	2x28W T5 Lamp	4	5400
160495	BTSM 214	2x14W T5 Lamp	4	3600

Surface/ Pendent mounting extruded aluminium housing with decorative end caps and mirror optic reflector with electronic ballast.




Surface/pendent mounted T5 luminaire

531018	BTSM 02 214	2x14WT5	4	3600
160514	BTSM 02 228	2x28W T5	4	3700

White powder coated CRCA housing with plastic end caps, mirror optic reflector and electronic ballast.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface/pendent mounted T5 luminaire

539241	BTSM 02 214 V2	2x14W T5	4	3500
538640	BTSM 02 228 V2	2x28W T5	4	4810
539082	BTSM 02 254 V2	2x54W T5	4	5400

Compact and slim CRCA housing with Bajaj V2 version louvers, end caps, reflector and electronic ballast.



'SIMPLE' Surface/pendent mounted T5 luminaire

539231	BTSM 2/228	2x28W T5	4	2950
539016	BTSM 2/128	2x28W T5	4	2900


White powder coated CRCA housing with decorative end caps, mirror optic reflector and electronic ballast.



'PETAL' Surface/pendent mounted T5 luminaire

539273	Petal 228	2x28W T5	4	3150
--------	-----------	----------	---	------

Unique petal shaped white powder coated CRCA housing with mirror optic reflector and electronic ballast.



Surface/pendent mounted T5 luminaire

530677	BJSM 01 128	1x28W T5	4	2550
--------	-------------	----------	---	------

White powder coated CRCA housing with mirror optic reflector with electronic ballast.



Surface mounting luminaires

530131	BJSM 02 236 WEB2	2x36W FTL	4	3375
--------	------------------	-----------	---	------

White powder coated CRCA sheet steel housing with aluminium mirror reflector and decorative end plates.



Surface mounting luminaires

530764	BSM 136/140 WEB1	1x36/40W FTL	4	2350
530005	BSM 236/240 WEB2	2x36/40W FTL	4	3300
538458	BSM 2/136 WEB2	2x36/40W FTL	4	2900

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Surface mounting cat II darklight FTL luminaires

531325	BJSDL 02 236 CAT II WEB	2x36W FTL	2	5250
--------	-------------------------	-----------	---	------

White powder coated CRCA sheet steel housing with aluminium CAT II darklight mirror reflector.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface/recess mounting FTL luminaires

538905	BJCM 236 WEB2	2x36W FTL	2	3100
538732	BJEM 236 WEB2	2x36W FTL	2	3200

White powder coated CRCA sheet steel housing with aluminium mirror reflector.



Surface mounting CFL luminaires

161140	BJC 111	1x11W 'S' type CFL	8	870
530823	BJC 111 WEB1	1x11W 'S' type CFL	8	770
021342	BJEXL 111	1x11W 'S' type CFL	8	810
169308	BJCH 111	1x11W Retrofit CFL	8	600

White powder coated CRCA sheet steel housing with opal acrylic diffuser and decorative end plates. Plastic housing wired with ballast.



Surface mounting CFL luminaires

169488	BJLF1 15W RF	15W Retrofit CFL	12	1250
169489	BJLF2 15W RF	15W Retrofit CFL	6	2050
169490	BJLF3 11W RF	11W Retrofit CFL	16	1150

White powder coated CRCA sheet steel housing



Wall mounting T5 lamp luminaire for task / accent light

530369	BJHL 114 T5 SL	1x14W T5 Lamp	1	3000
530604	BJHL 128 T5 SL	1x28W T5 Lamp	1	4500

Grey powder coated elegant designed extruded aluminium housing with swivel type arrangement.

Note: Wall mounting FTL/CFL/GLS lamp luminaires for task/accent light - BJHL 118/136 CFL/15 GLS available on request.



Surface mounting CFL luminaires

160599	BSP 111	1x11W 'S' type CFL	8	1275
160601	BSP 118 CFL	1x18W 'L' type CFL	4	1300
160600	BSP 211	2x11W 'S' type CFL	8	1900
160602	BSP 218 CFL	2x18W 'L' type CFL	4	1900
160603	BSP 136 CFL	1x36W 'L' type CFL	4	1650
160604	BSP 236 CFL	2x36W 'L' type CFL	4	2700

White powder coated CRCA sheet steel housing with opal acrylic diffuser and decorative end plates. Available with electronic gear only.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Kornera series

160547	BCRL 111 CFL	1x11W 'S' type CFL	8	1125
160548	BCRL 211	2x11W 'S' type CFL	4	1900
160542	BCRL 218 CFL	2x18W 'L' type CFL	4	1900
160543	BCRL 136 CFL	1x36W 'L' type CFL	4	1650

Epoxy white powder coated CRCA sheet steel housing with reeded translucent acrylic diffuser. Available with electronic gear only.



Surface/pendent mounting T5 lamp luminaires PVC body channel with acrylic

539054	BTIP 128 ACR N	1x28W T5	10	860
538725	BTIP 114 ACR N	1x14W T5	10	625

Plastic extruded housing with in-built electronic control gear, decorative end caps and acrylic cover.



Surface/pendent mounting T5 lamp luminaires PVC body channel

539055	BTIP 128 N	1x28W T5 Lamp	10	700
538968	BTIP 114 N	1x14W T5 Lamp	10	550

Plastic extruded housing with in-built electronic control gear with decorative end caps.



CRCA box type luminaire suitable for surface/pendent mounting

162004	BJCEB 136/140 LPF	1x36/40W FTL	16	925
530850	BJCEB 136/140 WEB	1x36/40W FTL	16	875
531344	BJCEB 236/240 W2EB	2x36/40W FTL	16	1425
531262	BJCEB 118/120 W2EB	1x18/20W FTL	16	775
538664	BJCEB136 WEBS	1x36W FTL	20	750

CRCA sheet steel housing with white reflector cover fitted to the body. Also available with commercial LPF version in 36W.



CRCA box type luminaire suitable for surface/pendent mounting

Full White Version

539261	BTER 114	1x14W T5	20	750
539242	BTER 128	1x28W T5	20	825
539399	BTER 228	2x28W T5	20	1400

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



CRCA box type luminaire suitable for surface/pendent mounting

Full White Version

539099	BTCR 128	1x28W T5	12	1150
539100	BTCR 228	2x28W T5	10	1450
539412	BTCR 254	2x54W T5	16	2350

Product Require

Metal reflector for BTER and BTCR box type luminaire

539415	Rail reflector	-	-	375
--------	----------------	---	---	-----



CRCA precoated electronic box type luminaires with decorative end caps

530769	BCIR 136 WEB	1x36/40W FTL	6	975
530988	BCIR 236/240 W2EB	2x36/40W FTL	6	1450

Precoated CRCA sheet steel housing wired with individual commercial HF ballast.



PROTON - precoated channels with reflector fitted with decorative contoured end caps

162640	BLPR 128	1x28W T5	12	1550
162641	BLPR 228	2x28W T5	12	1950
538787	BLPR 136	1x36W T8	6	1300

Precoated CRCA sheet steel housing with reflector and decorative end caps T5 channel luminaire.

Available in 1x36W, wired with commercial HF ballast.



Surface mounting FTL luminaires

531019	BJSRP 136/140 WEB	1x36/40W FTL	6	1375
--------	-------------------	--------------	---	------

White powder coated CRCA sheet steel housing with reeded/polystyrene diffuser, wired with commercial ballast.



Surface mounting FTL luminaires with opal acrylic diffuser

		Channel		Attachment	
530919	BJP 236/240 W2EB	2x36/40W FTL	6	12	2410
531094	BJP 136/140 WEB	1x36/40W FTL	6	12	1650
538511	BJP 128	1x28W T5	6	12	1900
538495	BJP 228	2x28W T5	6	12	2550

White powder coated CRCA sheet HF ballast. Sheet steel housing with opal acrylic diffuser and decorative end plate, wired with 2 nos. of commercial grade HF ballast.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



LUMINA - sleek suspended updownlighter luminaire

538534	BLAUL 236 MSS WEB2	2x36W FTL	2	4650
531143	BLAUL 228 MSS LHD	2x28W T5	2	4975
531144	BLAUL 254 MSS LHD	2x54W T5	2	5575

White powder coated updown lighting luminaires, having rectangular perforation on both side with acrylic at centre, adding to design elements.



Round surface mounting CFL luminaires

531239	BCSC 218 CFL W2EB	2x18W 'D' type CFL	4	2500
--------	-------------------	--------------------	---	------

Elegantly designed white epoxy powder coated CRCA housing with opal acrylic cover.



Surface mounting CFL downlighter (open type)

531130	BJDS 110/113 C WEB	1x10/13W 'D' type CFL	8	1550
531131	BJDS 118 C WEB	1x18W 'D' type CFL	8	1550
531132	BJDS 210/213 C W2EB	2x10/13W 'D' type CFL	8	1800
531133	BJDS 218 C W2EB	2x18W 'D' type CFL	8	1800

White powder coated CRCA body with satin bright aluminium reflector.



Horizontal downlighters

530804	BJDR 113 H WEB	1x13W 'D' type CFL	8	1100
530631	BJDR 118 H WEB	1x18W 'D' type CFL	8	1100
530805	BJDR 213 H W2EB	2x13W 'D' type CFL	8	1350
530806	BJDR 218 H W2EB	2x18W 'D' type CFL	8	1350
162103	BJDR 226 CFL	2x26W 'D' type CFL	8	1750

White powder coated CRCA ring, aluminium reflector wired with commercial HF ballast for individual lamps.



Matt finish horizontal downlighters

530807	BJDR 118 H MF WEB	1x18W 'D' type CFL	8	1100
530808	BJDR 218 H MF W2EB	2x18W 'D' type CFL	8	1400
538608	BJDR 226 H MF WEB2	2x26W 'D' type CFL	8	1800

White powder coated CRCA ring, matt finish aluminium reflector wired with commercial HF ballast for individual lamps.



Vertical downlighters

160217	BJDR 100W	1x100W GLS	8	600
538536	BJDR 110/113 WEB VI	1x10/13W 'D' type CFL	8	800
538535	BJDR 118 WEB1 VI	1x18W 'D' type CFL	8	800

White powder coated CRCA ring, bright finish aluminium reflector wired with commercial HF ballast for individual lamps.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Super low height (<70 mm) matt - satin bright finish downlighters

538456	BJDR118 SLH WEB	1x18W CFL	8	1275
531066	BJDR 218 SLH W2EB	2x18W 'D' type CFL	8	1550

White powder coated CRCA ring, with matt finish aluminium reflector wired with 2 nos. of commercial HF ballast.



Horizontal downlighters with centre frosted glass attachment

538741	BJDR 118 FR FGLN WEB	1x18W 'D' type CFL	8	1500
538740	BJDR 218 FR FGLN W2EB	2x18W 'D' type CFL	8	1675

White powder coated CRCA ring with spun aluminium reflector, with centre frosted glass in ring frame fixed to the housing.



“Low depth” horizontal mounted downlighters with frosted glass

531261	BJDR 218 SLH FR FGL W2EB	2x18W 'D' type CFL	8	1725
--------	--------------------------	--------------------	---	------

White powder coated CRCA ring, low depth aluminium reflector & centre frosted glass cover.



Horizontal downlighters with full frosted glass downlighter

530932	BJDR 218 FR FFGL W2EB	2x18W 'D' type CFL	8	1730
--------	-----------------------	--------------------	---	------

White Powder coated CRCA Ring, Aluminium Reflector & FULL Frosted Glass Cover.



Polycarbonate downlighters with centre frosted glass cover

161939	BJDR 65C 218/226 PCR WOB	2x18/26W 'D' type CFL	8	2250
--------	--------------------------	-----------------------	---	------

Add Electronic ballast to the above said luminaire suitable wattage



Downlighter with turbo louvre attachment

530819	BJDR 70C 226 DL (Turbo) WEB 2	2x26W 'D' type CFL	8	2700
530395	BJDR 70C 232 HFA DL	2x32W 'D' type CFL	8	4400
530296	BJDR 70C 242 HFA DL	2x42W 'D' type CFL	8	4450

White powder coated CRCA ring with plain spun aluminium reflector and radial cross louvre (turbo) - darklighter attachment.



Horizontal CFL downlighter with centre frosted glass

162564	BJDR 226 FR FGL	2x26W 'D' type CFL	8	2150
531059	BJDR 226 FR FGL WEB2	2x26W 'D' type CFL	8	2350

Black powder coated CRCA sheet steel housing, and White powder coated front frame with centre frosted glass cover.

CFL Downlighters Matrix

R E C E S S	ENCLOSED	Non-Integral	Centre Frosted Glass Cover	BLDR 65C 218 PCR FG WOB	BLDR 65C 226 PCR FG WOB		
		Integral Gear	Full Frosted Glass & Standard Depth	BJDR 218 FR FFGL W2EB			
			Centre Frosted Glass & Low Depth	BJDR 118 SLH FR FGL WEB, BJDR 218 SLH FR FGL W2EB			
			Centre Frosted Glass & standard Depth	BJDR 118 FR FGLN WEB, BJDR 218 FR FGLN W2EB	BJDR 226 FR FGL WEB2		
	OPEN	With Louvers	Turbo Louvers		BJDR 70C 226 DL WEB2	BJDR 70C 232 HFA DL	BJDR 70C 242 HFA DL
		Fully Open	Low Height	BJDR 118 SLH WEB, BJDR 218 SLH W2EB			
			Standard Height & Matt Finish	BJDR 118 H MF WEB, BJDR 218 H MF W2EB	BJDR 226 H MF WEB2		
			Standard Height & Glossy Finish	BJDR 118 H WEB, BJDR 218 H W2EB	BJDR 226 CFL		
		SURFACE MOUNTED OPEN		Surface Mounted Open w/o Glass	BJDS 118 C WEB, BJDS 218 C W2EB		
	WATTAGE				1x18W / 2x18W, 1x13 / 2x13W	1x26 / 2x26W	1x32 / 2x32W



next retail LED

next generation light

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LED	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----	------------------	------------



'Directo' Track mounted LED spot light luminaire

111850	BRTL 28W LED WH 36D	28W LED COB	6	17500
111859	BRTL 36W LED WH 36D	36W LED COB	6	24780
111868	BRTL 50W LED WH 36D	50W LED COB	6	37000

Powder coated die cast housing with glass enclosure & anodised aluminium reflector. COB based luminaire. LED driver in-built. Three phase track required for mounting. WW/NW/WH colour options available. Beam angle 15D/24D/36D.



'ALPHA' Low wattage track spots LED based luminaire

111606	ALPHA 12W	12W LED	4	2400
111799	ALPHA 16W	16W LED	4	2800

Low wattage track spots suitable for single track. ALPHA 20W available on request.



Recessed mounted directional LED spotlight

111823	BXDR 28W LED 36D	LED 28W COB	6	15000
111832	BXDR 36W LED 36D	LED 36W COB	6	20250
111841	BXDR 56W LED 36D	LED 50W COB	6	32900

Powder coated die cast housing with glass enclosure & anodised aluminium reflector. COB based luminaire with 45° swivel. Non integrated LED driver. WW/NW/WH colour options available. Beam angle 15D/24D/36D.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LED	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----	------------------	------------



Recessed mounted adjustable downlight

111880	BRDCLR 50 WW	45W LED COB	1	14000
111879	BRDCLR 50 NW	45W LED COB	1	14000
111960	BRDCLR 30 WW	30W LED COB	1	13000
111960	BRDCLR 30 NW	30W LED COB	1	13000

New age LED based adjustable downlight with white powder coated aluminium housing. Spring loaded mounting brackets for ease of installation.



'Quadra' Recessed mounted adjustable downlight

111800	BLDRS 30W LED	30W LED COB	1	13000
111799	BLDRS 2x30W LED	2x30W LED COB	1	23000

New age LED based adjustable downlight available in combination of 2/3/4 downlights in single housing. BLDRS 3x30 LED & BLDRS 4x30 LED available on request. (BLDRS LED is also available in 15 W)



'Flexitron VIVA' LED batten 40W (4ft)

111708	BLTRU 40W WH VIVA	40W LED	4	9000
111709	BLTRU 40W WW VIVA	40W LED	4	9000
111710	BLTRU 40W NW VIVA	40W LED	4	9000

40W LED batten suitable for surface and pendant mounting. CRCA body with acrylic diffuser.



'Flexitron NEO' LED batten 40W (4ft) with in-built trunk, suitable for single as well as continuous mounting

111491	BLTRU 40W WW NEO	40W LED	4	9000
111492	BLTRU 40W WH NEO	40W LED	4	9000
111493	BLTRU 40W NW NEO	40W LED	4	9000

40W LED batten for surface, pendant and continuous mounting. Separate joints/connector required for continuous mounting. Anodised aluminium extruded luminaire housing and acrylic diffuser. Slimmest batten for high end applications. (1200mm (L) x 68mm (W) x 57mm (H)).



'KLASS' Recessed mounted adjustable downlight for accent lighting

111753	BRDCLR 2W WH	2W LED COB	4	590
111754	BRDCLR 2W WW	2W LED COB	4	590
111756	BRDCLR 5W WH	5W LED COB	4	1825
111757	BRDCLR 5W WW	5W LED COB	4	1825
111702	BRDCLR 10W WH	10W LED COB	4	3150
111703	BRDCLR 10W WW	10W LED COB	4	3150

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LED	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----	------------------	------------



'ACCENT' recess mounted LED spotlight steel finish

220225	BGSL 03 01 WH	3W LED	8	2200
220224	BGSL 03 01 WW	3W LED	8	2200
220253	BGSL 03 03 WH	9W LED	8	2675
220252	BGSL 03 03 WW	9W LED	8	2675
111218	BGSL 03 03 NW	9W LED	8	2675



'ACCENT' recess mounted LED spotlight RAL finish

111659	BGSL 03 01 WW RAL	3W LED	8	2250
111660	BGSL 03 01 WH RAL	3W LED	8	2250
111661	BGSL 03 03 WW RAL	9W LED	8	2700
111662	BGSL 03 03 NW RAL	9W LED	8	2700
111663	BGSL 03 03 WH RAL	9W LED	8	2700



'KLASS MINI' recessed mounted directional LED downlight

111495	BRDCLR 8W WW	8W LED	8	4150
--------	--------------	--------	---	------

Low wattage directional LED downlight in die cast aluminium frame. Swivelling upto + - 25 degree.



'KLASS MICRO' recessed mounted directional LED downlight

111494	BRDCLR 3W WW	3W LED	8	2860
--------	--------------	--------	---	------

Low wattage directional LED downlight in extruded aluminium frame. Swivelling upto + - 30 degree.



Suspended prismatic midbay with LED array

111746	BLRI 30W LED	LED 30W	1	7800
--------	--------------	---------	---	------

Pendant LED based luminaire with fluted polycarbonate refractor and cover. Integral aluminium spun housing with Inbuilt driver.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----------	------------------	------------

RETAIL LIGHTING



Surface mounted spot light luminaire suitable for ceramic discharge metal halide lamps

220158	BASSL 35/70 MT WOB**	CDMT 35/70W	4	7230
--------	----------------------	-------------	---	------

Powder coated die cast housing with glass enclosure & anodised aluminium reflector. G12 base ceramic discharge metal halide lamp to be used.

Note: **Suitable electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Track mounted spot light luminaire suitable for ceramic discharge metal halide lamps

220269	BRTL 135/170 CDM-T WOB**	CDM-T 35/70	1	7300
--------	--------------------------	-------------	---	------

Suitable for single phase track mounting only. Powder coated die cast aluminium body; rotatable lamp housing with high purity aluminium reflector; G12 base ceramic discharge metal halide lamp to be used.

**Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Track mounted spot light luminaire suitable for ceramic discharge metal halide lamps

220271	BXTL 135/170 CDM-Tc WOB**	CDM-Tc 35/70	1	7900
--------	---------------------------	--------------	---	------

Suitable for single phase track mounting only. Powder coated die cast aluminium body; rotatable lamp housing with high purity aluminium reflector; G8.5 base ceramic discharge metal halide lamp to be used.

**Suitable electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Flexitron trunking system

220262	BFTSS 60 3W	-	1	1216
220263	BFTSS 60 END CAP	-	1	50
220264	Suspension System for BFTSS 1.5M	-	1	320

White powder coated CRCA trunking system with 3 wire. Trunk, end caps & suspension system to be ordered separately. Connectors also available. Refer 'universal connector & adapter'.

220272	BLTRU 45 MS	-	1	1470
220263	BFTSS end Cap	-	1	50
220264	Suspension System for BFTSS 1.5M	-	1	320

White powder coated CRCA trunking system with 5 wire. Trunk, end caps & suspension system to be ordered separately. Available in 1.2mtr & 2.4mtr length. Connectors also available. Refer 'universal connector & adapter'.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----------	------------------	------------



Trunking mounted wall washer & downlight suitable for T5 lamps

530931	BFDAL 228 P	2x28W T5	2	2840
538892	BFWAL 228 P	2x28W T5	2	2840
538826	BFDAL 254 A	2x54W T5	2	3660
538827	BFWAL 254 A	2x54W T5	2	3660

White powder coated CRCA housing with aluminium reflector suitable for mounting on the trunking system



Recessed mounted adjustable downlight suitable for ceramic discharge metal halide lamps

220159	BLDRS 135/170 MT WOB**	CDM-T 1x35/70W	8	2840
220160	BLDRS 235/270 MT WOB**	CDM-T 2x35/70W	6	3760
220161	BLDRS 335/370 MT WOB**	CDM-T 3x35/70W	4	3660
220162	BLDRS 435/470 MT WOB**	CDM-T 4x35/70W	1	6900

White finish front frame with multi swivel lamp carriage and spring loaded clips for easy mounting. G12 base ceramic discharge metal halide lamp to be used.

**Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Recessed mounted adjustable downlight suitable for ceramic discharge metal halide lamps

169143	BXDR 55D NB 35 CDM-Tc**	CDM-Tc 35W	18	4500
169144	BXDR 55D NB 70 CDM-Tc**	CDM-Tc 70W	18	4500

Powder coated die cast housing with glass enclosure & aluminium reflector. Reflector assembly swivels out of ceiling for directing light. G8.5 base ceramic discharge metal halide to be used.

**Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Recessed mounted downlight suitable for metal halide lamps

220040	BLDR 35/70 MH G12 CS**	CDM-T 35W	4	3825
--------	------------------------	-----------	---	------

Powder coated die cast housing with glass enclosure & anodised aluminium reflector. Reflector assembly swivels out of ceiling for directing light. G12 base ceramic discharge metal halide lamp to be used.

Note: **Suitable Electronic control gear BEHS .nxt to be ordered separately (refer electronic control gear for ordering codes)



Recessed mounted downlight suitable for metal halide lamps

168970	BJDR 70 MH DE NI*	MH DE 1x70W	-	1155
168971	BJDR 150 MH DE NI*	MH DE 1x150W	-	1155

White CRCA ring housing with Glass enclosure and aluminium reflector, Spring loaded clips for easy mounting. Rx7s base metal halide lamp to be used. **Suitable Electronic control gear BEHS .nxt to be ordered separately.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----------	------------------	------------



Recessed mounted low depth downlight suitable for metal halide lamps

168968	BJDRN 70 MH DE NI*	MH DE 1x70W	-	1050
168969	BJDRN 150 MH DE NI*	MH DE 1x150W	-	1050

White CRCA ring housing with Glass enclosure and aluminium reflector, Spring loaded clips for easy mounting. Rx7s base metal halide lamp to be used. **Suitable Electronic control gear BEHS .nxt to be ordered separately.



Recessed mounted adjustable decorative downlight suitable for 50W dichroic lamp

161054	BLDR 50 DH SL**	dichroic 50W Halogen	-	800
--------	-----------------	----------------------	---	-----

Powder coated CRCA frame & lamps housing. Swivel type arrangement for directing light.

Note: ** Suitable electronic transformer BJHF 50 DH TR(530185) to be ordered separately



Recessed mounted adjustable decorative downlight suitable for 50W dichroic lamp

168916	BLDR 50W DH SL CMR WOB	Dichroic 50W Halogen	-	800
--------	------------------------	----------------------	---	-----

Powder coated CRCA frame & lamps housing. Swivel type arrangement for directing light.

Note: ** suitable electronic transformer BJHF 50 DH TR(530185) to be ordered separately



Recess mounting wall washer luminaire

530698	BJWL 128	1x28W T5	2	2830
530622	BJWL 228	2x28W T5	2	3470
162077	BJWL 154	1x54W T5	2	3590

White powder coated CRCA housing with involute aluminium refractor for wall washers.



Suspended decorative lowbay suitable for ceramic discharge metal halide lamp

539153	BLRI 35 CDMT N**	CDMT 35W	-	6700
539154	BLRI 70 CDMT N**	CDMT 70W	-	6700

Powder coated spun aluminium housing with front ring with centre frosted glass & aluminium reflector. G12 base ceramic discharge metal halide lamp to be used. Suitable electronic control gear BEHS is inbuilt.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----------	------------------	------------



Suspended decorative lowbay suitable for CFL lamp

539155	BLRI 226 CFL N	2x26W CFL	-	3800
--------	----------------	-----------	---	------

Powder coated spun aluminium housing with anodized finish from the inside.



Suspended prismatic midbay/highbay suitable for metal halide lamps

	BLRI 70 MH	MH SE 70W	4	5760
162618	BLRI 70 MH Housing			3150
169588	PC Refractor 12"			1620
169589	PC Refractor Cover 12"			990
	BLRI 150 MH (E27)	MH SE 150W	4	6150
162639	BLRI 150 MH (E27) Housing			3540
169588	PC Refractor 12"			1620
169589	PC Refractor Cover 12"			990
	BLRI 250 MMH	MMH 250W	4	9740
162616	BLRI 250 MMH Housing			3890
169590	PC Refractor 19"			3850
169591	PC Refractor Cover 19"			2000
	BLRI 400 MMH	MMH 400W	4	12220
162638	BLRI 400 MMH Housing			4780
169592	PC Refractor 22"			5240
169593	PC Refractor Cover 22"			2200

Decorative mid bay/high bay with prismatic refractor & front cover. Housing, refractor & refractor cover to be ordered separately.



Suspended prismatic luminaire suitable for CFL lamps

	BLRI 118 CFL WEB	1x18W 'D' Type CFL	4	4495
531311	BLRI 118 CFL WEB Housing			2685
169588	PC Refractor 12"			1810
	BLRI 218 CFL W2EB	2x18W 'D' Type CFL	4	4870
531312	BLRI 218 CFL W2EB Housing			3060
169588	PC Refractor 12"			1810
	BLRI 126 CFL WEB1	1x26W 'D' Type CFL	4	4900
531313	BLRI 126 CFL WEB1 Housing			3090
169588	PC Refractor 12"			1810
	BLRI 226 CFL WEB2	2x26W 'D' Type CFL	4	5245
531315	BLRI 226 CFL WEB2 Housing			3435
169588	PC Refractor 12"			1810
	BLRI 65W RF ES	1x65W RF CFL	4	5300
162695	BLRI 65W RF ES Housing			2470
169588	PC Refractor 12"			2830
	BLRI 85W RF	1x85W RF CFL	4	8545
162694	BLRI 85W RF Housing			2455
169590	PC Refractor 19"			6090

Decorative low bay with electronic ballast; prismatic refractor; housing & polycarbonate refractor is to be ordered separately.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE
-----------------------	----------------	-----------	------------------	------------



Single phase track for track mounting luminaire

169120	BLTR 1M 1PH	-	20	1650
169167	BLTR 2 M 1PH	-	20	2880
169154	BLTR 1MT 3PH	-	20	3810
169156	BLTR 2MT 3PH	-	20	6670



Joints for single phase track

169122	BLTR 1 PH SJ	-	100	420
169149	BLTR 1 PH LJ	-	100	460
169150	BLTR 1 PH TJ	-	100	570
169151	BLTR 1M 1PH XJ	-	100	720



Electronic control gear

539122	BEHS 35W .nxt	CDMT 35	20	3400
539123	BEHS 70W .nxt	CDMT 70	20	3400
539291	BEHS 150 .nxt	CDMT 150	20	8500

Use separate control gear, 539122 - BEHS 35W .nxt for 35W; 539123 - BEHS 70W .nxt for 70W lamp luminaire to be ordered separately with respect to number of lamps.



Electronic control gear

	BN35CM-T 3K G12	G12/CCT: 3000K	12	MRP ^
148145	BN35CM-T 3K G12	G12/CCT: 3000K	12	1050
148146	BN35CM-T 4K G12	G12/CCT: 4200K	12	1050
148147	BN70CM-T 3K G12	G12/CCT: 3000K	12	1050
148148	BN70CM-T 4K G12	G12/CCT: 4200K	12	1050
148155	BN150CM-T 3K G12	G12/CCT: 3000K	12	1250
148156	BN150CM-T 4K G12	G12/CCT: 4200K	12	1250



Universal Connector and Adapter for BFTSS/BLTRU trucking system

953225	Universal Connector	-	1	190
953226	Universal Adaptor	-	1	190

Note: For making different joints in trucking system



LIGHTING CONTROL SYSTEM

ORDERING PRODUCT CODE	CATEGORY REFERENCE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	--------------------	------------------	--------------



Recess mounting PIR presence detection sensors

111412	BOH 5015	-	6970
--------	----------	---	------



Surface mounting PIR presence detection sensors

111413	BOH 5016	-	7115
--------	----------	---	------



Recess mounting programmable digital PIR detection sensors (switch option)

111414	BOH 4015	-	8060
--------	----------	---	------



Recess mounting presence detectors suitable active photocell for DSI, dimming

111415	BOH 4019	1	15340
--------	----------	---	-------



Recess mounting PIR occupancy sensors with active photocell for 1-10V analogue dimming

111416	BOH 4029	-	24450
--------	----------	---	-------

ORDERING PRODUCT CODE	CATEGORY REFERENCE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	--------------------	------------------	--------------



'OUTDOOR LIGHTS WIRELESS KIT'

Wireless pre programmed IP54 kit comprising of 1 hand held remote, 1 remote switch & 4 channel x 10A switching controller

111378	TVLKIT - F 420	-	41000
--------	----------------	---	-------

230V wireless receiver with fuse protection & load output 10 A / channel x 4 channels. IP54 protection for outdoor use. Including wireless 4 key hand remote and 4 key wall wireless switch



Incandescent & LED direct dimmers

111375	TVDMM868A01P	-	31000
--------	--------------	---	-------

Wireless 1000W/230V Dimmer DIN rail mountable for incandescent lamps



Incandescent & LED direct dimmers

111376	TVDMM868A08	-	30000
--------	-------------	---	-------

Wireless 450W/230 V suitable for incandescent lamps and Halogen dimmable transformers



Incandescent & LED direct dimmers

-	TVDMM868G09S	-	28000
---	--------------	---	-------

Universal wireless dimmer for loads upto 250W. Suitable for LED/Halogen dimmable transformers



Fluorescent /LED load dimmers

111377	TVDMM868A10	-	21000
--------	-------------	---	-------

Fluorescent /LED wireless dimmer suitable for dimming 0-10V/1-10V dimming ballasts



Fluorescent /LED load dimmers

-	TVDMA868A01	-	30000
---	-------------	---	-------

Fluorescent/LED wireless dimmer suitable for dimming 20 nos DALI dimming ballasts



ORDERING PRODUCT CODE	CATEGORY REFERENCE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	--------------------	------------------	--------------

Fluorescent /LED load dimmers



111374	TVDMC868BB10	-	30000
--------	--------------	---	-------

Fluorescent/LED wireless 230V wall mounted dimmer with push-buttons UP/DOWN for the command of 0-10V/1-10V devices

Remote control transmitters



111389	TVTXQ868A07	-	12500
--------	-------------	---	-------

7-channel for the control of 1 zones and 4 light scenes with dim UP/DOWN and OFF function

Remote control transmitters



111382	TVTXQ868A42	-	13500
--------	-------------	---	-------

42-channel for the control of 6 zones and 4 light scenes with dim UP/DOWN and OFF function

Remote control transmitters



-	TVEVO868N07	-	13500
---	-------------	---	-------

7-channel for the control of 1 zone and 4 light scenes and dim UP/DOWN and OFF function.

Remote control transmitters



-	TVEVO868N42	-	15000
---	-------------	---	-------

42-channel for the control of 6 zones and 4 light scenes with dim UP/DOWN and OFF function

Remote control transmitters



111388	TVTXI868BB07	-	11000
--------	--------------	---	-------

Wall mounted 7-channel transmitter for the control of 1 light zone to manage 4 light scenes and dim UP/DOWN and OFF function.

ORDERING PRODUCT CODE	CATEGORY REFERENCE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	--------------------	------------------	--------------

Remote control transmitters



-	TVTLL868N30	-	25000
---	-------------	---	-------

Wireless transmitter with integrated light sensor, table mounted application, for daylight harvesting in the room.

Remote control transmitters



-	ETH000A02	-	65000
---	-----------	---	-------

MyHand lets you interact with all automated systems from anywhere in your home through PC, Tablet or Smartphone, connecting up to your Wi-Fi router without having to install applications

Remote control transmitters



-	TVTXL868A02	-	30000
---	-------------	---	-------

2-channel transmitter to be inserted inside the existing switches with push-button function. Power supply 230V.

Remote control transmitters



-	TVPRD868A01T	-	25000
---	--------------	---	-------

Wireless control unit for rolling shutter motors up to 350W for 55mm diameter electrical boxes. Input for 1 dynamic push button





INDUSTRIAL LIGHTING



LED INDUSTRIAL LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	------------------	--------------



LED canopy mediumbay luminaire

111747	BGPPN 80W LED	1	39000
--------	---------------	---	-------

LED canopy is an innovative, robust and energy efficient solution to efficiently illuminate petroleum canopies.



'VERDANT' LED wellglass luminaire

169552	BIWICP 35W LED	1	11500
169600	BIWIDP 42W LED	1	12500

Energy efficient, reliable and environment friendly LED based wellglass luminaire. Direct replacement of 70W HPSV wellglass luminaire having potential of saving energy > 65%.



'FUTURABAY' LED Highbay Luminaire

188598	BGHB 80W LED	1	39000
188605	BGHB 100W LED	1	45500
188615	BGHB 150W LED	1	51000

Futurabay is compact, aesthetic, reliable and energy efficient lighting solution in order to meet the critical requirements demanded by various industrial applications. The luminaire has potential of saving energy upto 65%.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	------------------	--------------



'FUTURABAY G III' LED highbay luminaire

188617	BGHB 80W LED G III	1	On request
188618	BGHB 100W LED G III	1	On request
188619	BGHB 150W LED G III	1	On request

Futurabay GIII utilises innovative heat sink and cutting edge LED technology to suit various industrial applications.



LINEA LED

169601	BICDP 40W LED	-	8600
--------	---------------	---	------

Innovative and compact structure of this luminaire provides customer better experience of general purpose lighting application. An alternative solution for 2x28W/2x36W fluorescent channel. This luminaire is having potential of saving energy upto 70%.



LINEA LED Prime

169601	BICDPE 40W LED	-	11500
--------	----------------	---	-------

Reliable, robust and special purpose lighting solution suitable for various applications. Used as a direct replacement of twin fluorescent channel.



WEE

111764	BIBDP 10W LED	8	4500
--------	---------------	---	------

Bringing creative, insight and knowledge together to provide best and future proof upgraded lighting solution as an ideal alternative to CFL/incandancent bulkhead luminaire.





INDUSTRIAL LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface/pendent mounting industrial T5 luminaires

160483	BTIR 128	1x28W T5	20	1270
160484	BTIR 228	2x28W T5	10	1700

White powder coated CRCA sheet steel housing with reflector cover T5 Channel luminaire.

160796	Aluminium reflector for BTIR 128/228	-	-	410
161387	MS powder coated reflector for BTIR 128/228	-	-	370



Surface/pendent mounting FTL industrial luminaires

531003	BJIR 136/140 WEB1	1x36/40W FTL	12	1110
531004	BJIR 236/240 WEB2	2x36/40W FTL	12	1600

White powder coated CRCA sheet steel housing with reflector cover.



Surface/pendent mounting FTL industrial luminaires with reflector (cat. ref. BJIE)

162292	BJSER 136/140/236/240 Reflector	-	4	520
--------	---------------------------------	---	---	-----

Epoxy white powder coated reflector to be mounted on BJIR channel.

Note: Please indent BJSER reflector and BJIR channel separately for BJIE 136/140/236/240 luminaires

022104	IV reflector suitable for 136/140/236/240	-	-	1360
--------	---	---	---	------

Vitreous enameled reflector to be mounted on BJIR luminaires.

Note: Please indent IV reflector and BJIR channel separately for BJIV 136/140/236/240 luminaires.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface/pendent mounting polycarbonate body, corrosion resistant FTL/T5 industrial luminaires


530329	BJI 136/140 PC WEB1	1x36/40W FTL	1	3300
--------	---------------------	--------------	---	------

530695	BJI 236/240 PC WEB2	2x36/40W FTL	1	4200
--------	---------------------	--------------	---	------

530733	BTI 128 T5 PC	1x28W T5 Lamp	1	3300
--------	---------------	---------------	---	------

530734	BTI 228 T5 PC	2x28W T5 Lamp	1	4450
--------	---------------	---------------	---	------

530775	BTI 254 T5 PC	2x54W T5 Lamp	1	5360
--------	---------------	---------------	---	------



'TRENDY' Industrial T5 Highbay

539115	BTHBX 428	4x28W T5 Lamp	1	9300
--------	-----------	---------------	---	------

539116	BTHBX 454	4x54W T5 Lamp	1	10500
--------	-----------	---------------	---	-------

539375	BTHBXR 454	4x54W T5 Lamp	1	12300
--------	------------	---------------	---	-------



Lowbay integral horizontal ceiling mounted HID luminaires

162407	BJRLB 02 80 MV BC Complete			3150
161848	BJRLB 02 80 MV BC WOB BJOR 80 MV	HPMV 80W	2 16	1950 1200

162408	BJRLB 02 125 MV BC Complete			3230
161849	BJRLB 02 125 MV BC WOB BJOR 125 MV	HPMV 125W	2 16	1980 1250

162410	BJRLB 02 70 MH Complete			3400
169408	BJRLB 70 MH WOB BJOS 70 SV/MH	MH SE 70W	2 16	2200 1200

162409	BJRLB 02 70 MH DE Complete			3760
169408	BJRLB 70 MH DE WOB BJOS 70 SV/MH	MH DE 70W	2 16	2560 1200



Mediumbay integral horizontal ceiling mounted HID luminaires

162412	BJRMB 150 MH DE Complete			4970
162109	BJRMB 150 MH DE WOB BJOS 150 SV/MH	MH DE 150W	2 8	3170 1800

162309	BJRMB 250 SV Complete			6860
162602	BJRMB 250 SV WOB BJOS 250 SV/MH	HPSV 250W	2 8	4110 2750

162290	BJRMB 250 MH Complete			6770
162602	BJRMB 250 MH WOB BJOS 250 SV/MH	MH 250W	2 6	4020 2750

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Non - integral wellglass luminaires

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	Lamp Hosing		Glass & Guard		UNIT PRICE ₹
			STANDARD PACKING	UNIT PRICE ₹			
165513	BJVW 200 ES	MV 80/125W/SV 70W	16	8	1380		



Non - integral wellglass luminaires

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	Lamp Hosing		Glass & Guard		UNIT PRICE ₹
			STANDARD PACKING	UNIT PRICE ₹			
025513	BJVW 300	Up to 300W GLS & HPSV 150W	4	8	1470		

Die-cast aluminium alloy housing grey hammertone stove enamelled finish, heat resistant wellglass with gasket.

Note: Use separate control gear 150W HPSV lamp.

169430	BJVW 250 SV/MH/MV NI	HPSV/MH/MV E40	1		3090	
--------	----------------------	----------------	---	--	------	--

Note: Use separate control gear for suitable rating lamp.



Non - integral wellglass luminaires

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	Lamp Hosing		Glass & Guard		UNIT PRICE ₹
			CG	CG			
161354	BJVWIS 80 MV ES	HPMV 80W ES	16	4	8	3430	
161355	BJVWIS 125 MV ES	HPMV 125W ES	16	4	8	3460	
161350	BJVWIS 70 SV	HPSV 70W	16	4	8	3550	
161890	BJVWIS 70 MH	MH SE 70W	16	4	8	3570	
162096	BJVWIS 150 SV	HPSV 150W	4	4	8	4980	
162448	BJVWIS 150 MH (E40)	MH 150W	4	4	8	5010	

Die-cast aluminium alloy housing grey hammertone stove enamelled finish, heat resistant wellglass with gasket, suitable for HID lamps with integral separate control gear.



Integral wellglass luminaires

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	Lamp Hosing		Glass & Guard		UNIT PRICE ₹
			STANDARD PACKING	UNIT PRICE ₹			
161449	BJDWIS 80 MV BC	HPMV 80W BC	4	8	2850		
161582	BJDWIS 80 MV ES	HPMV 80W ES	4	8	2920		
162510	BJDWI 125 MV BC	HPMV 125W BC	4	8	3100		
162511	BJDWI 125 MV ES	HPMV 125W ES	4	8	3150		
161451	BJDWIS 70 SV	HPSV 70W E	4	8	3040		
161292	BJDWI 70 MH	MH SE 70W	4	8	3350		

Die-cast aluminium housing epoxy grey powder coated built in control gear, heat resistant wellglass with MS zinc plated wire guard and eyebolt.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral wellglass CFL luminaires

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	Lamp Hosing		Glass & Guard		UNIT PRICE ₹
			STANDARD PACKING	UNIT PRICE ₹			
531102	BJDWIS 126 CFL WEB1	1x26W 'D' Type CFL	4	8	2350		
531101	BJDWIS 226 CFL WEB2	2x26W 'D' Type CFL	4	8	2730		
531104	BJDWIS 118 CFL WEB1	1x18W 'D' Type CFL	4	8	2350		
531103	BJDWIS 218 CFL WEB2	2x18W 'D' Type CFL	4	8	2590		

Die-cast aluminium housing epoxy grey powder coated built in electronic ballast, heat resistant wellglass with MS zinc plated wire guard and eyebolt.

External auxiliary reflectors for well glass luminaires

020107	White powder coated reflector for DWI/VW 300/VWI 150 SV	420
902272	Vitreous enamelled mild steel reflector for BJVW 200/VWI 70 SV	575

Canopy lighting luminaires

160174	BJPP 70 MH DE CA WS II	MH DE 70W	1	6175
168702	BJPP 150 MH DE CA WS II	MH DE 150W	1	6800

Single piece, integral, epoxy white powder coated die-cast aluminium housing, aluminium reflector heat resistant toughened clear glass cover with transform & accessories for 70/150W double ended metal halide lamp.



Canopy lighting luminaires

162670	BJPP 1170 MH DE S SHL	70W MH DE	1	5900
162672	BJPP 1150 MH DE S SHL	150W MH DE	1	6500

Single piece, integral, epoxy white powder coated die-cast aluminium housing, aluminium reflector heat resistant toughened clear glass cover with transform & accessories for 70/150W double ended metal halide lamp.



Canopy lighting luminaires

161019	BJPP 250 MMH T CA CS	MMH T 250W	1	7600
161020	BJPP 250 MMH T CA CAS	MMH T 250W	1	7600

Single piece integral, epoxy white powder coated MS/aluminium housing with die-cast aluminium frame fixed to the housing and heat resistant toughened clear glass cover & accessories for 250W tubular mercury based metal halide lamp.



Canopy lighting luminaires

161860	BJUCL 250 MMH S CA	MMH T 250W	1	8400
161861	BJUCL 250 MMH AS CA	MMH T 250W	1	8400
168999	BJUCL 400 MMH A	MMH T 400W	1	9300
169000	BJUCL 400 MMH AS	MMH T 400W	1	9300

Single piece, integral, epoxy white powder coated MS/aluminium housing with die-cast aluminium frame fixed to the housing and heat resistant toughened clear glass cover & accessories for 250/400W tubular metal halide lamp.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Tunnel lighting luminaires

162654	BJTL 55 W RF	CFL 55W RF	1	4920
161067	BJTL 70 SV T WOB	HPSV T 70W	1	5200
161069	BJTL 150 SV T WOB	HPSV T 150W	1	5650
161070	BJTL 150 MH T E27 WOB	MH T 150W	1	5580
161071	BJTL 250 SV T WOB	HPSV T 250W	1	6900
161072	BJTL 250 MH T WOB	MH T 250W	1	6900
161073	BJTL 400 SV T WOB	HPSV T 400W	1	7100
161074	BJTL 400 MH T WOB	MH T 400W	1	7150

Integral, epoxy grey powder coated CRCA sheet aluminium housing, aluminium reflector with heat resistant toughened clear glass cover and accessories. Please order ballasts of corresponding rating separately with above luminaires.



GLS bulkhead luminaires

024710	BJDB 100 BC	100W GLS BC	20	590
024720	BJDB 100 ES	100W GLS ES	20	640
162422	BJDB 10 CFL RF	10W Retrofit CFL	20	590

Die-cast aluminium alloy body heat resistant prismatic glass cover, with specially designed gasket.



CFL bulkhead luminaires

021240	BJBE 19	1x9W 'S' type CFL	8	1220
--------	---------	-------------------	---	------

Deep drawn anodised aluminium body, epoxy white powder coated, heat resistant prismatic glass cover with specially designed gasket.



CFL bulkhead luminaires

531338	BJCB 19 WEB	1x9W 'S' type CFL	8	1130
531326	BJCB 111 WEB	1x11W 'S' type CFL	8	1545
531327	BJCB 118 WEB	1x18W 'S' type CFL	8	1545

CFL Bulkhead with ABS Housing and Clear Poly carbonate cover with Electronic Ballast.



HID lamp bulkhead luminaires

160184	BJDBI 70 SV	HPSV 70W	1	3910
161104	BJDBI 70 MH	MH 70W	1	3940

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



HIGHBAY/MIDBAY LUMINAIRE

Non - integral highbay/mediumbay luminaire

169104	BJHB/MB NI 150/400 Hosing CA	-	8	1290
--------	------------------------------	---	---	------

Note: This housing is to be used along with suitable Highbay/Midbay reflector to make complete luminaire.



Vertical mounting integral highbay/mediumbay luminaire

162190	BJHBI/MBI 250 MV Housing	HPMV 250W	4	3500
162191	BJHBI/MBI 400 MV Housing	HPMV 400W	4	4450
162192	BJHBI/MBI 150 SV Housing	HPSV 150W	4	3500
162202	BJHBI/MBI 150 W MH(E40) Housing	MH 150W E 40	4	3500
162193	BJHBI/MBI 250SV Housing	HPSV 250W	4	4750
162194	BJHBI/MBI 250 MH Housing	MH 250W	4	4750
022363	BJHBI/MBI 400 SV Housing	HPSV 400W	-	6600
022359	BJH/MBI 400 MH Housing	MH 400W	-	6630
162195	BJH/MBI 250 MMH Housing	MMH 250W	4	3800
162205	BJHBI/MBI 400 MMH Housing	MMH 400W	4	4750

Note: This housing is to be used along with suitable Highbay/Midbay reflector to make complete luminaire.



Side mounting integral highbay/mediumbay luminaire

BJHBIS/MBIS 11 250 MV housing complete				4465
168986	BJHBIS/MBIS 11 250 MV housing WOB	HPMV 250W	4	2215
162127	BJOR 250 MV		4	2250
BJHBIS/MBIS 11 400 MV housing complete				5390
168987	BJHBIS/MBIS 11 400 MV housing WOB	HPMV 400W	4	2240
162248	BJOR 400 MV		4	3150
BJHBIS/MBIS 11 150 SV housing complete				4220
168989	BJHBIS/MBIS 11 150 SV housing WOB	HPSV 150W	4	2420
162109	BJOS 150 SV/MH		4	1800
BJHBIS/MBIS 11 150 MH housing complete				4250
168990	BJHBIS/MBIS 11 150 MH housing WOB	MH SE 150W	4	2450
162109	BJOS 150 SV/MH		4	1800
BJHBIS/MBIS 11 250 SV housing complete				5250
168985	BJHBIS/MBIS 11 250 SV housing WOB	HPSV 250W	4	2500
162602	BJOS 250 SV/MH		4	2750

Note: This housing is to be used along with suitable Highbay/Midbay reflector to make complete luminaire.

For Industrial induction lighting refer induction section.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Side mounting integral highbay/mediumbay luminaire

BJHBIS/MBIS 11 250 MH housing complete 5275				
168991	BJHBIS/MBIS 11 250 MH housing WOB	MH SE 250W	4	2525
162602	BJOS 250 SV/MH		4	2750
BJHBIS/MBIS 11 250 MMH housing complete 4370				
169066	BJHBIS/MBIS 11 250 MMH housing WOB	MMH SE 250W	4	2470
161698	BJOS MMH 250		4	1900
BJHBIS/MBIS 11 400 MMH housing complete 5475				
168992	BJHBIS/MBIS 11 400 MMH housing WOB	MMH SE 400W	4	2525
161699	BJOS MMH 400		4	2950
BJH/MBIS 400 SV housing complete 7140				
169085	BJH/MBIS 400 SV housing WOB	HPSV 400W	4	3150
168892	BJOS 400 SV/MH		4	3990
BJH/MBIS 400 MH TE housing complete 7140				
169086	BJH/MBIS 400 MH TE housing WOB	MH 400W	4	3150
168892	BJOS 400 SV/MH		4	3990

Note: This housing is to be used along with suitable Highbay/Midbay reflector to make complete luminaire.



DHRUV - front opening integral highbay/mediumbay luminaire

BJH/MBIF 250 MV housing complete 4980				
169067	BJH/MBIF 250 MV housing WOB	HPMV 250W	4	2730
162127	BJOR 250 MV		4	2250
BJH/MBIF 150 SV housing complete 4700				
169068	BJH/MBIF 150 SV housing WOB	HPSV 150W	4	2900
168797	BJOS 150 SV/MH		4	1800
BJH/MBIF 150 MH housing Complete 4750				
169069	BJH/MBIF 150 MH housing WOB	MH SE 150W	4	2950
168797	BJOS 150 SV/MH		4	1800
BJH/MBIF 250 SV housing Complete 5770				
169070	BJH/MBIF 250 SV housing WOB	HPSV 250W	4	3020
162602	BJOS 250 SV/MH		4	2750
BJH/MBIF 250 MH housing Complete 5800				
169071	BJH/MBIF 250 MH housing WOB	MH SE 250W	4	3050
162602	BJOS 250 SV/MH		4	2750
BJH/MBIF 250 MMH housing Complete 4870				
169072	BJH/MBIF 250 MMH housing WOB	MMH SE 250W	4	2970
161698	BJOS 250 MMH		4	1900
BJH/MBIF 400 MMH housing Complete 5970				
169065	BJH/MBIF 400 MMH housing WOB	MMH SE 400W	4	3020
161699	BJOS 400 MMH		4	2950

Note: This housing is to be used along with suitable highbay/midbay reflector to make complete luminaire.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Highbay/midbay reflectors

161492	Anodised highbay aluminium 11 reflector	-	4	1500
--------	---	---	---	------



Highbay/midbay reflectors

162048	Anodised midbay aluminium 11 reflector	-	4	1500
--------	--	---	---	------



Highbay/midbay reflectors

		Reflector	Encloser		
161493	Totally enclosed anodised highbay aluminium 11 reflector	-	4	4	2550



Highbay/midbay reflectors

		Reflector	Encloser		
162049	Totally enclosed anodised midbay aluminium 11 reflector	-	4	4	2550



HAZARDOUS AREA LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Flameproof bulkhead luminaire

20082	BJFB 150/200 ES (LM6)	GLS 200W ES	1	8500
-------	-----------------------	-------------	---	------

Epoxy finish LM6 aluminium housing with heat resistant and toughened flat glass cover.

Note: Use separate appropriate Flameproof control gear for HID lamp luminaire.



Flameproof fluorescent luminaire

538548	BJFFTL 128	1x28 T5 FTL	1	15000
530602	BJFFTL 228	2x28W T5 FTL	1	28600



Flameproof fluorescent luminaire

169646	BJFFTL 136.	1x36W FTL	1	12500
169647	BJFFTL 236.	2x36W FTL	1	23000

Reflector for above luminaires

020031	SE Reflector for BJFFTL 136/140	-	-	1320
020032	SE Reflector for BJFFTL 236/240	-	-	1550

Epoxy finish LM6 aluminium housing with heat resistant tubular glass cover held in two aluminium cups, with built-in control gear accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Flameproof non-integral wellglass luminaire

022792	BJFW-80/125 MV NI ES LM6	HPMV 80/125W-ES	1	7600
168824	BJFW 123 CFL RF NI	1x23W Retrofit CFL	1	7600
168836	BJFW 223 CFL RF NI	2x23W Retrofit CFL	1	7600

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate Flameproof control gear for HID lamp luminaire.



Flameproof non-integral wellglass luminaire

168819	BJFW 150 SV CA NI	HPSV 150W	1	9100
022770	BJFW-250 MV NI LM6	HPMV 250W	1	9100
020188	BJFW-400 MV NI LM6	HPMV 400W	1	22600
168911	BJFW 250 SV (NI) LM6	SVMV 250W	1	22600
168908	BJFW 400 SV CA (NI) LM6	SVMV 400W	1	22600

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate Flameproof control gear for HID lamp luminaire.

NEW



Flameproof non-integral wellglass luminaire

169615	BJFW-400 MH NI LM6	HPMV 400W	1	16000
--------	--------------------	-----------	---	-------

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate Flameproof control gear for HID lamp luminaire.



Flameproof integral wellglass luminaire

162251	BJFW 70 MH (I)	70W MH	1	10700
162249	BJFW 70 SV (I)	70W SV	1	10670

Epoxy finish LM6 aluminium alloy housing with a heat resistant & toughened glass cover, built in control gear, painted MS wire guard & eye bolt.

NEW



Flameproof integral wellglass luminaire

169613	BJFW-80 I MV ES.	HPMV 80W ES	1	9200
169632	BJFW-125 MV I.	HPMV 125W ES	1	9170

Epoxy finish LM6 aluminium alloy housing with a heat resistant & toughened glass cover, built in control gear, painted MS wire guard & eye bolt.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Flameproof integral wellglass luminaire

020191	BJFW-250 MV CA (I)	HPMV 250W	1	13800
162250	BJFW-150 SV (I)	HPSV 150W	1	13750
162148	BJFW 150 MH (I)	HPMV 150W	1	13780



Increased safety non-integral wellglass luminaire

020104	BJISW-80/125 MV NI	HPMV 80W/125W	1	5150
-	BJISW-70SV NI	HPSV 70W	1	On Request

Epoxy finish LM6 aluminium alloy housing with heat resistant glass cover, painted MS wire guard an eye bolt.
 Note: Use separate appropriate increased safety control gear for HID lamp luminaire.



Increased safety integral wellglass luminaire

020078	BJISW 80 MV (I)	HPMV 80W	1	7200
020079	BJISW 125 MV (I)	HPMV 125W	1	7250
020080	BJISW 70SV (I)	HPSV 70W	1	7280

Epoxy powder coated die-cast aluminium housing with adjustable swing arrangement & enclosed with diffused toughened glass cover.



Increased safety non-integral wellglass luminaire

160396	BJISW 250 MV/150SV NI LM 6	HPMV 250W/150W SV	1	6000
--------	----------------------------	-------------------	---	------

Epoxy finish LM6 aluminium alloy housing with heat resistant and glass cover, painted MS wire guard and eye bolt.

Note: Use separate appropriate increase safety control gear for HID lamp luminaire.



Flameproof control gear box

022800	BJFC-80 MV CA	HPMV 80W	1	8900
022801	BJFC-125 MV CA	HPMV 125W	1	8940
020204	BJFC-70 SV (LM6)	HPSV 70W	1	9000
168820	BJFC 150 SV CA	HPSV 150W	1	9570
168906	BJFC 250 SV (LM6)	HPSV 250W	1	11000
169287	BJFC 250 MH (LM6)	MH 250W	1	11300
20187	BJFC 400 MV (LM6)	HPMV 400W	1	10900
162604	BJFC 400 SV (LM6)	HPSV 400W	1	12600

Epoxy finish LM6 aluminium alloy housing with accessories and three cable entries.

Note: To be used with suitable luminaire.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

NEW



Flameproof control gear box

169643	BJFC-250 MV CA	HPMV 250W	1	10100
169616	BJFC 400 MH (LM6)	MH 400W	1	11500



Increased safety control gear box

020016	BJJSCG 80 MV	-	1	4850
020017	BJJSCG 125 MV	-	1	4880
160397	BJJSCG 250 MV	-	1	6100
020077	BJJSCG 70 SV	-	1	5000
020119	BJJSCG 150 SV	-	1	6100
020190	BJJSCG 150 MH (LM6)	-	1	6100

Epoxy finish LM6 aluminium alloy housing with accessories and three cable entries.

Note: To be use with suitable luminaire.

NEW



Flame proof non-integral flood light

169644	BJFFL 250 NI	HPMV/HPSV/MH 250W	1	25700
169645	BJFFL 400 NI	HPMV/HPSV/MH 400W	1	32000

Epoxy finish LM6 aluminium alloy housing with heat resistant and toughened glass cover, mounting bracket.



Flame proof aviation obstruction light

168795	BJFAOL 01	-	1	17200
--------	-----------	---	---	-------

Aviation yellow painted LM6 aluminium alloy housing with glass cover, and wire guard.



Flame proof junction box

020206	BJFJB 100 - 4 WAY (LM6)	-	1	2700
--------	-------------------------	---	---	------

Epoxy finish LM6 aluminium alloy housing with accessories and three cable entries.

Note:

1. All the un-used cable entries must be sealed by approved plugs.
2. Only approved Flame proof double compression cable glands must be used.
3. Fittings are required to be maintained as per special code of practice under explosive environment as recommended from time to time. Accidents arising out of improper maintenance shall be beyond our scope of guarantee.



PLASMA - CLEAN ROOM LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



PRISTINE - Recess LED cleanroom luminaire

539403	BPRF 20W WH LED	1X20W LED	1	7500
111171	BPRF 36W WH LED	1X36W LED	1	15500
539379	BPRF 45W WH LED	1X45W LED	1	16500
539348	BPRF 60W WH LED	1X60W LED	1	19700
539349	BPRF 80W WH LED	1X80W LED	1	22500
539378	BPSF 45W WH LED	1X45W LED	1	18000
539377	BPSF 60W WH LED	1X60W LED	1	20500

Pristine LED is ideal for today's ever changing and fast paced health care facilities and are specially designed for sensitive environments and cleanrooms. Bottom opening clean room luminaire with screwless bottom frame. Option available for Rear opening clean room as well



Recess mounting front opening clean room luminaire with screwless bottom frame

538921	BPRF 236 C LHD TG SL	2x36W 4 Pin 'L' Type CFL	1	7900
538922	BPRF 336 C LHD TG SL	3x36W 4 Pin 'L' Type CFL	1	8700




Surface mounting front opening clean room luminaire suitable for twin 18W CFL

530869	BPSF 218 C LHD	2X18W 'L' Type CFL	1	4900
--------	----------------	--------------------	---	------

Note: Above luminaires are with PMMA acrylic bottom cover. Alternative with toughened glass also available. Prefix TG.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface mounting front opening clean room luminaire suitable for twin CFL

530868	BPSF 02 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	6200
--------	-------------------	--------------------------	---	------



Surface mounting front opening clean room luminaire suitable for twin/triple CFL

530871	BPSF 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	8000
530872	BPSF 336 C LHD	3X36W 4 Pin 'L' Type CFL	1	9000




Surface mounting front opening clean room luminaire suitable for twin 36W FTL

530867	BPSF 02 236 F LHD	2X36W FTL	1	7310
--------	-------------------	-----------	---	------




Surface mounting front opening clean room luminaire suitable for twin 36W FTL

530860	BPRF 218 C LHD	2X18W 4 Pin Dulux 'L' Type CFL	1	5000
--------	----------------	--------------------------------	---	------



Recess mounting front opening clean room luminaire suitable for twin CFL

530863	BPRF 02 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	6100
--------	-------------------	--------------------------	---	------



Recess mounting front opening clean room luminaire suitable for twin/triple CFL

530861	BPRF 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	7400
530862	BPRF 336 C LHD	3X36W 4 Pin 'L' Type CFL	1	8400


Note: Above luminaires are with PMMA acrylic bottom cover. Alternative with toughened glass also available. Prefix TG.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Recess mounting front opening clean room luminaire suitable for twin FTL

530859	BPRF 02 236 F LHD	2X36W FTL	1	8770
--------	-------------------	-----------	---	------




Recess mounting rear opening clean room luminaire suitable for twin 18W CFL

530873	BPRR 218 C LHD	2X18W 4 Pin Dulux 'L' Type CFL	1	6930
--------	----------------	--------------------------------	---	------



Recess mounting rear opening clean room luminaire suitable for twin 36W CFL

530866	BPRR 02 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	8130
--------	-------------------	--------------------------	---	------



Recess mounting rear opening clean room luminaire suitable for twin/triple 36W CFL

530864	BPRR 236 C LHD	2X36W 4 Pin 'L' Type CFL	1	9790
530865	BPRR 336 C LHD	3X36W 4 Pin 'L' Type CFL	1	10610



Recess mounting rear opening clean room luminaire suitable for twin 36W FTL

530874	BPRR 02 236 F LHD	2X36W FTL	1	9710
--------	-------------------	-----------	---	------



Ceiling/pendent mounting totally enclosed mirror optics luminaire

530040	BJCR 236/240 WEB2	2x36W FTL	1	4710
--------	-------------------	-----------	---	------



Ceiling/pendent mounting totally enclosed mirror optics luminaire

531199	BJCR 236 LHD OPAL	2x36W FTL	1	On Request
--------	-------------------	-----------	---	------------

Note: Above luminaires are with PMMA acrylic bottom cover. Alternative with toughened glass also available. Prefix TG.





ROADWAY LIGHTING



ROADWAY LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	------------------	--------------

LED EDGE

NEW



'CUB' LED street light

169627	BCLST 15W LED	8	6600
169628	BCLST 20W LED	8	7200
169475	BCLST 25W LED	8	7800

Pressure die cast housing with epoxy power coated dark graphite grey colour finish. Prismatic polycarbonate cover with individual LED lenses.

NEW



Pressure die cast aluminium housing LED street light luminaires

-	BRTFG 30W LED	1	On Request
-	BRTFG 45W LED	1	On Request
-	BRTFG 60W LED	1	On Request

NEW



Pressure die cast aluminium housing LED street light luminaires

169620	BRTFG 72W LED	1	26000
169557	BRTFG 90W LED	1	33000
169553	BRTFG 120W LED	1	36500
-	BRTFG 135W LED	1	40500



Pressure die cast aluminium housing LED street light luminaires

-	BELST 150W LED	1	On Request
-	BELST 170W LED	1	On Request
-	BELST 210W LED	1	On Request

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

ROADWAY LIGHTING



'ARCHITECTURAL DECORATIVE' luminaire (side mounting)

161863	BRSGL 70 SV TM Complete	HPSV T 70W	1	8820
169408	BRSGL 70 SV TM WOB (12") BJOS 70 SV/MH		8	7620 1200
162032	BRSGL 150 SV TM Complete	HPSV T 150W	1	14730
162109	BRSGL 150 SV TM WOB BJOS 150 SV/MH		8	12930 1800
160656	BRSGL 250 SV TM Complete	HPSV T 250W	1	26400
162602	BRSGL 250 SV TM WOB BJOS 250 SV/MH		6	13500 2750
168776	BRSGL 85 RF CFL 19"	85W RF CFL	1	10150
162416	BRSGL 70 SV SM Complete	HPSV T 70W	1	8820
169408	BRSGL 70 SV SM WOB (12") BJOS 70 SV/MH		8	7620 1200
162555	BRSGL 70 MH SM Complete	MH T 70W	1	8870
169408	BRSGL 70 MH SM WOB (12") BJOS 70 SV/MH		8	7670 1200
161311	BRSGL 150 SV Complete	HPSV T 150W	1	13730
162109	BRSGL 150 SV WOB (19") BJOS 150 SV/MH		8	12930 1800
161808	BRSGL 150 MH Complete	MH SE 150W	1	15010
162109	BRSGL 150 MH WOB (19") BJOS 150 SV/MH		8	13210 1800
161809	BRSGL 250 SV Complete	HPSV T 250W	1	16250
162602	BRSGL 250 SV WOB (19") BJOS 250 SV/MH		6	13500 2750
161812	BRSGL 250 MH Complete	MH T 250W	1	16350
162602	BRSGL 250 MH WOB (19") BJOS 250 SV/MH		6	13600 2750



'MOMENTUM' Single piece, cast aluminium, top opening and integral luminaires with side/top mounting option (IP66)

180094	BGEST 250 SV IP66 LH Complete (MOM)	HPSV T 250W	1	14700
162602	BGEST 250 SV IP66 LH WOB BJOS 250 SV/MH		6	11950 2750
180288	BGEST 250 MH IP66 LH Complete (MOM)	MH T 250W	1	14720
162602	BGEST 250 MH IP66 (LH) WOB BJOS 250 SV/MH		6	11970 2750
180435	BGEST 400 SV IP66 LH Complete (MOM)	HPSV T 400W	1	15970
168892	BGEST 400 SV IP66 (LH) WOB BJOS 400 SV/MH		4	11980 3990
180320	BGEST 400 MH IP66 LH Complete (MOM)	MH T 400W	1	15990
168892	BGEST 400 MH IP66 (LH) WOB BJOS 400 SV/MH		4	12000 3990

Top opening single piece, integral, grey powder coated die-cast aluminium housing, pot optics reflector, side entry/pole mounting arrangement and accessories. option of curve glass available.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



"AQUA" ROADWAY LUMINAIRE - "PEARL" (IP66)

Single piece, powder coated housing with clear curved glass with pressure die cast aluminium side/top with mounting option

	BJPRL 150 SV Complete			12050
169282	BJPRL 150 SV WOB	HPSV T 150W	1	10250
162109	BJOS 150 SV/MH		8	1800
	BJPRL 250 SV Complete			13000
169283	BJPRL 250 SV WOB	HPSV T 250W	1	10250
162602	BJOS 250 SV/MH		6	2750



"OPTIMA" Single piece, high pressure die cast aluminium with heat resistant, toughened curved glass

	BJORL 150W SV/MH Complete			10600
169439	BJORL 150W WOB	HPSV/MH-T 150W	-	8800
162109	BJOS 150 SV/MH		6	1800
	BJORL 250W SV/MH Complete			11650
169438	BJORL 250W WOB	HPSV/MH-T 250W	-	8900
162602	BJOS 250 SV/MH		6	2750
	BJORL 400W SV/MH Complete			12890
169437	BJORL 400W WOB	HPSV 400W		8900
168892	BJOS 400 SV/MH		4	3990

Precision optical system consisting of aluminum reflector of high purity, electro chemically brightened and anodized.



"AQUA" ROADWAY LUMINAIRE - "JET" (IP66)

Single piece, die cast aluminium with full frame glass cover integral luminaires (IP66)

	BGJRL 150 SV IP66 FFG Complete			10870
180432	BGJRL 150 SV IP66 SH FFG WOB	HPSV T 150W	1	9070
162109	BJOS 150 SV/MH		6	1800
	BGJRL 250 SV IP66 FFG Complete			15000
180315	BGJRL 250 SV IP66 FFG WOB	HPSV T 250W	1	12250
162602	BJOS 250 SV/MH		6	2750

Spring loaded click fixing, integral, powder coated die cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing, pot optics reflector & accessories. Suitable for side entry and top mounting arrangement. Option of curved glass available.



"AQUA" ROADWAY LUMINAIRE - "JET" (IP66)

Single piece, die cast aluminium with full frame glass cover integral luminaires (IP66)

	BGJRL 400 SV IP66 FFG Complete			16390
180298	BGJRL 400 SV IP66 FFG WOB	HPSV T 400W	1	12400
168892	BJOS 400 SV/MH		4	3990

Spring loaded click fixing, integral, powder coated die cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing, pot optics reflector & accessories. Suitable for side entry and top mounting arrangement. Option of curved glass available.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



"AQUA" roadway luminaires

	BGJRL 70 SV CG PDC Complete			5700
188564	BGJRL 70 SV CG PDC WOB	HPSV 70W	1	4500
169408	BJOS 70 SV		16	1200



Single piece, cast aluminum with full frame & flat glass cover integral luminaires (IP66)

	BGWRL 150 SV FFG Complete			9075
180295	BGWRL 150 SV FFG WOB	HPSV T 150W	1	7275
162109	BJOS 150 SV/MH		8	1800
	BGWRL 150 MH FFG Complete (E40)			9100
180439	BGWRL 150 MH FFG WOB (E40)	MH T 150W	1	7300
162109	BJOS 150 SV/MH		8	1800

Blue powder coated cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing with flat toughened glass, pot optics reflector & accessories. Curved glass option available.



Single piece, cast aluminum with full frame & flat glass cover integral luminaires (IP66)

	BGWRL 250 SV FFG Complete			12550
180296	BGWRL 250 SV FFG WOB	HPSV T 250W	1	9800
162602	BJOS 250 SV/MH		6	2750
	BGWRL 250 MH FFG Complete			12600
180297	BGWRL 250 MH FFG WOB	MH T 250W	1	9850
162602	BJOS 250 SV/MH		6	2750

Blue powder coated cast aluminium top opening housing fixed to the white powder coated die-cast aluminium housing with flat toughened glass, pot optics reflector & accessories. Curved glass option available. Top & side entry mounting option available for 250W only.



Single piece, cast aluminium with full frame glass cover integral luminaires

	BGEST 02 70 SV IP 65 FFG Complete			5000
180198	BGEST 02 70 SV IP 65 FFG WOB	HPSV T 70W	2	3800
169408	BJOS 70 SV/MH		8	1200
	BGEST 02 70 MH IP65 FFG Complete			5020
180445	BGEST 02 70 MH IP 65 FFG WOB	MH T 70W	1	3820
169408	BJOS 70 SV/MH		4	1200
	BGEST 150 SV IP65 FFG Complete			7850
180209	BGEST 150 SV IP 65 FFG WOB	HPSV T 150W	1	6050
162109	BJOS 150 SV/MH		4	1800
	BGEST 150 MH IP65 FFG Complete			7880
180257	BGEST 150 MH IP 65 FFG WOB (E40)	MH T 150W	1	6080
162109	BJOS 150 SV/MH		4	1800

Single piece, integral, grey powder coated die-cast aluminium housing, pot optics reflector with full frame glass and accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Single piece, cast aluminium with full glass cover integral luminaires (IP66)

188505 169408	BGEST 70 SV FG SHN (IP66) Complete BGEST 70 SV FG SHN (IP66) WOB BJOS 70 SV/MH	HPSV T 70W	1 16	4500 3300 1200
188611 162109	BGEST 150 SV FG SHN (IP66) Complete BGEST 150 SV FG SHN (IP66) WOB (E40) BJOS 150 SV/MH	HPSV T 150W	1 8	6070 4270 1800
188612 162109	BGEST 150 MH FG SHN (IP66) Complete BGEST 150 MH FG SHN (IP66) WOB (E40) BJOS 150 SV/MH	MH T 150W	1 8	6110 4310 1800
188510 162602	BGEST 250 SV FG SHN (IP66) Complete BGEST 250 SV FG SHN (IP66) WOB BJOS 250 SV/MH	HPSV T 250W	1 6	8130 5380 2750

Precision optical system consisting of aluminum reflector of high purity, electro chemically brightened and anodized.



Single piece, integral, grey powder coated pressure die-cast aluminium housing, pot optics reflector with full glass cover and accessories.

169594 162109	BGEST 150 SV FG SHN (IP66) PDC Complete BGEST 150 SV FG SHN (IP66) PDC WOB BJOS 150 SV/MH	HPSV T 150W	1 8	6250 4450 1800
169595 162109	BGEST 150 MH FG SHN (IP66) PDC Complete BGEST 150 SV FG SHN (IP66) PDC WOB BJOS 150 SV/MH	MH T 150W	1 8	6300 4500 1800
169596 162602	BGEST 250 SV FG SHN (IP66) PDC Complete BGEST 250 SV FG SHN (IP66) PDC WOB BJOS 250 SV/MH	HPSV T 250W	1 6	7550 4800 2750
169597 162602	BGEST 250 MH FG SHN (IP66) PDC Complete BGEST 250 MH FG SHN (IP66) PDC WOB BJOS 250 SV/MH	MH T 250W	1 6	7600 4850 2750



Integral, cast aluminium luminaires with side reflectors

		Housing		Acrylic	
160283 169408	BJMSC 02 70 SV Complete BJMSC 02 70 SV WOB BJOS 70 SV/MH	HPSV 70W	4	8 16	4290 3090 1200
160287 162109	BJMSC 02 150 SV Complete BJMSC 02 150 SV WOB BJOS 150 SV/MH	HPSV 150W	2	8 8	6630 4830 1800
160289 162602	BJMSC 02 250 SV Complete BJMSC 02 250 SV WOB BJOS 250 SV/MH	HPSV 250W	2	4 6	8470 5720 2750

Integral, cast aluminium luminaires in grey hummertone stove enamelled finish outside and white inside, with anodised aluminium side reflectors, clean acrylic bowl and accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Single piece, cast aluminium with full glass cover integral luminaires (IP65)

180421	BGEST 85 RF CFL FG BC	1x85W Retrofit CFL	1	4175
180422	BGEST 85 RF CFL FG E27	1x85W Retrofit CFL	1	4275
180423	BGEST 85 RF CFL FG E40	1x85W Retrofit CFL	1	4350

Pressure die cast housing with epoxy power coated dark graphite grey colour finish. Prismatic polycarbonate cover with individual LED lenses.



Integral, single piece, deep drawn luminaires

		Housing		Acrylic	
184381 169408	BGEST 70 SV DD Complete BGEST 70 SV DD WOB BJOS 70 SV/MH	HPSV T 70W	4	8 16	4160 2960 1200
184391 162109	BGEST 150 SV DD Complete BGEST 150 SV DD WOB BJOS 150 SV/MH	HPSV T 150W	4	8 8	6390 4590 1800
180011 162602	BGEST 250 SV DD Complete BGEST 250 SV DD WOB BJOS 250 SV/MH	HPSV T 250W	4	4 6	8130 5380 2750

Single piece, deep drawn, sheet aluminium housing, pot optics reflector with acrylic bowl cover & accessories.



Integral, sheet aluminium luminaires with sand blasted built in reflector & full glass

168886	BJMSDT 03 85 RF CFL FG BC	1x85W Retrofit CFL	2	2750
168887	BJMSDT 03 85 RF CFL FG E27	1x85W Retrofit CFL	2	2780
162344	BJMSDT 03 85 RF CFL FG E40	1x85W Retrofit CFL	2	2800
162590 169408	BJMSDT 03 70 SV IP65 Complete BJMSDT 03 70 SV IP65 WOB BJOS 70 SV/MH	HPSV T 70W	2 6	3750 2550 1200
162590 169408	BJMSDT 03 70 SV IP65 Complete BJMSDT 03 70 SV IP65 WOB BJOS 70 SV/MH	HPSV T 70W	2 6	3750 2550 1200
168821 169408	BJMSDT 03 70 MH IP65 Complete BJMSDT 03 70 MH IP65 WOB BJOS 70 SV/MH	MH T 70W	2 6	3790 2590 1200
162110 162109	BJMSDT 03 150 SV IP65 Complete BJMSDT 03 150 SV IP65 WOB BJOS 150 SV/MH	HPSV T 150W	2 6	5520 3720 1800
160802 162602	BJMSDT 03 250 SV IP65 Complete BJMSDT 03 250 SV IP65 WOB BJOS 250 SV/MH	HPSV T 250W	2 6	7100 4350 2750

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral, sheet aluminium luminaires with side reflectors

		Housing		Acrylic	
160006 169408	BJMSD 02 70 SV Complete				4020
	BJMSD 02 70 SV WOB	HPSV 70W	2	8	2820
	BJOS 70 SV/MH			16	1200
162132 162109	BJMSD 04 150 SV Complete				5350
	BJMSD 04 150 SV WOB	HPSV 150W	2	4	3550
	BJOS 150 SV/MH			8	1800
162133 162602	BJMSD 04 250 SV Complete				6910
	BJMSD 04 250 SV WOB	HPSV 250W	2	4	4160
	BJOS 250 SV/MH			6	2750

Integral sheet aluminium housing in grey hammertone stove enamelled finish outside and white inside, with aluminium side reflectors, clear acrylic bowl and accessories.



Energy conservation T5 lamp roadway lighting luminaires

538793	BTSLF 414 DD	4x14W T5	1	7200
538794	BTSLF 424 DD	4x24W T5	1	7420
538795	BTSLF 414 MS	4x14W T5	1	5925
538796	BTSLF 424 MS	4x24W T5	1	6300
162207	BJSFL 336 CFL MS	3x36W CFL	1	6810

Muncell grey shade finish housing with clear acrylic bowl & accessories. (IP65 Version also available)



Energy conservation T5 lamp roadway lighting luminaires

		Housing		Acrylic	
530776	BTSLF 128 T5	1x28W T5	10	20	2050
530777	BTSLF 228 T5	2x28W T5	10	20	2340

Muncell grey stove enamelled finish sheet steel housing with stove enamelled CRCA sheet steel reflector cover, ribbed acrylic bowl cover & accessories.



Energy conservation T5 lamp roadway lighting luminaires

530709	BTSLF 114 MS	1x14W T5	4	2820
530710	BTSLF 124 MS	1x24W T5	4	2820
530711	BTSLF 214 MS	2x14W T5	4	3200
530712	BTSLF 224 MS	2x24W T5	4	3350

Muncell grey stove enamelled finish housing with clear acrylic bowl & accessories.



FTL roadway lighting luminaires

		Housing		Acrylic	
024013	BJSLA 136/140	1x36/40W FTL	6	12	2320
161728	BJSLA 1140 AL HPF	1x36/40W FTL	10	20	2020
161727	BJSLA 1140 AL LPF	1x36/40W FTL	10	20	1950
161597	BJSLF 1140 MS LPF	1x36/40W FTL	10	20	1775
162181	BJSLA 236/240	2x36/40W FTL	6	12	3200

Muncell grey stove enamelled finish sheet aluminium/MS housing with stove enamelled CRCA sheet steel reflector cover, ribbed acrylic bowl cover & accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



CFL roadway lighting luminaires

530084	BJSLF 236 CFL WEB2	2x36W 'L' type CFL	4	2630
162278	BJSLF 85 RF CFL E27	1x85W Retrofit CFL	4	1890

Epoxy black powder coated sheet steel housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover and accessories.



CFL roadway lighting luminaires

020027	BJSLA 136 CFL	1x36W 'L' type CFL	8	1670
530047	BJSLA 136 CFL WEB1	1x36W 'L' type CFL	8	1710

Epoxy black powder coated sheet aluminium housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover and accessories.



CFL roadway lighting luminaires

524020	BJSLA 111 CFL	1x11W 'S' type CFL	4	1450
020168	BJSLA 118 CFL	1x18W 'L' type CFL	4	1470

Black colour epoxy powder coated sheet aluminium housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover, aluminium reflector and accessories.



CFL roadway lighting luminaires

		Housing		Acrylic	
020167	BJSLF 211 DD	2x11W 'S' type CFL	8	16	1775
161795	BJSLF 218 DD	2x18W 'L' type CFL	8	16	1680

Epoxy black powder coated sheet steel housing, with epoxy white powder coated CRCA sheet steel gear tray, clear acrylic cover, aluminium reflector and accessories.

Note:

Suffix in cat. WOB Ballast, Suffix in cat LPF - With Capacitor.

Suffix in cat. MH SE - Single Ended Halide lamp, Suffix in cat MH DE - Double Ended Metal Halide lamp.

Suffix in cat. Full Frame Glass cover, Suffix in cat. FG - Glass cover.




INTELLI ●●●

Street Light Management System using RF/GPRS/GSM

To control LED street lighting depending on traffic flow, communicate data between each street light using Radiocraft RF Transceiver Module. The computer based control station from which the entire area can be monitored & controlled using GPRS/GSM wireless communication. To control light on/off, individual dimming, group dimming, and some environment condition by just sending a simple command from the PC/Laptop/ Server or your Tablet.

The control system GUI can be designed as per customer requirement.


INTEROPERABLE NETWORK



FEATURES

- WIRELESS TECHNOLOGY:** Employs latest RF/GPRS/GSM technology
- DIMMING OF LIGHTS:** Can be programmed to dim the street lights at a program and control remote streetlights. late night to reduce energy consumption.
- MONITOR:** Equipped with communication & energy monitoring
- BURNING HOURS:** Can be computed with good certainty and modules to update the Master Control Station (MCS) maintenance / replacement can be planned accordingly.
- CONTROL:** Can be switched on or off based on selected group of light
- FLEXIBLE FOR EXPANSION:** The system can easily be expanded to any poles. new area or to remote distance.





AREA LIGHTING



AREA LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	------------------	--------------

LED AREA LIGHTING



'MAGNUM' LED flood lights

169426	BJFL 10W LED	4	7000
169427	BJFL 30W LED	2	14500
169428	BJFL 60W LED	1	24000

LED floodlight luminaire with high pressure die cast housing acting as heat sink in order to ensure better performance of the luminaires.

NEW



'TurboLED' floodlight

169640	BARFEP 80W LED	1	45000
169640	BARFEG 120W LED	1	60000
169640	BARFEG 160W LED	1	71000

Specially designed LED Floodlight luminaire with advanced optical system in order to provide Improved lighting level. This luminaire saves energy up to 50%



LED aviation light luminaires

110731	BGAV 302 LED	4	9200
--------	--------------	---	------

Integral LED aviation light comprising of aluminium housing with polycarbonate enclosure, 302 nos. LED are provided.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

AREA LIGHTING



Halogen floodlight luminaires

162728	BJQF 500	Halogen 500	8	830
162729	BJQF 1000	Halogen 1000	8	1800

Black powder coated die-cast aluminium housing, heat resistant toughened clear glass cover with aluminium reflector.



Symmetrical beam non-integral floodlight luminaires

169348	BJEF 15 S*	250 SV/MH/400W MH	1	5150
162136	BJEF 21 S*	HID Lamp upto 400W	1	6200
024401	BJEF 28 S*	HID Lamp upto 1000W	1	13600

Grey hammertone stove enamelled finished die-cast aluminium housing, spun aluminium reflector, heat resistant toughened clear glass cover.

* Use appropriate control gear box as per HID lamp wattage.



Symmetrical beam non-integral floodlight luminaires

161297	BJENF 14*	Tubular HID Lamp upto 400W	1	4100
--------	-----------	----------------------------	---	------

Grey powder coated die-cast aluminium housing, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

* Use appropriate control gear box as per HID lamp wattage.



Asymmetrical beam non-integral floodlight luminaires

20155	BJEF 22 CA (RO) 1K*	HID Lamp upto 1000W	-	11800
-------	---------------------	---------------------	---	-------

Black powder coated die-cast aluminium housing, faceted aluminium reflector, heat resistant toughened clear glass.

* Use appropriate control gear box as per HID lamp wattage.



Asymmetrical beam integral floodlight luminaires

184400	BGEMF 70 SV/MH SE	HPSV/MH T 70W	4	4150
184470	BGEMF 70 MH DE WS II	MH DE 70W	4	4550

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Asymmetrical beam integral floodlight luminaires

184411	BGEMF 150 SV	HPSV T 150W	1	7000
--------	--------------	-------------	---	------

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.



Asymmetrical beam integral floodlight luminaires

BGEMFS 250W MH Complete		MH T 250W	1	9950
080378	BGEMFS 250W MH WOB			
162602	BJOS 250 SV/MH	2750		
BGEMFS 250W SV Complete		HPSV T 250W	1	9930
180377	BGEMFS 250W SV WOB			
162602	BJOS 250 SV/MH	2750		
BGEMFS 400W MH (O.L) Complete		HPSV T 400W	1	11270
180380	BGEMFS 400W MH (O.L) WOB			
169233	BJOS 400 SV/MH	3990		
BGEMFS 400W SV Complete		MH T 400W	1	11270
180379	BGEMFS 400W SV WOB			
169233	BJOS 400 SV/MH	3990		

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

Note: *MMH T luminaire with mercury base ballast.



Asymmetrical beam integral floodlight luminaires

180507	BGEMFS 150 MH DE WSII	MH DE 150W	2	6000
180289	BGEMFS 150 MH SE WSII	MH SE 150W	2	5900

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

Note: *MMH T luminaire with mercury base ballast.



Asymmetrical beam integral, compact floodlight luminaire

169344	BJENF 250 SV WOB	HPSV T 250	1	6000
169345	BJENF 250 MH WOB	MH T 250	1	6025
169346	BJENF 400 SV WOB	HPSV T 400	1	6100
169347	BJENF 400 MH WOB	MH T 400	1	6100

Grey powder coated die-cast aluminium housing, built-in control gear, faceted anodised aluminium reflector, heat resistant toughened clear glass cover.

Note: *MMH T luminaire with mercury base ballast.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Asymmetrical beam low glare non-integral floodlight luminaires

169532	BARNF 24	Tubular Twin HID Lamp upto 400W	1	7100
--------	----------	---------------------------------	---	------

Pressure Die Cast aluminum housing, anodized aluminum reflector, heat resistant toughened clear glass cover.

* Use appropriate control gear box for as per HID lamp wattage.



Integral hoarding lighting luminaires

BJFL 02 70 MH DE Complete		MH DE 70W	2	5350
161078	BJFL 02 70 MH DE WOB			
169408	BJOS 70 SV/MH	1200		

Black powder coated die-cast aluminium housing, built-in control gear, aluminium reflector, heat resistant toughened clear glass cover.

Note: *MMH T luminaire with mercury base ballast.



Integral hoarding lighting luminaires

BJFL 70 SV S/AS Complete		HPSV T 70W	2	5550
160341	BJFL 70 SV S WOB			
160345	BJFL 70 SV AS WOB	4350		
169408	BJOS 70 SV/MH	1200		
BJFL 70 MH SE S/AS Complete		MH SE 70W	2	5600
160508	BJFL 70 MH SE S WOB			
160553	BJFL 70 MH SE AS WOB	4400		
169408	BJOS 70 SV/MH	1200		

Black powder coated die-cast aluminium housing, built-in control gear, aluminium reflector, heat resistant toughened clear glass cover.

Note: *MMH T luminaire with mercury base ballast.



Integral hoarding lighting luminaires

BJFL 11 150 MH DE WSII Complete		MH DE 150W	2	5820
161656	BJFL 11 150 MH DE WSII WOB			
162109	BJOS 150 SV/MH	1800		

Black powder coated die-cast aluminium housing, built-in control gear, aluminium reflector, heat resistant toughened clear glass cover.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral hoarding lighting luminaires

BJFL 150 SV T S/AS Complete				
160351	BJFL 150 SV T S WOB	HPSV T 150W	2	5350
160353	BJFL 150 SV T AS WOB	HPSV T 150W	2	5350
162109	BJOS 150 SV/MH		8	1800
BJFL 150 DE S/AS WSII Complete				
160355	BJFL 150 MH DE S With SI WOB	MH DE 150W	2	4900
160357	BJFL 150 MH DE AS With SI WOB	MH DE 150W	2	4900
162109	BJOS 150 SV/MH		8	1800
BJFL 150 SV T S/AS Complete				
160351	BJFL 150 SV T S WOB	HPSV T 150W	2	5350
160353	BJFL 150 SV T AS WOB	HPSV T 150W	2	5350
162109	BJOS 150 SV/MH		8	1800
BJFL 150 DE S/AS WSII Complete				
160355	BJFL 150 MH DE S With SI WOB	MH DE 150W	2	4900
160357	BJFL 150 MH DE AS With SI WOB	MH DE 150W	2	4900
162109	BJOS 150 SV/MH		8	1800
BJFL 02 250 SV T S/AS Complete				
169540	BJFL 02 250 SV T S WOB	HPSV T 250W	1	5770
169542	BJFL 02 250 SV T AS WOB	HPSV T 250W	1	5770
162602	BJOS 250 SV/MH		6	2750
BJFL 02 250 MH T S/AS Complete				
169541	BJFL 02 250 MH T S WOB	MH T 250W	1	5790
169543	BJFL 02 250 MH T AS WOB	MH T 250W	1	5790
162602	BJOS 250 SV/MH		6	2750
BJFL 02 400 SV T S/AS Complete				
169535	BJFL 02 400 SV T S WOB	HPSV T 400W	1	5820
169537	BJFL 02 400 SV T AS WOB	HPSV T 400W	1	5820
169233	BJOS 400 SV/MH		4	3990
BJFL 02 400 MH T S/AS Complete				
169536	BJFL 02 400 MH T S WOB	MH T 400W	1	5870
169538	BJFL 02 400 MH T AS WOB	MH T 400W	1	5870
169233	BJOS 400 SV/MH		4	3990



Integral hoarding lighting luminaires

BJFL 400 MMH T S/AS Complete				
162677	BJFL 400 MMH T S WOB*	MMH T 400W	1	5720
162678	BJFL 400 MMH T AS WOB*	MMH T 400W	1	5720
161699	400W MMH Ballast		6	2950

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Symmetrical-narrow beam, non-integral floodlight luminaire (for precision aiming)

161885	BJFLM 250 SV/MH*	HPSV/MH/MMH T 250W	1	6500
--------	------------------	--------------------	---	------

Blue powder coated die-cast aluminium housing, faceted anodised reflector, heat resistant toughened clear glass cover.

* Use appropriate Control Gear Box for HID lamp.



Aviation obstruction light

020075	BJAOL 1 with Neon Lamp	Neon Lamp 75VA	1	9630
--------	------------------------	----------------	---	------

Aviation yellow painted die-cast aluminium alloy housing, built-in 75VA step up transformer, heat resistant, clear thick glass and accessories. LED aviation obstruction light is also available on request.



Aviation obstruction light

024973	BJAOL 2 BC	GLS 2x100W BC	1	5800
020115	BJAOL 2 ES	GLS 2x100W ES	1	5800

Aviation yellow painted die-cast aluminium alloy housing, red coloured polycarbonate dome and accessories.



Deep drawn HID lamp control gear boxes

160701	BJCG 80 MV DD Complete BJCG 80 MV DD WOB	-	2	1440
161848	BJOR 80 MV		16	1200
160703	BJCG 125 MV DD Complete BJCG 125 MV DD WOB	-	2	1480
161849	BJOR 125 MV		16	1250
160707	BJCG 70 SV DD Complete BJCG 70 SV DD WOB	-	2	1650
169408	BJOS 70 SV/MH		16	1200
168646	BJCG 250 MV DD Complete BJCG 250 MV DD WOB	-	2	1890
162127	BJOR 250 MV		8	2250
168647	BJCG 400 MV DD Complete BJCG 400 MV DD WOB	-	2	1930
162248	BJOR 400 MV		6	3150
168461	BJCG 150 SV DD Complete BJCG 150 SV DD WOB	-	2	2085
162109	BJOS 150 SV/MH		8	1800

Grey powder coated deep drawn CRCA sheet steel box with rubber gasket & accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Deep drawn HID lamp control gear boxes

BJCG 250 SV DD Complete				
168462	BJCG 250 SV DD WOB	-	2	2190
162602	BJOS 250 SV/MH		6	2750

Grey powder coated deep drawn CRCA sheet steel box with rubber gasket & accessories.

BJCG 400 SV DD Complete				
168463	BJCG 400 SV DD WOB	-	2	2240
169233	BJOS 400 SV/MH		4	3990



Deep drawn HID lamp control gear boxes

BJCG 2x250 MV DD Complete				
169491	BJCG 2x250 MV DD WOB	HPSV 250W	-	3140
162127	BJOR 250 MV		8	4500
BJCG 2x400 MV DD Complete				
169492	BJCG 2x400 MV DD WOB	HPSV 400W	-	3200
162248	BJOR 400 MV		6	6300
BJCG 2x150 SV/MH DD Complete				
169493	BJCG 2x150 SV/MH DD WOB	HPSV/MH 150W	-	3550
162109	BJOS 150 SV/MH		8	3600
BJCG 2x250 SV/MH DD Complete				
169494	BJCG 2x250 SV/MH DD WOB	HPSV/MH 250W	-	3700
162602	BJOS 250 SV/MH		6	5500
BJCG 2x400 SV/MH DD Complete				
169495	BJCG 2x400 SV/MH DD WOB	HPSV/MH 400W	-	3860
169233	BJOS 400 SV/MH		4	7980



Compact cast aluminium HID lamp control gear boxes

161039	BJCG 80 MV CA2	-	2	3200
161040	BJCG 125 MV CA2	-	2	3200
168512	BJCG 250 MV CA2	-	2	3900
161041	BJCG 70 SV CA2	-	2	3250
168541	BJCG 150 SV/MH CA2	-	2	3900
BJCGB 400 MV CA Complete				
168513	BJCGB 400 MV CA WOB		2	2550
162248	BJOR 400 MV		6	3150

Grey powder coated die-cast aluminum box with rubber gasket and accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Compact cast aluminium HID lamp control gear boxes

BJCGB 250 SV CA Complete				
168532	BJCGB 250 SV CA WOB		2	2800
162602	BJOS 250 SV/MH		6	2750
BJCGB 400 SV CA Complete				
168533	BJCGB 400 SV CA WOB		2	2900
169233	BJOS 400 SV/MH		4	3990




Cast aluminium HID control gear boxes

BJCGB 2x250 SV/MH CA Complete				
160623	BJCGB 2x250 SV/MH CA WOB	-	1	5100
162602	BJOS 2x250 SV/MH		6	5500
BJCGB 2x400 SV/MH CA Complete				
160624	BJCGB 2x400 SV/MH CA WOB	-	1	5300
169233	BJOS 2x400 SV/MH		4	7980
BJCGB 1000 SV/MH CA Complete				
162099	BJCGB 1000 SV/MH CA WOB	-	1	6000
028215	BJS 1000 SV/MH		1	9000

Grey powder coated die-cast aluminum box with rubber gasket and accessories.





URBAN ARCHITECTURE



LED LANDSCAPE LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



LED walkover luminaires for pathway lighting

110509	BGWCI 03 01 R	Red	4	9000
110510	BGWCI 03 01 G	Green	4	9000
110511	BGWCI 03 01 B	Blue	4	9000
110508	BGWCI 03 01 WH	White	4	9000
110507	BGWCI 03 01 WW	Warm white	4	9000

Integral walkover luminaire aluminium housing. with SS top ring. 3x1W red / green / blue / white / warm white LEDs mounted on MCPCB with lens. Extruded aluminium heat sink. Plastic outer jacket for easy installation.

LED BUSH AND SPIKE



LED bush and spike light luminaires

110790	BGBHL 03 01 G	Green	-	7500
110746	BGBHL 03 01 WH	White	-	7500
110745	BGBHL 03 01 WW	Warm white	-	7500
110789	BGBHL 03 03 G	Green	-	9000
110735	BGBHL 03 03 WH	White	-	9000
110734	BGBHL 03 03 WW	Warm white	-	9000

Integral bush light luminaire, black powder coated housing. Suitable for 3x1W / 3x3W green / white / warm white LEDs. Enclosed with glass cover in frame. Mounting bracket provided for aiming the objects.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

LED BUSH AND SPIKE



LED bush and spike light luminaires

110595	BGSBL 03 01 G	Green	-	8300
110593	BGSBL 03 01 WH	White	-	8300
110594	BGSBL 03 01 WW	Warm white	-	8300
110598	BGSBL 03 03 G	Green	-	10000
110596	BGSBL 03 03 WH	White	-	10000
110597	BGSBL 03 03 WW	Warm white	-	10000

Integral bush light luminaire, black powder coated housing. Suitable for 3x1W / 3x3W green / white / warm white LEDs. Enclosed with glass cover in frame. Mounting bracket and spike provided for aiming the objects. Coller is provided for precision highlighting.



LED bush and spike light luminaires

110601	BGSGBL 03 01 G	Green	4	8200
110599	BGSGBL 03 01 WH	White	4	8200
110600	BGSGBL 03 01 WW	Warm white	4	8200
110604	BGSGBL 03 03 G	Green	4	9900
110602	BGSGBL 03 03 WH	White	4	9900
110603	BGSGBL 03 03 WW	Warm white	4	9900

Integral bush light luminaire, black powder coated housing. Suitable for 3x1W / 3x3W green / white / warm white LEDs. Enclosed with glass cover in frame. Mounting bracket and spike provided for aiming the objects. Guided collar is provided for precision highlighting.

LED BOLLARDS



Cylindrical shape, integral decorative LED bollard with opal acrylic with IP65 protection.

111264	BGBOL 405	6W LED	-	8500
111265	BGBOL 405	9W LED	-	8500
111282	BGBOL 600	9W LED	-	9200
111283	BGBOL 600	6W LED	-	9200



Integral decorative LED bollard with opal acrylic with IP-65 protection

111278	BGBOM 450	6W LED	-	8850
111279	BGBOM 450	9W LED	-	8850
111285	BGBOM 650	6W LED	-	9550
111284	BGBOM 650	9W LED	-	9550

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

LED BOLLARDS



Square shape, integral decorative LED bollard with opal acrylic with IP65 protection

111287	BGBOS 405	6W LED	-	10700
111286	BGBOS 405	9W LED	-	10700

NEW



Mushroom Shape Integral decorative LED bollard with IP65 protection.

111740	BLBMC 9W WH LED	9W LED	-	9800
--------	-----------------	--------	---	------

LED WALL LIGHTS

NEW



Integral decorative wall mounted LED Luminaire with IP-65 degree of protection

111742	BLWSP 25W WH LED	25W LED	-	11000
--------	------------------	---------	---	-------

NEW



LED wall mounted decorative Luminaires with OPAL polycarbonate diffuser and IP65 protection.

111737	BLWCO 20W LED	20W LED	-	9850
111738	BLWOO 10W LED	10W LED	-	7100
111739	BLWOV 10W LED	10W LED	-	7100

LED POST TOPS

NEW



LED post top made in cast aluminium spigot housing with decorative opal acrylic diffuser and IP-65 protection.

111536	BGCS 40W LED	40W LED	-	19000
111537	BGCS 70W LED	70W LED	-	25000

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

LED POST TOPS

NEW



LED post top made in cast aluminium spigot housing with decorative opal acrylic diffuser and IP-65 protection.

111538	BGCL 40W LED	40W LED	-	20800
111539	BGCL 70W LED	70W LED	-	26700

NEW



LED post with die cast aluminium body and with white powder coated aluminium reflector and IP-65 protection

111713	BRIL 45W LED WH	45W LED	-	28500
--------	-----------------	---------	---	-------

NEW



LED post with die cast aluminium body and with white powder coated aluminium reflector and IP-65 protection.

111736	BGIP 50 20W S LED	20W LED	-	67400
--------	-------------------	---------	---	-------

NEW



Integral pole mounted decorative LED post top with IP-65 protection.

111741	BLPTSP 25W WH LED	25W LED	-	9650
--------	-------------------	---------	---	------

NEW



LED Step light in white powder coated cast aluminium body with IP-65 protection.

111711	BLSGV 4W WH LED	4W LED	-	4000
--------	-----------------	--------	---	------





LANDSCAPE LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral CFL post top lanterns

524364	BJCPTI 111 Opal	1x11W 'S' type CFL	1	2990
524363	BJCPTI 111 Clear	1x11W 'S' type CFL	1	3770
160368	BJCPTI 118 Opal	1x18W 'D' type CFL	1	2975
160339	BJCPTI 118 Clear	1x18W 'D' type CFL	1	3780

Black ABS plastic spigot, spun aluminium canopy, with opal / clear acrylic diffuser and accessories.



Integral CFL post top lanterns

524366	BJCPTI 211 Opal	2x11W 'S' type CFL	1	5280
524365	BJCPTI 211 Clear	2x11W 'S' type CFL	1	6235
160559	BJCPTI 218 Opal	2x18W 'D' type CFL	1	5625
160408	BJCPTI 218 Clear	2x18W 'D' type CFL	1	6575

Black ABS plastic spigot for 2x11 and cast aluminium spigot for 2x18W version, spun aluminium canopy, with opal / clear acrylic diffuser and accessories.



Integral CFL post top lanterns

160614	BJGLI 211 Clear	2x11W 'S' type CFL	1	6140
162384	BJGLI 218 Clear	2x18W 'D' type CFL	1	6315

Black ABS plastic spigot for 2x11 and cast aluminium spigot for 2x18W version, spun aluminium funnel shape with clear acrylic cover, light opening on canopy with baffles and accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral CFL post top lanterns

160430	BRPTI 111 Opal	1x11W 'S' type CFL	4	2200
160431	BRPTI 111 Clear	1x11W 'S' type CFL	4	3030
160432	BRPTI 118 Opal	1x18W 'D' type CFL	4	2210
160433	BRPTI 118 Clear	1x18W 'D' type CFL	4	3030

Black ABS plastic spigot, integral, ovoid shape post top lantern with clear / opal acrylic for single compact fluorescent lamp.



Integral CFL post top lanterns

160434	BRPTCI 111 Opal	1x11W 'S' type CFL	4	2525
160435	BRPTCI 111 Clear	1x11W 'S' type CFL	4	3350
160436	BRPTCI 118 Opal	1x18W 'D' type CFL	4	2525
160437	BRPTCI 118 Clear	1x18W 'D' type CFL	4	3350

Black ABS plastic spigot, spun aluminium canopy, with opal acrylic diffuser and accessories. Integral, Fedora hat post top lantern with clear / opal acrylic for single compact fluorescent lamp.



'NEO' CFL integral post top lanterns 'ORBIT'

110202	BNOB 218 Opal	2x18W 'D' type CFL	1	8600
110203	BNOB 226 Opal	2x26W 'D' type CFL	1	8600

White opal acrylic diffuser canopy and opal bowl provide upward and downward light, fixed on copper post finish Y shape pipe bracket.

Option: BNOB 4110 is also available on request.



'NEO' HID integral post top lanterns 'CELESTA'

110528	BNCL 85 RF CFL Opal	85W CFL	1	10925
110300	BNCL 70 SV C Complete			14350
169408	BNCL 70 SV C WOB BJOS 70 SV/MH	HPSV T 70W	1	13150 1200
110296	BNCL 70 MH C Complete			14350
169408	BNCL 70 MH C WOB BJOS 70 SV/MH	MH T 70W	1	13150 1200
110301	BNCL 70 SV O Complete			12425
169408	BNCL 70 SV O WOB BJOS 70 SV/MH	HPSV T 70W	1	11125 1200

Copper dust finish cast aluminium spigot and spun aluminium canopy fixed with clear / opal polycarbonate enclosure.

"NEO" - CELESTA opal version is available with 85W retrofit CFL on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'NEO' HID integral post top lanterns 'CELESTA'

110297 169408	BNCL 70 MH O Complete BNCL 70 MH O WOB BJOS 70 SV/MH	MH T 70W	1	12475 11275 1200
110303 162109	BNCL 150 SV C Complete BNCL 150 SV C WOB BJOS 150 SV/MH	HPSV T 150W	1	15100 13300 1800
110302 162109	BNCL 150 MH C Complete BNCL 150 MH C WOB BJOS 150 SV/MH	MH T 150W	-	15130 13330 1800
110305 162109	BNCL 150 SV O Complete BNCL 150 SV O WOB BJOS 150 SV/MH	HPSV T 150W	-	15170 13370 1800
110304 162109	BNCL 150 MH O Complete BNCL 150 MH O WOB BJOS 150 SV/MH	MH T 150W	-	15090 13290 1800

Copper dust finish cast aluminium spigot and spun aluminium canopy fixed with clear / opal polycarbonate enclosure.

"NEO" - CELESTA opal version is available with 85W retrofit CFL on request.




'NEO' HID integral post top lanterns 'COSMOS'

110329 169408	BNCS 70 SV C Complete BNCS 70 SV C WOB WOB BJOS 70 SV/MH	HPSV T 700W	1	12450 11250 1200
110330 169408	BNCS 70 MH C Complete BNCS 70 MH C WOB BJOS 70 SV/MH	MH T 70W	1	12490 11290 1200
110331 169408	BNCS 70 SV O Complete BNCS 70 SV O WOB BJOS 70 SV/MH	HPSV T 70W	1	10450 9450 1200
110332 169408	BNCS 70 MH O Complete BNCS 70 MH O WOB BJOS 70 SV/MH	MH T 70W	1	10520 9320 1200
110333 162109	BNCS 150 SV C Complete BNCS 150 SV C WOB BJOS 150 SV/MH	HPSV T 150W	1	13230 11430 1800
110334 162109	BNCS 150 MH C Complete BNCS 150 MH C WOB BJOS 150 SV/MH	MH T 150W	1	13285 11485 1800
110336 162109	BNCS 150 MH O Complete BNCS 150 MH O WOB BJOS 150 SV/MH	MH T 150W	1	11430 9630 1800

Copper dust finish cast aluminium spigot and spun aluminium canopy fixed with clear / opal polycarbonate enclosure 'NEO' - COSMOS opal version is available with 85W retrofit CFL on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'NEO' HID integral post top lanterns 'SHUTTLE'

110327 169408	BNST 70 SV O Complete BNST 70 SV O WOB BJOS 70 SV/MH	HPSV T 70W	1	9950 8750 1200
110328 169408	BNST 70 MH O Complete BNST 70 MH O WOB BJOS 70 SV/MH	MH T 70W	1	10000 8800 1200

Copper dust finish cast aluminium spigot and spun aluminium canopy fixed with opal polycarbonate enclosure.



Integral HID lamp post top lanterns

162441 161848	BJPTI 80 MV Complete BJPTI 80 MV WOB BJOR 80 MV	HPMV 80W	1 16	4860 3660 1200
162442 161849	BJPTI 125 MV Complete BJPTI 125 MV WOB BJOR 125 MV	HPMV 125W	1 16	4910 3660 1250
162443 169408	BJPTI 70 SV Complete BJPTI 70 SV WOB BJOS 70 SV/MH	HPSV 70W	1 16	5100 3900 1200
162444 169408	BJPTI 70 MH WOB Complete BJPTI 70 MH WOB BJOS 70 SV/MH	-	1 16	5130 3930 1200

Note: Power factor improvement capacitor can be supplied on request at extra cost.



Integral HID lamp post top lanterns

524810	Spigot for BJMPTI 80 MV LPF	HPMV 80W	4	2675
524821	Spigot for BJMPTI 125 MV LPF	HPMV 125W	4	2680
524830	Spigot for BJMPTI 70 SV LPF	HPSV 70W	4	3065
024800	Mushroom shape Roto Mould Diffuser*	-	1	2390

Note: Add Mushroom Diffuser and spigot price for complete luminaires price.



Integral HID lamp post top lanterns

524810	Spigot for BJDPTI 80 MV LPF	HPMV 80W	4	2675
524821	Spigot for BJDPTI 125 MV LPF	HPMV 125W	4	2680
524830	Spigot for BJDPTI 70 SV/MH LPF	HPSV 70W	4	3070
024900	Diamond shape Roto Mould Diffuser*	-	1	2485

Note: *Add Diamond Diffuser and spigot price for complete luminaires price.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral HID lamp post top lanterns

524810	Spigot for BJDPTI 80 MV LPF	HPMV 80W	4	2675
524821	Spigot for BJDPTI 125 MV LPF	HPMV 125W	4	2680
524830	Spigot for BJDPTI 70 SV/MH LPF	HPSV 70W	4	3070
024890	Spherical shape Roto Mould Diffuser*	-	1	2480

Note: *Add Spherical Shape Diffuser and spigot price for complete luminaires price



Integral HID lamp post top lanterns

524810	Spigot for BJDPTI 80 MV LPF	HPMV 80W	4	2675
524821	Spigot for BJDPTI 125 MV LPF	HPMV 125W	4	2680
524830	Spigot for BJDPTI 70 SV/MH LPF	HPSV 70W	4	3070
520035	Temple shape Roto Mould Diffuser*	-	1	2480

Note: *Add Temple Shape Diffuser and spigot price for complete luminaires price.



'JUNO' non-integral post top lanterns

168787	BJODC 1145 RF CFL	45W CFL	1	4660
162493	BJODC 1170 SV/MH	MH/SV T 70W	1	4725
162494	BJODC 1170 MH DE	MH DE 70W	1	4765
162505	BJODC 150 SV/MH	MH/SV T 150W	1	7400
162506	BJODC 150 MH DE	MH DE 150W	1	7525
162519	BJODC 250/400 SV/MH	MH/SV T 250/400W	1	9150

Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.

Note: Use separate outdoor control gear suitable for respective lamp.



'JUNO' non-integral cluster post top lanterns

162496	BJODC 3x1170 SV/MH*	3xMH/SV T 70W	1 set	24950
162497	BJODC 3x1170 MH DE*	3xMH DE 70W	1 set	25240
162507	BJODC 3x150 SV/MH*	3xMH/SV T 150W	1 set	33000
162508	BJODC 3x150 MH DE*	3xMH DE 150W	1 set	33480
162521	BJODC 3x250/400 SV/MH*	3xMH/SV T 250/400W	1 set	47300

Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.

Note: Use separate outdoor control gear suitable for respective lamp. *List price is inclusive of "J" pipes and centre assembly suitable for pole mount arrangement

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'JUNO' integral post top lanterns

162159	BJODCI 1170 SV Complete BJODCI 1170 SV WOB	HPSV T 70W	1	6210 5010
169408	BJOS 70 SV/MH		16	1200
162160	BJODCI 1170 MH Complete BJODCI 1170 MH WOB	MH T 70W	1	6250 5050
169408	BJOS 70 SV/MH		16	1200
162161	BJODCI 1170 MH DE Complete BJODCI 1170 MH DE WOB	MH DE 70W	1	6625 5425
169408	BJOS 70 SV/MH		16	1200
162509	BJODCI 150 SV Complete BJODCI 150 SV WOB	HP SV T 150W	1	9670 7870
162109	BJOS 150 SV/MH		8	1800
162512	BJODCI 150 MH (E40) Complete BJODCI 150 MH (E40) WOB	MH T 150W	1	9940 8140
162109	BJOS 150 SV/MH		8	1800
162522	BJODCI 250 SV Complete BJODCI 250 SV WOB	HP SV T 250W	1	13425 10675
162602	BJOS 250 SV/MH		6	2750
162523	BJODCI 250 MH Complete BJODCI 250 MH WOB	MH T 250W	1	13450 10700
162602	BJOS 250 SV/MH		6	2750
162428	BJODCI 400 SV Complete BJODCI 400 SV WOB	HPSV T 400W	1	15680 11430
028313	BJS 400 SV/MH		4	4250
162429	BJODCI 400 MH Complete BJODCI 400 MH SV WOB	MH T 400W	1	15700 11450
028313	BJS 400 SV/MH		4	4250

Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.



'JUNO' integral cluster post top lanterns

162502	BJODCI 3x1170 SV Complete BJODCI 3x1170 SV WOB	3xHPSV T 70W	1	30320 26680
169408	3xBJOS 70 SV/MH		1	3600
162503	BJODCI 3x1170 MH Complete BJODCI 3x1170 MH WOB	3xMH T 70W	1	30590 26990
169408	3xBJOS 70 SV/MH		1	3600
162504	BJODCI 3x1170 MH DE Complete BJODCI 3x1170 MH DE WOB	3xMH DE 70W	1	31510 27910
169408	3xBJOS 70 SV/MH		1	3600

Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'JUNO' integral cluster post top lanterns

162513 162109	BJODCI 3x150 SV Complete BJODCI 3x150 SV WOB 3xBJOS 150 SV/MH	3xHPSV T 150W	1 1	40110 34710 5400
162514 162109	BJODCI 3x150 MH (E40) Complete BJODCI 3x150 MH (E40) WOB 3xBJOS 150 SV/MH	3xHPSV T 150W	1 1	40880 35480 5400
162524 162602	BJODCI 3x250 SV Complete BJODCI 3x250 SV WOB 3xBJOS 250 SV/MH	3xHPSV T 150W	1 1	60780 52530 8250
162525 162602	BJODCI 3x250 MH Complete BJODCI 3x250 WOB 3xBJOS 250 SV/MH	3xMH T 150W	1 1	60780 52530 8250
162526 028213	BJODCI 3x400 SV Complete BJODCI 3x400 SV WOB 3xBJS 400 SV/MH	3xHPSV 400W		67130 54380 12750
162527 028215	BJODCI 3x400 MH Complete BJODCI 3x400 MH WOB 3xBJS 400 SV/MH	3xMH T 400W		67290 54540 12750

Copper dust painted cast aluminium spigot, spun aluminium canopy with clear acrylic cover and accessories.



'JUNO - CLUSTER' integral accessories for post top lanterns

916229	Centre pole mounting pipe assembly suitable for 3x70/150W SV/MH BJODC Rance 400 SV/M and 3 nos. "J" piple bracket	3x70/150/250/	1 Set	11840
916230	Centre Pole mounting Pipe assembly suitable for 3x250/400W HPSV/MH BJODC Rance and 3 nos. "J" piple bracket	-	1 Set	21630

For making 3 luminaires black painted cluster, take the aboce luminaires prices of respective luminaire alongwith the accessories.

Note: Used appropriate control gear for non integral luminaire.



'INDIRECT LIGHT' integral post top lanterns

162560 169408	BRIL 01 70 MH DE Complete BRIL 01 70 MH DE WOB BJOS 70 SV/MH	MH DE 70W	1	19350 18150 1200
162561 162109	BRIL 01 150 MH DE Complete BRIL 01 150 MH DE WOB BJOS 150 SV/MH	MH DE 150W	1	20050 18250 1800

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'INDIRECT LIGHT' integral post top lanterns

162562 169408	BRIL 22 70 MH DE Complete BRIL 22 70 MH DE WOB BJOS 70 SV/MH	MH DE 70W	1	15620 14420 1200
162563 162109	BRIL 22 150 MH DE Complete BRIL 22 150 MH DE WOB BJOS 150 SV/MH	MH DE 150W	1	16320 14520 1800

Novel design of lighting column suitable for 150W MH DE lamp. Eco friendly outdoor decorative and energy saving luminaire for 70/150W MH DE lamp.



Walkover PAR Luminaires

110054	BEBL 50 DH	PAR 1x50W	4	3090
110171	BEWOL 50 DH SS	PAR 1x50W	4	4740
110172	BEBL 50 DH SS	PAR 1x50W	4	4640

Black epoxy powder coated housing with frosted glass cover in metal ring / stainless steel ring fixed to the housing.



Garden spike and mini flood luminaires

110091	BEBHL 150 PAR16	PAR 1x50W E-27	4	2305.00
--------	-----------------	----------------	---	---------

Black powder coated pressure die-cast aluminium housing with mounting bracket.



Garden spike and mini flood luminaires

110134	BESBL 150 DH	PAR 1x50W E-27	4	3090
110050	BESGBL 150 DH	PAR 1x50W E-27	4	3090



Integral bollards

111716	BECBL 02 118 CFL	1x18W 'D' type CFL	1	11100
111717	BECBL 02 126 CFL	1x26W 'D' type CFL	1	11100
111718	BECBL 01 118 CFL	1x18W 'D' type CFL	1	15350
111719	BECBL 01 126 CFL	1x26W 'D' type CFL	1	15350

Grey epoxy powder coated cylindrical shape aluminium bollard with antiglare louvers diffuser in clear acrylic cover.

Note: BECBL 01 35/70 MH T G12 options available on request.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Integral bollards

111714	BECBL 03 118 CFL B	1x18W 'D' type CFL	1	8200
111715	BECBL 03 126 CFL B	1x26W 'D' type CFL	1	8200

Black epoxy powder coated cylindrical bollard with antiglare louvers diffuser in clear acrylic cover.



Integral CFL bollards

160438	BRBOL 111 Clear	1x11W 'S' type CFL	1	7420
160439	BRBOL 118 Clear	1x18W 'D' type CFL	1	7420

Black finish cylindrical shaped, unique design, integral decorative bollard with clear acrylic cover for single compact fluorescent lamp.



Integral CFL bollards

160101	BJBOL 02 29 CFL	2x9W 'S' type CFL	1	5770
160124	BJBOL 02 213 CFL	1x13W 'D' type CFL	1	6070
160125	BJBOL 02 218 CFL	2x18W 'D' type CFL	1	6060

Black painted MS pipe housing with cast aluminium dome shaped threaded top cover with cylindrical, reeded polycarbonate diffuser and accessories.



Integral CFL bollards

160126	BJBOL 03 29 CFL	2x9W 'D' type CFL	1	6500
160127	BJBOL 03 213 CFL	2x13W 'D' type CFL	1	6790
160128	BJBOL 03 218 CFL	2x18W 'D' type CFL	1	6790

Black painted MS pipe housing with cast aluminium dome shaped threaded top cover with cylindrical, reeded polycarbonate diffuser and accessories.



Integral CFL bollards

160442	BRBODC 111	1x11W 'S' type CFL	1	9480
160443	BRBODC 118	1x18W 'D' type CFL	1	9580

Copper dust finish Cylindrical shaped, unique design, integral decorative bollard with clear / opal acrylic for single / twin compact fluorescent lamp.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Surface Mounting Up-Downlight Luminares

161268	BLWUMUD 23 PAR	PAR 1x50W	4	9320
--------	----------------	-----------	---	------

Black epoxy powder coated aluminium housing with wall mounting bracket.



Integral Wall Up-Downlight Luminares

162599	BLWUD 70 MH T WOB	MH T 1x70W G12	4	14420
--------	-------------------	----------------	---	-------

Black epoxy powder coated aluminium housing with wall mounting bracket.

Order electric ballast BEHS 70 .nxt (539123) Separately.



Recess Wall Mounting Luminares

110138	BEGPL 113 CFL	1x13W 'D' type CFL	6	2370
110139	BEGPL 118 CFL	1x18W 'D' type CFL	6	2370

Epoxy white powder coated aluminium housing with black powder coated aluminium anti-glare louver & frosted glass cover.



Recess Wall Mounting Luminares

110141	BEOPL 113 CFL	1x13W 'D' type CFL	6	2266
110142	BEOPL 118 CFL	1x18W 'D' type CFL	6	2266

Epoxy white powder coated aluminium housing, black powder coated frame fixed with frosted glass cover.





ORDERING PRODUCT CODE	LUMINAIRE TYPE	UNIT PRICE ₹
110393	BJPL 01 300	32960
110395	BJPL 01 400	36050
110397	BJPL 01 500	45320
110398	BJPL 01 600	46350
110399	BJPL 01 700	47380

Black Painted galvanized pole in different section and gold colour painted decorative rings.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	UNIT PRICE ₹
110396	BJPL 02 300	43780
110407	BJPL 02 400	46870
110400	BJPL 02 500	56650
110401	BJPL 02 600	57680
110402	BJPL 02 700	58710

Black Painted galvanized pole in different section and gold colour painted decorative rings and decorative base ring.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	UNIT PRICE ₹
168792	BEIP 3M SA 70 MH DE 218/226 RF	59200
168793	BEIP 3M SA 150 MH DE 218/226 RF	62320

Black Painted GI Pole with perforation on top side, indirect light luminaire. Suitable for 70/150 MH DE lamp. Retrofit CFL lamp placed inside the pole for lighting perforation.





ORDERING PRODUCT CODE	LUMINAIRE TYPE	DIMENSION (MM)	COLOUR	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	----------------	--------	-----------	------------------	--------------

GLOBES



SFERA

169219	BMGS 250 WH	250	Opal	15W CFL retrofit	1	On request
169220	BMGS 250 TR	250	Clear	15W CFL retrofit	1	On request



SFERA

169221	BMGS 300 WH	300	Opal	21W CFL retrofit	1	On request
169222	BMGS 300 TR	300	Clear	21W CFL retrofit	1	On request
169244	BMGS 400 WH	400	Opal	21W CFL retrofit	1	On request
169245	BMGS 400 TR	400	Clear	21W CFL retrofit	1	On request



URA

169211	BMGU 300 WH	300	Opal	21/23W CFL retrofit	1	On request
169212	BMGU 300 TR	300	Clear	21/23W CFL retrofit	1	On request

Globes: Made of PMMA acrylic. It can be mounted directly on Jolly/Palu base or pole of 60mm diameter.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



URA

169213	BMGU 400 WH	400	Opal	21/23W CFL retrofit	1	On request
169214	BMGU 400 TR	400	Clear	21/23W CFL retrofit	1	On request



DADO

169224	BMGD 250 WH	250	Opal	15W CFL retrofit	1	On request
169225	BMGD 250 TR	250	Clear	15W CFL retrofit	1	On request



DADO

169226	BMGD 300 WH	300	Opal	21/23W CFL retrofit	1	On request
169227	BMGD 300 TR	300	Clear	21/23W CFL retrofit	1	On request



ANFORA

169229	BMGA 300 WH	300	Opal	21/23W CFL retrofit	1	On request
169230	BMGA 300 TR	300	Clear	21/23W CFL retrofit	1	On request



ANFORA

169231	BMGA 400 WH	400	Opal	21/23W CFL retrofit	1	On request
169232	BMGA 400 TR	400	Clear	21/23W CFL retrofit	1	On request

Globes: Made of PMMA acrylic. It can be mounted directly on Jolly/Palu base or pole of 60mm diameter.



ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

POLE TOPS



NASHI

169223	BMGN 300 WH	300	Opal	21/23W CFL retrofit	1	On request
--------	-------------	-----	------	---------------------	---	------------



TAO

169216	BMGT 1 G	311x255	Green	23W CFL retrofit	1	On request
169217	BMGT 1 I	311x255	Ivory	23W CFL retrofit	1	On request
169218	BMGT 1 WH	311x255	Opal	23W CFL retrofit	1	On request



TEO

169215	BMGTEO 1 GR	Std	Metallic Grey	21W CFL retrofit	1	On request
169246	BMGTEO 1 B	Std	Black	21W CFL retrofit	1	On request



CHONE

169228	BMGCH 1 GR	Std	Metallic Grey	26W CFL retrofit	1	On request
169253	BMGCH 1 G	Std	Green	26W CFL retrofit	1	On request

POLE



SLICK

169206	BMPS 100 B	1000	Black	-	6	On request
169207	BMPS 150 B	1500	Black	-	6	On request
169208	BMPS 200 B	2000	Black	-	6	On request
169209	BMPS 250 B	2500	Black	-	6	On request
169210	BMPS 300 B	3000	Black	-	6	On request

Globes: Made of PMMA acrylic. It can be mounted directly on Jolly/Palu base or pole of 60mm diameter.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



RIGO

169240	BMPR 150 B	1500	Black	-	6	On request
169241	BMPR 250 B	2500	Black	-	6	On request



PALINOX

169248	BMPPX 150 S	1500	Stainless Steel Finish	-	6	On request
169205	BMPPX 200 S	2000	Stainless Steel Finish	-	6	On request

BASE



PALU

169243	BMBP 1 B	Std	Black	-	10	On request
--------	----------	-----	-------	---	----	------------

PALU: Wall mounting base for raggio globes.



JOLLY

169242	BMBJ 1 B	160	Black	-	10	On request
--------	----------	-----	-------	---	----	------------

JOLLY: Base for mounting of globes/pole tops.



MISTRAL

169238	BMBM 1 B	160	Black	-	10	On request
129239	BMBM 1 SS	160	Stainless Steel Finish	-	10	On request

MISTRAL: Base for mounting of poles (Slick, Rigo, Polinox)

Note:

All the globes/pole tops can be mounted on poles of 60mm dia or directly on Jolly base.
 All the poles are of 60mm diameter and compatible with pole tops shown above.



disano

illuminazione


ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



LED bollard 10W

1840 BITTA 1 LED bollard	LED	1	On Request
--------------------------	-----	---	------------

Housing made of die cast aluminium and cover made in extruded aluminium



LED bollard 10W

110865	1531 Faro 2 LED High Version (900mm Ht.) (100mm Dia)	LED array 10W Total, 4000K, 540 lm	1	On Request
--------	---	------------------------------------	---	------------

Extruded Aluminium cylindrical section housing IP54, complete with base & log bolts. Graphite Grey Epoxy Cationic Powder coated. Supplied with 24V integrated power supply. LEDs Working life : 40,000 hrs (from -30° to +50°C - Ta=25°C)

LED POST TOP



LED bollard 10W

3330 DISCO 1 LED post top IP66, IK08	1	On Request
--------------------------------------	---	------------

Housing made in pressed in die-cast aluminium and designed with very small surface exposed to wind. Colings fine are integrated into cover. Optics made of PMMA with high temperature resistance and UV rays. Diffuser made of extra cleared tempered glass 4mm thick resistant to thermal shocks and impacts. The fixture has a costing in three stages which includes grey epoxy e-coating resistant to cottoosion and saline environments, also the fixture is coated with acrylic based UV stabilised resin.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------

LED POST TOP



LED post top 10W

3308 VISCONTI 9 LED post top IP66, IK09	1	On Request
---	---	------------

Housing made of pressure die cast aluminium, with tempered glass diffuser 5 mm thick , thermal shock and impact resistant , epoxy cationic electrocoating , resistant to corrosion and saline envinromts. Electric gear on a removable tray for easy maintenance.



LED post top 10W

1512 BASTIA power LED post top IP66, IK08	-	1	On Request
---	---	---	------------


Housing made of die cast aluminium, in vandal reisant V2 self extinguishing polycarbonate diffuser complete with quick connection.



LED post top 10W

1707 TORCIA - Power LED post top IP66, IK08	4000K , 5520Lm	1	On Request
---	----------------	---	------------

Pressure die cat aluminium housing and diffuser made in vandal resistant V2 self extinguishing polycarbonate UV stabilized. Reflector made of specular aluminium, optics made of PMM with high temperature resistance and UV rays, flow recovery in V0 polycarbonate metalized high yield.



Post top IP65

130930	1202 Polar 100W MH E	MH 70W/100W E27	1	On Request
--------	----------------------	-----------------	---	------------

High Pressure Die Cast Aluminium Housing, with aluminium cover plate, IP65, Polycarbonate diffuser. Graphite Grey Epoxy Cationic Powder coated. Complete with 100W MH Elliptical E27 lamp & 6.3A protection Fuse.




ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Sports flood light 65KW

130758	1156 Forum FL/FM/FS Max TS - 2000 SA	2KW Short ARC	1	On Request
--------	---	---------------	---	------------



Sports flood light 65KW

130759	Cassette control gear box IP65 2000W	-	1	On Request
--------	---	---	---	------------

High pressure die cast aluminum housing with cooling fins, Highly specular precision designed anodised & polished reflector system with light recovery baffle. Heat resistant tempered glass. Luminaire has rear opening for lamp replacement. Ignitor box attached to luminaire housing. Graphite grey epoxy cationic powder coated.



Ground recessed up lighter

130914	1617 Floor adjustable 70W MH DE 4000 Kg load bearing, 80°C touch temperature	70W MH DE	1	On Request
--------	---	-----------	---	------------

Housing in Die cast aluminum, with Pressure die cast aluminium frame, 12mm thick tempered shock resistant glass 4000 Kg load bearing, Complete with Nylon Fibre glass recessing box & power supply lead.



Wall recessed light

110832	1610 Wall with Louvre	CFL 26W	1	On Request
--------	-----------------------	---------	---	------------

Vandal resistant V2 self extinguishing UV stabilized polycarbonate housing, pressure die cast aluminum frame, Graphite Grey Epoxy Cationic Powder coated. Polycarbonate diffuser. CE, ENEC certified, IP65, Class I



Wall recessed light

	1629 - FONTE - LED	LED 4000K	1	On Request
--	--------------------	-----------	---	------------

Housing in fiberglass nylon, UV stablized in die cast aluminium.






INDUCTION LIGHTING



INDUCTION LIGHTING

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction surface mounted low bay luminaire

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
169559	BJRLB 40 IL Complete			21600
148251	BJRLB 40 IL WOB	40W IL	1	3004
539358	BIL 406 R			9298
	BIB 406			9298

Lowbay luminaire with epoxy white powder coated CRCA sheet steel housing, along with driver suitable for 40W induction lamp.



Induction surface mounted medium bay luminaire

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
169560	BJRMB 80 IL Complete			28400
148242	BJRMB 80 IL WOB	80W IL	1	4918
539354	BIL 806 R			11741
	BIB 806			11741

Mediumbay luminaire with epoxy white powder coated CRCA sheet steel housing, along with driver suitable for 80W induction lamp.



Induction Canopy lighting luminaire

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
169561	BJJPP 40 IL Complete			24500
148251	BJJPP 40 IL WOB	40 WIC	1	5905
539358	BIL 406 R			9298
	BIB 406			9298

Recess mounting, die cast aluminium housing, prewired with driver suitable for 40W induction lamp.



Induction Canopy lighting luminaire

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
169563	BJUCL 80 IL Complete			31500
148246	BJUCL 80 IL WOB	80W IL	1	8018
539354	BIL 806 C			11741
	BIB 806			11741

Recess mounting, die cast aluminium housing, along with driver suitable for 80W induction lamp.



Induction high bay lighting luminaire

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
169572	BLRI 80 IL Complete			37300
148246	BLRI 80 IL WOB	80W IL	1	13818
539354	BIL 806 C			11741
	BIB 806			11741
169562	BLRI 120 IL Complete			43000
148247	BLRI 120 IL WOB	120W IL	1	15938
539355	BIL 1206 C			13531
	BIB 1206			13531
169574	BLRI 150 IL Complete			43000
148249	BLRI 150 IL WOB	150W IL	1	17692
539356	BIL 150 C			15204
	BIB 1506			15204
169573	BLRI 200 IL Complete			43000
148248	BLRI 200 IL WOB	150W IL	1	17322
539357	BIL 200 C			14089
	BIB 2006			14089

Spun aluminium control gear housing with fluted polycarbonate refractor along with control gear for induction lamp. Polycarbonate bottom cover can be provided (optional).



Induction highbay luminaire with faceted reflector

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
169587	BJHBI 80 IL FC Complete			30231
148246	BJHBI 80 IL FC TE WOB	80W IL	1	6749
539354	BIL 806 C			11741
	BIB 806			11741
169575	BJHBI 120 IL FC Complete			34200
148247	BJHBI 120 IL FC TE WOB	120W IL	1	7138
539355	BIL 120 C			13531
	BIB 1206			13531
169576	BJHBI 150 IL FC Complete			35600
148248	BJHBI 150 IL FC TE WOB	150W IL	1	7422
539356	BIL 150 C			14089
	BIB 1506			14089
169577	BJHBI 200 IL FC Complete			38000
148249	BJHBI 200 IL FC TE WOB	200W IL	1	7592
539357	BIL 200 C			15204
	BIB 2006			15204

Spun aluminium control gear housing with fluted polycarbonate refractor along with control gear for induction lamp. Polycarbonate bottom cover can be provided (optional).

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction flood lighting luminaire

BJFL 40 IL Complete				
169564	BJFL 40 IL WOB	40W IL	1	25000
148251	BIL 406 R			6405
539358	BIB 406			9298
BJFL 80 IL Complete				
169565	BJFL 80 IL WOB	80W IL	1	31000
148242	BIL 806 R			7518
539354	BIB 806			11741

Epoxy powder coated die-cast aluminium housing, provided with electronic driver suitable for 80W induction lamp.



Induction flood lighting luminaire

BJENF 150 IL NI Complete				
169568	BJENF 150 IL NI	150W IL	1	39990
148244	BIL 1506 R			9412
539356	BIB 150			14089
169570	BJCG 150 IL DD WOB			14089
				2310
BJENF 200 IL NI Complete				
169569	BJENF 200 IL NI	200W IL	1	42660
148245	BIL 2006 R			9826
539357	BIB 200			15204
169571	BJCG 200 IL DD WOB			15204
				2426

Epoxy power coated die cast aluminium housing, suitable for 150W/200W induction lamp for effective asymmetrical beam control.



Induction tunnel lighting luminaire

BJTL 150 IL Complete				
169566	BJTL 150 IL WOB	120W IL	1	40900
148244	BIL 1506 R			12722
539356	BIB 1506			14089
				14089
BJTL 200 IL Complete				
169567	BJTL 200 IL WOB	200W IL	1	43600
148245	BIL 200 R			13191
539357	BIB 2006			15204
				15204

Epoxy white powder coated sheet steel aluminium fitted to the extruded aluminium sections, along with driver suitable for 200W induction lamp.



Induction street lighting luminaire

BJEST 40 IL FG SHN Complete				
169578	BJEST 40 IL FG SHN WOB	40W IL	1	24400
148251	BIL 40 R			5805
539358	BIB 406			9298
				9298

Epoxy gray powder Coated single piece die-cut aluminium housing. Electrochemically brightened, polished, and anodised finish pot optic aluminium reflector with heat resistant toughened clear glass.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Induction street lighting luminaire

BGEST 80 IL FG Complete				
169579	BGEST 80 IL FG WOB	80W IL	1	30730
148242	BIL 806 R			7248
539354	BIB 806			11741
				11741

Epoxy gray powder Coated single piece die-cut aluminium housing and C.G. accessories. Electrochemically brightened, polished, and anodised finish aided pot optic aluminium reflector for lamp.



Induction street lighting luminaire

BTSLF 120 IL PC Complete				
169582	BTSLF 120 IL PC WOB	120W IL	1	38540
148243	BIL 1206 R			11477
539355	BIB 1206			13531
				13531
BTSLF 150 IL PC Complete				
169648	BTSLF 150 IL PC WOB	150W IL	1	39650
148244	BIL 1506 R			11472
539356	BIB 1506			14089
				14089

Stone enameled luminaire with clean acrylic & accessories.



Induction clean lighting luminaire

BPRF 80 IL TG Complete				
169583	BPRF 80 IL TG WOB	80W IL	1	32870
148242	BIL 806 R			9388
539354	BIB 8066			11741
				11741

Front opening clean room luminaire with 80W driver suitable for 80W induction lamp.



- SOLAR STREET LIGHT
- SOLAR SEMI HIGHMAST
- CENTRALISED SOLAR STREET LIGHTING SYSTEM
- SOLAR HORDING
- SOLAR ROOF TOP SYSTEM
- SOLAR PORTABLE COMPACT KIT (SOLARON)
- SOLAR WATER PUMPING SYSTEM
- SOLAR PANEL
- SOLAR POWER CONDITIONING UNIT



SOLAR LIGHTING SYSTEM

SOLAR STANDALONE STREETLIGHT

*Solar Standalone Streetlight System consists of Solar LED Luminaire, Solar Panel, Solar Low maintenance Flooded Battery (Luminous / Southern), GI Battery Box and 6mtr GI Pole

*2 years warranty will be given for total system

PRODUCT DESCRIPTION	AUTONOMY	UNIT PRICE ₹
---------------------	----------	-----------------



Falcon Solar Luminaire 21/24/30W

9W LED solar streetlight system	3 days	63000
12W LED solar streetlight system	3 days	72000
12W LED solar streetlight system	2 days	67000
15W LED solar streetlight system	3 days	77000
15W LED solar streetlight system	2 days	74000
21W LED solar streetlight system	3 days	91000
21W LED solar streetlight system	2 days	82000
24W LED solar streetlight system	3 days	100000
24W LED solar streetlight system	2 days	94000
30W LED solar streetlight system	3 days	115000
30W LED solar streetlight system	2 days	105000
43W LED solar streetlight system	3 days	162000
43W LED solar streetlight system	2 days	130000
60W LED solar streetlight system	3 days	220000
60W LED solar streetlight system	2 days	195000



OPAL 21W/30W

21W LED solar streetlight system with non integral charge controller	3 days	On request
21W LED solar streetlight system with non integral charge controller	2 days	On request
30W LED solar streetlight system with non integral charge controller	3 days	On request
30W LED solar streetlight system with non integral charge controller	2 days	On request



CORONA 9W

9W LED solar streetlight system	3 days	59000
---------------------------------	--------	-------



CUB 20W

20W LED solar streetlight system	3 days	88000
20W LED solar streetlight system	2 days	78000

ORDERING PRODUCT CODE	PART NAME	AUTONOMY	UNIT PRICE ₹
-----------------------	-----------	----------	-----------------



SEMIHIGH SEMI MAST

SolarZ+ 204	20W * 4 Nos. LED solar streetlight system with 7m octagonal pole	2 days	500000
SolarZ+ 304	30W * 4 Nos. LED solar streetlight system with 9m octagonal pole	2 days	600000

ORDERING PRODUCT CODE	PRODUCT DESCRIPTION	AUTONOMY	UNIT PRICE ₹
-----------------------	---------------------	----------	-----------------

SOLARON



Module-1	Complete set with solar panel and battery with 1 No. of 3W LED batten/LED bulb	15 hours	11000
Module-2	Complete set with solar panel and battery with 2 Nos. of 3W LED batten/LED bulb	15 hours	18000
Module 3	Complete set with solar panel and battery with 2 Nos. of 3W LED batten/LED bulb + 1 DC fan (12V)	15 hours	37000
Module 4	Complete set with solar panel and battery with 4 Nos. of 3W LED batten/LED bulb	15 hours	34000

ORDERING PRODUCT CODE	PRODUCT DESCRIPTION	QUANTITY PER SET	UNIT PRICE ₹
-----------------------	---------------------	------------------	-----------------

SOLAR POWER PACK



1 KVA system with 4 hours autonomy

Solar PV panel - 250Wp	4	430000
Power conditioning unit - 1 KVA	1	
Solar low maintenance battery 12V - 200 AH	2	
Connecting accessories set	1	



500 VA system with 4 hours autonomy

Solar PV Panel - 250Wp	2	260000
Power conditioning unit - 600 VA	1	
Solar low maintenance battery 12V - 120 AH	2	
Connecting accessories set	1	



Contents

Commercial Lighting

1-41

- 2 .nxt LED
- 12 Workspace Lighting
- 30 Retail Lighting
- 38 Lighting Control System



Industrial Lighting

42-61

- 44 LED Industrial Lighting
- 46 Industrial Lighting
- 54 Hazardous Area Lighting
- 58 Cleanroom Lighting



Roadway Lighting

62-73

- 64 LED Edge Street Lighting
- 65 Roadway Lighting



Area Lighting

74-83

- 76 LED Area Lighting
- 77 Area Lighting



Urban Architecture Lighting

84-109

- 86 LED Landscape Lighting
- 90 Landscape Lighting
- 102 Raggio
- 106 Disano



Induction Lighting

110-115

- 112 Induction Lighting



Solar Lighting System

116-119

- 118 Solar Standalone Streetlight
- 119 Solaron



IBMS

120-45

- 116 IBMS



128-131 Accessories

132-133 HID Lamps

134-135 Spares Price List





nxt
next generation cameras

BAJAJ IBMS

ORDERING PRODUCT CODE	CAMERA TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	-------------	------------------	--------------

Analog CCTV Range



Infrared dome camera

600773	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs AGC, AWB, BLC CE, FCC and RoHS certified	4	5800
--------	--	---	------



Weather proof infrared bullet camera

600772	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs IP65, AGC, AWB, BLC CE, FCC and RoHS certified	4	6600
--------	--	---	------



Digital video recorder

600142	16 channel, free DDNS, CIF recording hard-disk and display not included	1	21500
600390	8 channel, free DDNS, CIF recording Hard-disk And Display Not Included	1	13200
600698	4 channel, free DDNS, D1 recording hard-disk and display not included	1	10700

ORDERING PRODUCT CODE	CAMERA TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	-------------	------------------	--------------

IP CCTV Range (**nxt** Powered by **VIVOTEK**)



2MP full HD ultra mini IP network camera

600778	2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
--------	--	---	-------



2MP Ffull HD ultra mini IP network camera

600778	2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board storage Ultra-mini size design Easy installation	4	39300
--------	--	---	-------




8-CH 2-bay HDD auto setup auto adaptive stream hardware decoding standalone desktop


600775	8-CH live viewing 1-CH local playback, 4-CH remote Synchronous playback Embedded linux OS Easy to install HDD design 1080P HDMI local video output Plug & play auto setup Auto adaptive stream for efficient display Support fisheye dewarp (10, 1P, 1R, 103R) Support local rewind VIVOTEK camera configuration integrated Hard disk and display not included	1	77600
--------	---	---	-------



IP CCTV combo offer

600774	2 ultra mini bullet 2 ultra mini dome 1 No. 4 port POE switch 1 No. 8 channel NVR Hard disk and display not included	1	215600
--------	--	---	--------





ACCESSORIES

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	MRP ₹
-----------------------	----------------	-----------	------------------	-------

LAMP SOURCES



.nxt T5 lamps

148223	.nxt T5 Lamp 28W/86	T5 28W	30	145
148224	.nxt T5 Lamp 14W/86	T5 14W	30	140
148225	.nxt T5 Lamp 28W/84	T5 28W	30	145
148226	.nxt T5 Lamp 14W/84	T5 14W	30	140

Sleek size T5 tubes with advanced triphosphor layer. High color rendering & lumen maintenance. Ideally suitable for Indian weather conditions.



CDM-T lamps

148145	BN35CM-T 3K G12	G12/CCT : 3000K	12	1050
148146	BN35CM-T 4K G12	G12/CCT : 4200K	12	1050
148147	BN70CM-T 3K G12	G12/CCT : 3000K	12	1050
148148	BN70CM-T 4K G12	G12/CCT : 4200K	12	1050
148155	BN150CM-T 3K G12	G12/CCT : 3000K	12	1250
148156	BN150CM-T 4K G12	G12/CCT : 4200K	12	1250

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'ICON' Electronic ballast - ICON Family

539207	ICON 136	1x36 T8/PLL, 1x40 T12	10	250
539315	Icon 113	1x9/11/13W CFL 2 Pin/4 Pin	30	240
539316	Icon 118	1X18W CFL 2 Pin/4 Pin 2 Pin/4 Pin	30	240
539319	Icon 124 Sleek	1x24W T5	10	440
539320	Icon 128 Sleek	1x28W T5	10	440
539318	Icon 136 Sleek	1x36W T8/PLL, 1x40W T12	10	360
539321	Icon 228 Slender	2x28W T5	10	790
539322	Icon 236 Slender	2x36W T8/PLL, 2x40W T12	10	760

Electronic ballast suitable for 36W T8 lamps. High power factor ballast specially designed for heavy duty use. Ideal for industrial applications.



Commercial electronic ballast for CFL/FTL lamps

530881	BJHF 109/11/10/13	1x9/10/11/13W 'S' type CFL	60	245
530882	BJHF 118	1x18W 'D' type CFL	60	245
169204	BJHF 136	1x36W FTL	30	290
531140	BJHF 136 S	1x36W FTL	30	295

HF ballast made of engineering plastic, pf > 0.9. Not for industrial use. Suffix "S" in cat. reference indicates Slim ballast.



'Regular' electronic ballast

530287	BJHF 118/120 P	1x18/20W FTL	24	600
530107	BJHF 136/140 P	1x36/40W FTL	24	600
530108	BJHF 236/240 P	2x36/40W FTL	24	720
530066	BJHF 128 P	1x28W T5	24	540
530067	BJHF 228 P	2x28W T5	24	760
530658	BJHF 224 P	2x24W T5	24	720
530064	BJHF 114 P Warm Start	1x14W T5	100	550
538457	BJHF 124 P Warm Start	1x24W T5	100	600
530065	BJHF 214 P Warm Start	2x14W T5	50	775
530255	BJHFS 218 P Warm Start	2x18W CFL	24	720
530256	BJHFS 226 P Warm Start	2x26W CFL	24	810

Slim, light in weight, regular electronic ballast having THD < 30% suitable for single/twin CFL/FTL/T5 lamp.

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



'Leader' Electronic ballast-low harmonics (THD < 10%)

530109	BJHF 136/140 LHD	1x36/40W FTL	24	720
530110	BJHF 236/240 LHD	2x36/40W FTL	24	1000
530159	BJHF 418/420 LHD	4x18/20W FTL	24	1530
530292	BJHF 128 LHD	1x28W T5	24	900
530293	BJHF 228 LHD	2x28W T5	24	1170
530933	BJHF 314 LHD	3x14W T5	24	1350
530261	BJHFS 218 CFL LHD	2x18W CFL	24	1000
530991	BJHFS 226 CFL LHD	2x26W CFL	24	1000

'Leader' - high frequency electronic ballast with current harmonic maintained below 10% and EMI/RFI as per international specification with improved power factor close to 0.99 suitable for 36/40W - CFL/FTL luminaires. "Leader" HF Ballasts available in all types & wattage of FTL/CFL.



'Intelligent' Electronic ballast - constant wattage

530113	BJHF 136/140A	1x36/40W FTL	24	1000
530114	BJHF 236/240A	2x36/40W FTL	24	1350
538928	BJHF 414 A	4x14W T5	20	1370
530704	BJHF 254 A	2x54W T5	25	2700

'Intelligent' - Bajaj Constant Wattage Ballast conforming to international and national specifications as safety and performance suitable for 36/40W – CFL/FTL luminaires with power factor closed to unity.

All CFL & FTL- T8/T5 Intelligent Ballasts available on request.



Open construction HPMV ballast

161848	BJOR 80 MV	HPMV 80W	16	1200
161849	BJOR 125 MV	HPMV 125W	16	1250
162127	BJOR 250 MV	HPMV 250W	8	2250
162248	BJOR 400 MV	HPMV 400W	6	3150

'Intelligent' - Bajaj Constant Wattage Ballast conforming to international and national specifications as safety and performance suitable for 36/40W – CFL/FTL luminaires with power factor closed to unity.

All CFL & FTL- T8/T5 Intelligent Ballasts available on request.



Open construction MMH ballast

161698	BJOS 250W MMH Ballast**	MMH 250W	6	1900
161699	BJOS 400W MMH Ballast**	MMH 400W	6	2950

Open construction electromagnetic ballasts consisting of high quality silicon steel lamination with argon welding, super enamelled copper wire, vacuum impregnated with white resin, terminal block with tapping for 220/240 volts supplied. Suitable for commercial, industrial and area lighting applications.

Note: ** MMH ballast to be used for mercury based metal halide lamp only with suitable ignitor (Code: 020124).

ORDERING PRODUCT CODE	LUMINAIRE TYPE	LAMP TYPE	STANDARD PACKING	UNIT PRICE ₹
-----------------------	----------------	-----------	------------------	--------------



Open construction HPSV/MH ballast

169408	BJOS 70 SV/MH	HPSV/MH 70W	16	1200
162109	BJOS 150 SV/MH	HPSV/MH 150W	8	1800
162602	BJOS 250 SV/MH	HPSV/MH 250W	6	2750
169233	BJOS 400 SV/MH	HPSV/MH 400W	6	3990

Open construction electromagnetic ballasts consisting of high quality silicon steel lamination with argon welding, super enamelled copper wire, vacuum impregnated with white resin, terminal block with tapping for 220/240 volts supplied. Suitable for commercial, industrial and area lighting applications.



Ignitors for HPSV/MH luminaires

28800	BJIGN HPSV A	HPSV Lamp	As per required	240
20122	BJIGN MH A	MH Lamp	As per required	250
28630	BJIGN HPSV 1	HPSV Lamp	As per required	260
28830	BJIGN HPSV 2	HPSV Lamp	As per required	400
20123	BJIGN SV/MH SI	HPSV Lamp	As per required	550
20124	BJIGN MMH A	MMH Lamp	As per required	350

General notes for all sections :

- Due to continuous efforts in developing products, improvement - Bajaj Electricals Limited reserves the right to make change in the design and data and withdraw the luminaires without any prior notice.
- All the prices are subject to change without any prior notice.
- This price List supersedes all earlier prices and are excluding lamps/Tubes.
- All LED Luminaires are with in built LED lamps.
- Prices are exclusive of VAT, Octroi and other Govt. Levy which shall be charged extra as applicable.
- Dealers may sell at prices lower than the list price.
- Disputes if any will be subjects to Mumbai jurisdiction only.
- Non Integral luminaires when used with HPMV/HPSV/MH lamp(s) requires separate control gear of appropriate rating.

All product and installation images are indicative.

CDM-T lamps rates are mentioned as MRP.



HID LAMPS

ORDERING PRODUCT CODE	LAMP TYPE	STANDARD PACKING	MRP ₹
-----------------------	-----------	------------------	-------



HPMV LAMPS

140480	HPMV 80W BC	16	150
140481	HPMV 80W ES	16	160
140580	HPMV 125W BC	16	160
140581	HPMV 125W ES	16	160
140680	HPMV 250W ES	12	380
140780	HPMV 400W ES	12	560



HPSV LAMPS

141070	HPSV 70W elliptical WOI	12	360
141150	HPSV 150W elliptical	9	500
141250	HPSV 250W elliptical	9	550
141400	HPSV 400W elliptical	6	650
142070	HPSV 70W tubular WOI	12	400
142150	HPSV 150W tubular	9	520
142250	HPSV 250W tubular	9	580
142400	HPSV 400W tubular	6	680
142403	HPSV 1000W SV Tubular	4	4500

ORDERING PRODUCT CODE

LAMP TYPE

STANDARD PACKING

MRP ₹



HPSV SON T PLUS LAMPS

148143	70 W SV T plus	12	480
140050	150W SV T plus	9	680
140051	250W SV T plus	9	825
140052	400W SV T plus	6	875



METAL HALIDE

148033	70W MH DE	24	580
148034	150W MH DE	24	600
140023	70W MH coated elliptical 27	12	790
140028	150W MH coated elliptical 27	12	840
148036	70W MH tubular elliptical 27	12	910
148037	150W MH tubular elliptical 27	12	960
140085	150W MH coated elliptical 40	12	950
140104	150W MH tubular elliptical 40	12	950
140033	250W MH elliptical coated	12	1020
140065	250W MMH tubular	12	1020
140034	250W MH tubular	12	930
140078	250 W MMH elliptical coated	12	1020
140036	400W MH elliptical coated	6	1020
140137	400W MMH elliptical coated	6	1020
140037	400W MH tubular	12	930
140095	400W MMH tubular	12	930
140136	1000W MH tubular	6	3000

Note: 2KW MH Lamp can be provided on request.

All MH Lamp to be used with totally enclosed toughen glass luminaires.






SPARES PRICE LIST

PRODUCT CODE	Spare Description	NSP (In ₹)	PRODUCT CODE	Spare Description	NSP (In ₹)
902293	Acrylic cover BJSLSA 111	206	916153	Glass BGEST 150 SV FG SH	870
902292	Acrylic cover BJSLSF 211	189	918016	Glass BGEST 250 SV SH FG	1024
902958	Acrylic cover BJSLSA 136 CFL	263	918004	Glass BGEST 250 SV IP65 FG	1287
953272	Acrylic cover BJSLSA 1140	389	953246	Glass BGEST 70 SV IP66 FG SHN	555
902499	Acrylic with frame BJSLSA 140	738	953161	Glass BGEST 150 SV FG SHN IP	675
916246	Acrylic with frame BJSLSA 240	835	953306	Glass BGEST 250 FG SHN	801
953230	Acrylic BJSLSF 85 RF BC	429	953267	Glass BGEST 85 RF CFL FG	870
916155	Acrylic BJSLSF 236	681	953415	Glass for BJMSDT 03 70 SV	412
953008	Acrylic BTSLF 128/228	389	953102	Glass for BJMSDT 03 150	618
916267	Acrylic BTSLF 214 MS	521	902471	Glass for BJMSDT 03 250SV	812
953336	Acrylic cover BTSLF 424 MS (Eco)	1974	953416	Glass with gasket for BJEF 15 S	721
916206	Acrylic cover BTSLF 424 MS	1447	902606	Glass with gasket EF 21 (S)	1316
902960	Acrylic cover BJMSD 02 70 SV	532	916211	Glass for BJENF 14	326
916195	Acrylic BJMSD 04 150 SV	641	902470	Glass for BJENF 24	847
916194	Acrylic BJMSD 04 250 SV	761	902911	Glass for BGENF 22	875
953382	Acrylic cover BJMSDT 03 85 RF CFL	606	902989	Glass for BGEMF 70MH DE/SV	206
902062	Acrylic cover BGEST 70 SV DD	498	902913	Glass for BGEMF 150 MH DE	343
902955	Acrylic cover BGEST DD 150 SV	841	902931	Glass for BGEMF 250/400W	412
918030	Acrylic BGEST 250 SV DD	1110	918022	Glass for BJEMFS 150 MH DE	326
918006	Acrylic BGEST 02 70 SV	601	953417	Glass with frame for BGEMF 70 MH	574
902360	Acrylic for BGEST 150 SV	950	918028	Glass With Frame BGEMF 150	795
902277	Acrylic cover BGEST 250 SV	1110	902077	Glass with frame EMF250 SV	1081
918012	Glass BGEST 02 70 IP 65	601	918039	Glass BGEMFS 250/400	412

PRODUCT CODE	Spare Description	NSP (In ₹)	PRODUCT CODE	Spare Description	NSP (In ₹)
916152	Glass BJFL 02 70 MH	343	953413	Glass with frame for BJPP 1170/1150	1001
902336	Glass BJFL 70SV/MH	549	953357	Glass with gasket for BJHBI 11 TE	1413
916223	Glass BJFL 11 150 MH DE	606	916006	Glass WI Gasket BJVWI 70	303
902853	Trans. for BJAOL 1	4187	902969	Glass WI Rubber BJVWI 150	503
902247	Glass BJAOL 1	892	953414	Glass with gasket and wireguard for VVW 200	509
916280	Glass BJFL 400W MH T S	704	916074	Glass with gasket and wireguard BJVW 300 29	767
953388	Glass BJFL 01 250/400	646	953380	SS wireguard BJDWIS 70	772
902408	Acrylic BJCPTI 111/118 O	847	953004	Lamp holder T5 28W	40
902218	Acrylic BJCPTI 111/118 CL	847	902716	Holder for BJDB 100	34
902962	Opal acrylic cover BJCPTI 211	1299	902723	Holder ES-70 (SV)	103
902961	Acrylic BJCPTI 211/18/70-125 CL	1299	902859	E 40 SV holder	217
953419	Diffuser for BRPTI 111/118 Opal	297	902491	70 MH DE holder bracket	275
110915	BGD 36 070	3318	902718	150 DE holder	275
110916	BGD 36 100	3804	902030	New rotor holder	23
110917	BGD 36 140	4519	916046	Lamp holder 36W	57
110918	BGD 36 210	5063	916177	D type 10/26W CFL lamp holder	46
111409	BGD 36 350M	21481	916178	Lamp holder 9/11W CFL	40
110915	BGD 36 070	3318	953399	Holder plate with holder for BTIR 128	17
110918	BGD 36 210	5063	953400	Holder plate with holder for BTIR 228	23
110917	BGD 36 140	4519	953401	Holder plate with holder for BJIR 140	40
111125	BGD 36 280	6722	953402	Holder plate with holder for BJIR 240	29
953403	Acrylic cover for BTMB 428/454	2437			
953316	Acrylic with Frame BTMB 414	2437			
953404	Acrylic cover for BTMBN 254/454	2277			
953405	Acrylic cover for BTHBX 428/454	1985			
953406	Acrylic cover for BTMBX 414/424	990			
902910	Glass with gasket for BJBE 19	275			
953303	Glass with gasket BJDB 100	166			
902263	Glass for BJDBI 70 SV/80 MV	383			
916023	Gasket BJDBI 70SV	343			
953231	Glass for BJRLB 02 70	360			
902869	Glass for BJRMB 250	898			
953407	Glass with frame for BJPP 70/150 MH DE CA	1390			
953408	Glass with frame for BJPP 250 MMH CA	1693			
953268	Glass with frame for BJUCL 400	1996			
953409	Glass with frame for BJPP 80 LED	1430			
953410	Glass for BJTL 70	646			
953411	Glass for BJTL 150	709			
953412	Glass for BJTL 250	801			



Note:

BRANCH OFFICES

AHMEDABAD

106, Sakar III, Off Ashram Road
 Navrangpura, Ahmedabad 380 014.
 Phone: 079-27543964, 27543967, 27540397
 Fax: 079-27543950

GUWAHATI

Agarwal House, Christian Basti,
 G. S. Road, Guwahati 787 005.
 Phone: 0361-2346497, 2346498, 2346499
 Fax: 0361-2346496

NAGPUR

2nd Floor, Saraf Court, Opp. Yashwant Stadium,
 Dhantoli, Nagpur.
 Phone: 0712-2440318, 2440319
 Fax: 0712-2420102

BANGALORE

Bajaj Bhavan, No. 16, Residency Road,
 Bangalore 560 025.
 Phone: 080-22235486, 22238984, 22275505
 Fax: 080-22214878, 22275505

HARYANA

1/10, Asaf Ali Road,
 New Delhi 110 002
 Phone: 011-23503700
 Fax: 011-23230214

NOIDA

Unit No. A 432 - A 434, 4th Floor,
 Pacific Business Park, Plot No. 37/1, Site IV,
 Sahibabad Industrial Area,
 Ghaziabad 201 010 (Uttar Pradesh)

BHUBANESWAR

Kharavela Nagar, Janpath,
 Bhubaneswar 751 001.
 Phone: 0674-2390697, 2396980, 2394052
 Fax: 0674-2390294

HYDERABAD

H. No. 6-3-1090/2, 3rd Floor, Vithal Das
 Chambers, Rajbhavan Road,
 Somaji Guda, Hyderabad 500 082.
 Phone: 040-23442932, 23442933, 23442934
 Fax: 040-23302745

MUMBAI

Harchandrai House, 3rd Floor, 81,
 Queens Road, Marine Lines,
 Mumbai 400 002.
 Phone: 022-22089091/92/93
 Fax: 022-22089193

CHANDIGARH

SCO 52, Sector-26, Madhya Marg,
 Chandigarh 160 026.
 Phone: 0172-4303211
 Fax: 0172-2792932

INDORE

Commerce House, 3 rd Floor, 7 Race Course
 Road, Indore 452 003, MP.
 Phone: 0731-2548909/10/18
 Fax: 0731-2548911

PATNA

Kashi Place, Dak Bunglow Road,
 Patna 800 001.
 Phone: 0612-2231427, 2220155, 2225911
 Fax: 0612-2231978, 2231427

CHENNAI

Navin's Presidium, 8th Floor, A- Block, Old
 No.103-A, Nelson Manickam Road,
 Aminjikarai, Chennai 600 029.
 Phone: 044-30662200 Fax: 044-42163300

JAIPUR

Raghukamal Niwas, M. I. Road,
 Jaipur 302 001.
 Phone: 0141-2377364, 2369541, 2369542
 Fax: 0141-2374261

PUNE

Maneck Hall, 2, General Thimmayya Road,
 Pune 411 001.
 Phone: 020-26360801, 26361321, 26360703
 Fax: 020-26360698

COCHIN

CRL House, 42/1107,
 Tata Oil Mills Road, Cochin 682 018.
 Phone: 0484-2391119, 2396128, 2392039
 Fax: 0484-2391744

KOLKATA

8/1, Lalbazar St., 3rd Floor,
 Bikaner Building,
 Kolkata 700 011

RAIPUR

Bajaj Bhavan, G. E. Road,
 Near Mahaveer Garden, Raipur 492 001.
 Phone: 0771-2263986, 2263976, 2660166
 Fax: 0771-2263310

DELHI

1/10, Asaf Ali Road, New Delhi 110 002
 Phone: 011-23503700
 Fax: 011-23230214

LUCKNOW

2nd Floor, Titanium Building, Shalimar Corporate
 Park, Opp - Indira Gandhi Pratishtan, Vibhuti
 Khand, Gomtinagar, Lucknow – 226010, UP
 Phone: 0522-4938900-30

REGISTERED OFFICE

45/47, Veer Nariman Road,
 Mumbai 400 001.
 Phone: 022-22043841, 22045046, 22045341
 Fax: 022-2285127

LUMINAIRES HEAD OFFICE and R&D OFFICE

601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai 400 022.
 Tel.: 022 2406 4400. | E-mail: luminaires@bajajelectricals.com | www.bajajelectricals.com

