




## INDUSTRIAL LIGHTING


BJH / MBIF 250/400 MV / MMH TE

BJH / MBIF 150/250 SV / 250 MH TE

Totally enclosed Integral Highbay / mediumbay luminaire



BJHBIF



BJMBIF

NOMINAL DIMENSIONS IN mm Tolerance +/-5

## Application

- Airport hangers and warehouses
- Heavy engineering industries
- Thermal power stations
- Railway concourse halls
- Steel plants
- Shopping malls, Departmental stores, Food plaza etc.

## Features

- Integral decorative cast aluminium black textured matt finish powder coated housing and cover.
- Scientifically designed spun aluminium, Electro-chemically brightened anodised reflector for better distribution.
- Heat resistant toughened glass cover with hinge.
- Eye bolt & antivibration rubber pad are provided for suspension mounting.
- Ease of maintenance.
- Replaceable ballast.
- Aesthetically appealing to suit any interior.
- Degree of protection : IP 55 (Glass version)

## Electrical Data

| Product code | LUMINAIRE TYPE         | Lamp Type & Wattage (W) | Nominal Voltage (V) | Mains Current In Amps. At 240 V | Capacitor Mfd. | Power Factor |
|--------------|------------------------|-------------------------|---------------------|---------------------------------|----------------|--------------|
| 162006       | BJH/MBI F 250 MV Hsg.  | HPMV 250                | 220/240             | 1.30                            | 15             | ≥ 0.85       |
| 162007       | BJH/MBI F 400 MV Hsg.  | HPMV 400                | 220/240             | 2.10                            | 20             | ≥ 0.85       |
| 162008       | BJH/MBI F 150 SV Hsg.  | HPSV 150                | 220/240             | 0.80                            | 20             | ≥ 0.85       |
| 162009       | BJH/MBI F 250 SV Hsg.  | HPSV 250                | 220/240             | 1.30                            | 30             | ≥ 0.85       |
| 162045       | BJH/MBI F 250 MH Hsg.  | MH 250                  | 220/240             | 1.30                            | 30             | ≥ 0.85       |
| 162046       | BJH/MBI F 250 MMH Hsg. | MMH 250                 | 220/240             | 1.30                            | 20             | ≥ 0.85       |
| 162047       | BJH/MBI F 400 MMH Hsg. | MMH 400                 | 220/240             | 2.10                            | 30             | ≥ 0.85       |

Data subject to variation due to change/improvement in the design, materials and processes.

|   |                            |     |            |   |
|---|----------------------------|-----|------------|---|
| <br><b>BAJAJ LUMINAIRE</b><br><i>Making the difference</i>                          | DRAWN                      | VDS | 11-01-2008 | FOR – Std.  |
|   | CHECKED                    | KS  |            | REV - 0 DATE-11-01-2008   |
|   | APPROVED                   | CRR |            | DRG. No   |
|   | DATA SHEET RELEASED ON DT- |     |            | HB/MBIF 250 MV/SV/MH TE-001   |
| <b>BAJAJ ELECTRICALS LIMITED</b> 15/17, SANT SAVTA MARG, REAY ROAD, MUMBAI-400 010. |                            |     |            | * E-mail : <a href="mailto:luminaires@bajajelectricals.com">luminaires@bajajelectricals.com</a> |